
# Native worksheet execution: EXP-ECDLP-080496

Descriptive finite worksheet observations only; no hypothesis verdict, asymptotic claim or deployed-curve result.

Hypothesis H-ECDLP-09812e; goal GOAL-ECDLP-001. Requested 2 trials.

Run — Native status — Driver wall seconds — CPU seconds — RSS bytes
RUN-ECDLP-9f8c2f — output_validated — 2.2783150850009406 — 0.894817 — 54951936
RUN-ECDLP-e6d65d — output_validated — 2.450528593999479 — 0.959099 — 55083008

All values are recorded unless expressly labeled derived. Native elapsed is derived as finished_at minus started_at. Driver wall/CPU/RSS use each manifest's explicit boundaries, retained in report-data.json; RSS is a lifetime per-process peak, not aggregate memory. These deterministic route observations have one datum each, no sampled uncertainty or performance inference. No random draw is introduced; null seed and curve_id remain as recorded. A finite worksheet witness is not a formal, decomposition or discrete-log certificate.




Canonical graph scope checked: knowledge/frontiers/ecdlp and the frozen specification. These finite records do not change a scientific status or graph. The pipeline diagram records what ran; the timing plot, where present, plots recorded driver intervals only and claims no speedup.

Complete commands, controls, parameters, code/dirty/environment identities, exact source hashes and raw publication commits are retained in report-data.json and the linked raw runs. Missing data remain null. No result of a control gate is promoted to a hypothesis verdict.

## Recorded scalar metrics


```
[
  {
    "run_id": "RUN-ECDLP-9f8c2f",
    "scalar_metrics": {
      "chart_candidates_tested": 9507,
      "chart_size_before_normalize": 117,
      "fixed_points_of_sigma": 0,
      "identity_fixed_points": 117,
      "identity_fixes_all": true,
      "implementations_agree": null,
      "point_count": 117,
      "previous": null,
      "sigma_cube_is_id": true,
      "sigma_preserves_all": true,
      "state": "awaiting_separate_route_b",
      "tail_point_on_curve": false,
      "tail_point_tested": true
    },
    "structured_metric_fields_retained_in_report_data": [
      "prediction_comparison",
      "sigma_0"
    ]
  },
  {
    "run_id": "RUN-ECDLP-e6d65d",
    "scalar_metrics": {
      "chart_candidates_tested": 9507,
      "chart_size_before_normalize": 117,
      "fixed_points_of_sigma": 0,
      "identity_fixed_points": 117,
      "identity_fixes_all": true,
      "implementations_agree": true,
      "point_count": 117,
      "sigma_cube_is_id": true,
      "sigma_preserves_all": true,
      "state": "two_separate_route_runs_compared",
      "tail_point_on_curve": false,
      "tail_point_tested": true
    },
    "structured_metric_fields_retained_in_report_data": [
      "prediction_comparison",
      "previous",
      "sigma_0"
    ]
  }
]
```


Structured fields are retained completely in report-data.json and report.md; no truncation or numerical inference changes the raw evidence.