F2 second-pass preparation



Figure 1: Editable study diagram; exact scope and evidence paths appear in the report.

26 October 2026. Task TASK-20261026-e8fd72.

This is a preparation report, not a run result. No second-pass observation panel, pilot or performance measurement has been executed by this worker.

Prepared source covers full degree-65,536 generic-fibre target-lift classification, separate projective coset/curve replay, and complete signed three-summand decomposition on all six frozen matched bases at M=26 and M=121. Two common unplanted targets and separate distinct-positive and cancellation controls are specified. Corrupt target y, omitted first fibre point, finite generic-fibre poles and fail-closed launcher controls are prospective. Their outcomes remain unknown until released execution.

The target subgroup check is designed to certify #E(Fp)=r once using primality, the standard generator and a unique Hasse multiple, then use independent curve checks for every lift. Individual [r] multiplications per lift are deliberately not claimed.

The runtime requires frozen source/protocol, an explicit root release and the actual S3 checkpoint gate. A source/schema check alone does not release execution. Exact future commands are in README.md.

The reference method enumerates O(M squared) pair states; it is not a large-base implicit solver. Primary-source scope and assumptions appear in literature.md and derivation.md. Native model binding is unprobed; no performance advantage, formal/canonical review or official transition is asserted.

The diagram source is the prospective analysis.py. A fresh observed report and graph will be generated from retained data after Phase B, and root will render and inspect its compact PDF.