



Counts of committed proposal records by scheme and idea class. No experiment has run; these are proposals, not evidence.


Priority vs declared scale tier (counts)
recommended priority
high
medium
low
19
8
2
38
12
7
10
1
3
toy
medium
crypto
declared experiment scale tier

PQC-100 catalogue, entries 1-28 (proposals; no runs)

1. `IDEA-20261018-045269` `EXP-FNDSA-ab833e` `[FN-DSA, mechanism, high]`
   Floating-point conversion leak as a learning curve: signatures-to-key vs channel noise and tree level, [...]

2. `IDEA-20261018-7e72aa` `EXP-FNDSA-d9c29d` `[FN-DSA, measurement, high]`
   Float-free integer Gram-root sampler vs ffSampling: is the integer sampler's covariance error aligned [...]

3. `IDEA-20261018-b12c19` `EXP-FNDSA-8c601c` `[FN-DSA, measurement, high]`
   Weakest-key census at n=512/1024: how close does the smallest ffLDL leaf width of accepted keys come to [...]

4. `IDEA-20261018-47251d` `EXP-FNDSA-fb8c12` `[FN-DSA, measurement, medium]`
   Tower NTRUSolve vs exact rational Babai on the same (f,g): does approximate field-norm reduction leave [...]

5. `IDEA-20261018-3e25a1` `EXP-FNDSA-cc92c2` `[FN-DSA, composition, medium]`
   Same fixed-KL planted defect in ffSampling, Mitaka and Antrag-keyed Mitaka: how many signatures until [...]

6. `IDEA-20261018-ad2429` `EXP-FNDSA-d8e66a` `[FN-DSA, control, medium]`
   Are FN-DSA's norm-bound and fixed-length-encoding restarts key-independent, and do they select on a [...]

7. `IDEA-20261018-17ea70` `EXP-FNDSA-23125b` `[FN-DSA, representation, medium]`
   Subfield-trace projections of signatures as public detectors: does power peak at the degree matching a [...]

8. `IDEA-20261018-574a9f` `EXP-FNDSA-6cc547` `[FN-DSA, control, medium]`
   Score the LWE-with-hints estimator on center-exponent hints: predicted vs measured BKZ block size at n=32..128

9. `IDEA-20261018-cc5a57` `EXP-FNDSA-a7649a` `[FN-DSA, algorithm, medium]`
   Maximum-likelihood trapdoor recovery from a defective sampler vs moment learners and the Cramer-Rao bound

10. `IDEA-20261018-fd1f81` `EXP-FNDSA-fb188f` `[FN-DSA, mechanism, medium]`
    Annular (Antrag) keys flatten the embedding spectrum: are they farther from the dense-sublattice regime [...]

11. `IDEA-20261018-9b273e` `EXP-FNDSA-2dab1c` `[FN-DSA, measurement, high]`
    One randomness tape, three conforming builds: signature disagreement rates for emulated, strict and FMA- [...]

12. `IDEA-20261018-549844` `EXP-FNDSA-9283cf` `[FN-DSA, tooling, high]`
    A shared positive-control ladder: five planted sampler defect types at exact KL, and each detector's [...]

13. `IDEA-20261018-3eae51` `EXP-NTRU-73f8dd` `[NTRU, algorithm, high]`
    Measured hybrid MITM vs primal BKZ on NTRU Prime-shaped rings, p=61..113: does the hybrid gain vanish [...]

14. `IDEA-20261018-5d92f4` `EXP-NTRU-267f7d` `[NTRU, mechanism, medium]`
    Scaling-collapse test for matrix NTRU: is the transition a function of flattened dimension and dense- [...]

15. `IDEA-20261018-a2705d` `EXP-NTRU-beacd1` `[NTRU, algorithm, medium]`
    Symplectic BKZ vs plain BKZ on NTRU lattices of dimension 128..220: measured speedup and dense- [...]

16. `IDEA-20261018-1cd7c3` `EXP-NTRU-a34049` `[NTRU, measurement, medium]`
    Subfield norm attack vs direct dense-sublattice reduction at n=64..256: does NTRU Prime's lack of [...]

17. `IDEA-20261018-baf524` `EXP-NTRU-e695f9` `[NTRU, mechanism, high]`
    NTRU Prime's unbalanced secret (3f,g): how the dense-sublattice transition moves with block-norm ratio, [...]

18. `IDEA-20261018-854cf2` `EXP-NTRU-027f0b` `[NTRU, control, high]`
    Is the measured fatigue point a lattice property or a reducer property? BKZ 2.0 vs G6K vs progressive [...]

19. `IDEA-20261018-3ea82c` `EXP-NTRU-2a95e3` `[NTRU, mechanism, medium]`
    Does hybrid guessing destroy the dense sublattice? Projected NTRU residuals vs matched random uSVP after [...]

20. `IDEA-20261018-d23aba` `EXP-NTRU-606596` `[NTRU, mechanism, high]`
    Rotations in x^p-x-1 are not isometries: norm growth, orbit covolume excess, and predicted vs measured [...]

21. `IDEA-20261018-73fed4` `EXP-MLDSA-3625ec` `[ML-DSA, mechanism, high]`
    Rejection hides odd mask biases to second order: key recovery needs eps^-4 signatures for a linear y [...]

22. `IDEA-20261018-0eb5a3` `EXP-MLDSA-20961f` `[ML-DSA, mechanism, high]`
    One signature gives s1 mod 2^b from an exact b-bit LSB leak of y: c is a unit mod 2^b iff tau is odd [...]

23. `IDEA-20261018-3e1f14` `EXP-MLDSA-b675fd` `[ML-DSA, control, medium]`
    Hedged entropy is load-bearing only if rho'' drops K or mu: signatures-to-s1 vs rnd entropy h for three [...]

24. `IDEA-20261018-f27cb2` `EXP-MLDSA-76fd1a` `[ML-DSA, algorithm, medium]`
    Leaked aborted FSwA transcripts: edge inequalities on rejected z recover s1 far faster than ILWE [...]

25. `IDEA-20261018-0faaef` `EXP-MLDSA-eed16d` `[ML-DSA, measurement, medium]`
    Hash arm made measurable: forge at real ML-DSA-44 against defective SampleInBall images of 2^16..2^32 [...]

26. `IDEA-20261018-5b48f2` `EXP-MLDSA-01a356` `[ML-DSA, control, medium]`
    Ground truth for l-infinity MSIS: exact box-pruned enumeration at m <= 72 against the l2-sieve-pool [...]

27. `IDEA-20261018-1acf81` `EXP-MLDSA-0d773e` `[ML-DSA, measurement, low]`
    Masking order as a measured security parameter for c*s1: traces-to-key vs SNR at order d = 0, 1, 2 in a [...]

28. `IDEA-20261018-8b411e` `EXP-MLDSA-1e2b4d` `[ML-DSA, mechanism, low]`
    A defective ExpandA zeroing NTT slots of A leaks s2 in those slots from pk alone: block size vs number [...]

PQC-100 catalogue, entries 29-56 (proposals; no runs)

29. `IDEA-20261018-417012` `EXP-MLDSA-7e639e` `[ML-DSA, measurement, medium]`
    Naive threshold ML-DSA leaks through the mask sum: an Irwin-Hall shaped y makes post-rejection z regress [...]

30. `IDEA-20261018-fb4a86` `EXP-MLDSA-0a3ffb` `[ML-DSA, composition, high]`
    Hedging priced against faults: differential recovery needs 2^{h/2} same-message queries with h-bit rnd; [...]

31. `IDEA-20261018-94b270` `EXP-MLDSA-26aa33` `[ML-DSA, measurement, medium]`
    Passive y leakage: deterministic mode lets an attacker average repeated signatures, hedged does not; [...]

32. `IDEA-20261018-4d0a02` `EXP-MLDSA-16ba8d` `[ML-DSA, control, low]`
    ExpandS defect calibration: does the estimator predict measured BKZ cost for low-variance vs low-entropy [...]

33. `IDEA-20261018-0e598c` `EXP-MLDSA-6fd719` `[ML-DSA, tooling, medium]`
    Cross-implementation differential verify: the boundary cases FIPS 204's verifier must reject, fuzzed [...]

34. `IDEA-20261018-28c0c6` `EXP-MLDSA-e16d0c` `[ML-DSA, control, medium]`
    Ablate each Verify check: which FIPS 204 verifier predicates are load-bearing, by the cost of a key-less [...]

35. `IDEA-20261018-072af2` `EXP-MLDSA-7a6410` `[ML-DSA, measurement, high]`
    Detection vs exploitation race for a narrowed ExpandMask: can a public auditor spot it before an [...]

36. `IDEA-20261018-c5cccf` `EXP-MLDSA-e492e6` `[ML-DSA, measurement, low]`
    What the verifier cannot check: rnd grinding embeds k bits per signature in c_tilde at cost 2^k, [...]

37. `IDEA-20261018-3e34f5` `EXP-MLDSA-d52bb2` `[ML-DSA, control, medium]`
    Weak public keys Verify accepts: t1 = 0 and sparse-s1 keys allow third-party forgery; cheap pk checks [...]

38. `IDEA-20261018-7eb7e8` `EXP-MLDSA-4d3948` `[ML-DSA, measurement, low]`
    Repudiable keys by rho grinding: cost law q^{k-l+1}/256 for a rank-deficient NTT slot of A, and its [...]

39. `IDEA-20261018-7d6e2c` `EXP-MLDSA-e34857` `[ML-DSA, tooling, medium]`
    Masked signers vs the exact signing-only predicates: boundary-forced differential testing of masked vs [...]

40. `IDEA-20261018-33a760` `EXP-MLDSA-965398` `[ML-DSA, measurement, low]`
    The integrity dual of t0 secrecy: how many low bit-planes of t0 in the secret key can be corrupted [...]

41. `IDEA-20261018-6a1f41` `EXP-MLKEM-641142` `[ML-KEM, mechanism, high]`
    Decryption failures as approximate DDGR hints: measured block-size drop per observed failure on reduced ML-KEM

42. `IDEA-20261018-5272db` `EXP-MLKEM-e08b88` `[ML-KEM, algorithm, medium]`
    Rotation-augmented sieve database on negacyclic module lattices: does the 2n-fold rotation orbit survive [...]

43. `IDEA-20261018-7b3a19` `EXP-MLKEM-de8801` `[ML-KEM, measurement, medium]`
    Module-BKZ versus scalar BKZ in total counted operations at equal output profile, rank 2-3 modules over [...]

44. `IDEA-20261018-957273` `EXP-MLKEM-343bfe` `[ML-KEM, algorithm, medium]`
    Meet-LWE with CBD-shaped representations: do eta-ary representation weights beat the ternary analysis [...]

45. `IDEA-20261018-03bbdd` `EXP-MLKEM-f55221` `[ML-KEM, mechanism, high]`
    Compression-error-aware failure boosting: include the attacker-known Compress_dv/Compress_du rounding [...]

46. `IDEA-20261018-f709ae` `EXP-MLKEM-6f4c51` `[ML-KEM, control, medium]`
    Multi-key failure precomputation is killed by FIPS 203's H(ek) in G: measure the amortization factor [...]

47. `IDEA-20261018-0c5d75` `EXP-MLKEM-36f672` `[ML-KEM, algorithm, medium]`
    Learned pump-and-jump scheduling for Kyber-shaped primal instances versus G6K default and two-step-mode [...]

48. `IDEA-20261018-70bd4a` `EXP-MLKEM-e26487` `[ML-KEM, algorithm, low]`
    Empirical success model for pruned enumeration in BKZ blocks: the block's shortest vector is not uniform [...]

49. `IDEA-20261018-373b94` `EXP-MLKEM-0a97f8` `[ML-KEM, mechanism, medium]`
    Noisy NTT-domain hints as extra MLWE samples: the hint-noise threshold below which they lower beta [...]

50. `IDEA-20261018-4940b7` `EXP-MLKEM-3559f0` `[ML-KEM, control, low]`
    Implicit rejection leaves only a noisy key-confirmation oracle: a channel-capacity bound on failure- [...]

51. `IDEA-20261018-da2ffa` `EXP-MLKEM-6dd4e2` `[ML-KEM, control, low]`
    Known-plaintext ciphertexts as extra, much noisier MLWE samples on s: measure that they do not lower [...]

52. `IDEA-20261018-234080` `EXP-MLKEM-3c4959` `[ML-KEM, measurement, medium]`
    How fast does the failure cone narrow? Measured secret-direction cosine after F failures versus the [...]

53. `IDEA-20261018-ab4e4d` `EXP-MLKEM-efc1c8` `[ML-KEM, measurement, high]`
    Bytes moved per pair test in G6K's bucketed sieves at d=60-90: a measured DRAM-bandwidth floor under the [...]

54. `IDEA-20261018-9b3937` `EXP-MLKEM-e9789d` `[ML-KEM, measurement, medium]`
    Non-oracle overhead at real FIPS 203 dimension: measured LLL, size-reduction and GSO-precision cost on [...]

55. `IDEA-20261018-06ab73` `EXP-MLKEM-23faa1` `[ML-KEM, mechanism, medium]`
    Quantized sieve database (8/6/4-bit coordinates): how far the bytes-per-vector memory constant shrinks [...]

56. `IDEA-20261018-b3837a` `EXP-MLKEM-19e5b7` `[ML-KEM, measurement, medium]`
    Parallel efficiency of G6K sieving from 1 to 64 threads at d=70-85: is core-SVP time a sequential [...]

PQC-100 catalogue, entries 57-84 (proposals; no runs)

57. `IDEA-20261018-c8180f` `EXP-MLKEM-38b27d` `[ML-KEM, measurement, high]`
    Measured success curve P(beta) of progressive primal attacks on Kyber-shaped instances versus the [...]

58. `IDEA-20261018-7ba702` `EXP-MLKEM-af9133` `[ML-KEM, measurement, medium]`
    Inside one SVP call: measured progressive-sieving overhead C_prog = pump cost / final sieve cost at [...]

59. `IDEA-20261018-ae2c35` `EXP-MLKEM-5c0e4d` `[ML-KEM, measurement, medium]`
    Batch-CVP after one sieve: measured per-query cost of Voronoi-slicer CVPP at d=50-70 versus the per- [...]

60. `IDEA-20261018-35cd77` `EXP-MLKEM-62fa28` `[ML-KEM, control, low]`
    Does the Gaussian surrogate for CBD errors misprice primal success? Matched-variance CBD vs discrete [...]

61. `IDEA-20261018-7fe944` `EXP-QLWE-13657e` `[Quantum LWE, control, high]`
    Calibrate a step-audit statevector simulator on Chen 2024 Step 9 before it audits any live claim

62. `IDEA-20261018-be26e5` `EXP-QLWE-709141` `[Quantum LWE, measurement, high]`
    Signed-C cancellation ratio in Simon 2026 Lemma 3, measured by exact simulation at reduced group size

63. `IDEA-20261018-e477ad` `EXP-QLWE-b3e74e` `[Quantum LWE, mechanism, medium]`
    Adaptive versus fixed partition in Simon's erasure step: does the independence condition named by Guo- [...]

64. `IDEA-20261018-451388` `EXP-QLWE-65244f` `[Quantum LWE, measurement, high]`
    Luo Part III Voronoi claim at small 2-power conductors: is the CVP target from a short ring element [...]

65. `IDEA-20261018-cf3054` `EXP-QLWE-386499` `[Quantum LWE, mechanism, high]`
    Luo Part IV tower PIP descent at 2-power degree <= 32: measured length of the lifted generator against [...]

66. `IDEA-20261018-b16a07` `EXP-QLWE-2fdcf6` `[Quantum LWE, control, medium]`
    Structure-blindness test for quantum enumeration: is the Montanaro tree size on ring and module bases [...]

67. `IDEA-20261018-9ca075` `EXP-QLWE-ce0230` `[Quantum LWE, measurement, medium]`
    Measured approximation-factor crossover between the Stickelberger quantum Ideal-SVP pipeline and BKZ at [...]

68. `IDEA-20261018-7a2a78` `EXP-QLWE-0221a8` `[Quantum LWE, mechanism, medium]`
    Galois-orbit Fourier sampling on toy Ring-LWE: does the automorphism group leak mutual information that [...]

69. `IDEA-20261018-0e1671` `EXP-QLWE-acfe75` `[Quantum LWE, measurement, low]`
    Measured noise growth of the Albrecht-Deo RLWE self-reduction chain against its proven bound, and the [...]

70. `IDEA-20261018-cdde02` `EXP-QLWE-ccd305` `[Quantum LWE, measurement, low]`
    Rotation-orbit augmentation in a quantum-priced sieve: does the ring's n-fold symmetry gain survive QRAM [...]

71. `IDEA-20261018-7ef7dc` `EXP-QLWE-19a604` `[Quantum LWE, measurement, high]`
    Kuperberg and Regev DHSP sieves under faulty samples: classically simulated success-vs-fault-rate tables [...]

72. `IDEA-20261018-6959bf` `EXP-QLWE-e4d829` `[Quantum LWE, measurement, medium]`
    Information per sample of extrapolated dihedral coset states versus plain DCP, as a function of [...]

73. `IDEA-20261018-fd5b27` `EXP-QLWE-912f22` `[Quantum LWE, mechanism, medium]`
    Regev's quantum step read in the attack direction: how much BDD-radius shortfall does the iterative DGS- [...]

74. `IDEA-20261018-2f024b` `EXP-QLWE-23c885` `[Quantum LWE, composition, medium]`
    LWE-to-eDCP regime map under three alpha conventions, overlaid on measured DHSP sieve fault tolerance

75. `IDEA-20261018-d449ce` `EXP-MLKEM-35b326` `[ML-KEM, measurement, medium]`
    One BKZ-simulator calibration for both ML-KEM and ML-DSA lattice shapes: per-index Gram-Schmidt residual [...]

76. `IDEA-20261018-fdcbd0` `EXP-MLKEM-663616` `[ML-KEM, measurement, high]`
    Measure the Grover search-space sizes a quantum sieve would actually face: instrumented G6K [...]

77. `IDEA-20261018-42433b` `EXP-MLKEM-354cf2` `[ML-KEM, measurement, medium]`
    Measured pruned-enumeration tree sizes on reduced blocks from both schemes' lattices against the GSA [...]

78. `IDEA-20261018-02ad4a` `EXP-MLKEM-aeb923` `[ML-KEM, control, high]`
    A shared A/A noise-floor registry for lattice-reduction measurements: minimum detectable effect per [...]

79. `IDEA-20261018-bd3cf2` `EXP-MLKEM-b702be` `[ML-KEM, measurement, medium]`
    Memory-capped sieving: success and cost when G6K's database is held below the 2^{0.2075n} list size, on [...]

80. `IDEA-20261018-ff5892` `EXP-MLKEM-da8d4a` `[ML-KEM, control, medium]`
    Held-out cross-shape validation of lattice-estimator residuals: fit on ML-KEM-shaped instances, predict [...]

81. `IDEA-20261018-eef811` `EXP-SLHDSA-9d3ed1` `[SLH-DSA, measurement, medium]`
    WOTS+ chain-position grinding: per-query domination probability under base-w-plus-checksum versus [...]

82. `IDEA-20261018-c09848` `EXP-SLHDSA-bc381e` `[SLH-DSA, tooling, high]`
    Depth-limited parallel Grover cost tables per FIPS 205 hash role: multi-target preimage cost under [...]

83. `IDEA-20261018-8d765b` `EXP-SLHDSA-e9b016` `[SLH-DSA, measurement, high]`
    Grafting-tree fault forgery simulated at reduced h and d: faulty signatures needed for a verified [...]

84. `IDEA-20261018-007845` `EXP-SLHDSA-8ada4e` `[SLH-DSA, control, medium]`
    Compressed ADRS and shared SHA-256 midstate: exhaustive tweak-injectivity census of SHA2 versus SHAKE [...]

PQC-100 catalogue, entries 85-100 (proposals; no runs)

85. `IDEA-20261018-0e2ae9` `EXP-SLHDSA-e67a2b` `[SLH-DSA, measurement, medium]`
    Verification malleability census at reduced n: accepted mutations per signature field, against a planted [...]

86. `IDEA-20261018-cfa824` `EXP-SLHDSA-8f310d` `[SLH-DSA, composition, medium]`
    Cross-user batching under per-key PK.seed: measured multi-target preimage gain across U keys, distinct [...]

87. `IDEA-20261018-782c3e` `EXP-SLHDSA-a6c6d8` `[SLH-DSA, mechanism, medium]`
    Iteration-skip faults on the WOTS+ chain loop release lower chain values: forgery capability per fault [...]

88. `IDEA-20261018-be7ba5` `EXP-SLHDSA-699191` `[SLH-DSA, measurement, medium]`
    Role-dependent quantum oracle cost: reversible SHA-256 and Keccak circuits sized per FIPS 205 role input [...]

89. `IDEA-20261018-e71929` `EXP-SLHDSA-5c7662` `[SLH-DSA, mechanism, medium]`
    Merkle-Damgard chaining bottleneck at toy scale: multi-target second preimages via the internal state [...]

90. `IDEA-20261018-c21656` `EXP-SLHDSA-37c329` `[SLH-DSA, composition, low]`
    Fault countermeasure frontier: detection by caching upper-layer one-time signatures versus memory, [...]

91. `IDEA-20261018-b9e923` `EXP-SLHDSA-316fdd` `[SLH-DSA, measurement, medium]`
    Where the old tight WOTS+ proof broke: frequency of chain-merge forgeries without a second preimage at [...]

92. `IDEA-20261018-5eddc6` `EXP-HQC-f546f2` `[HQC, tooling, high]`
    Certified importance-sampling estimator of HQC's decoding failure rate at reduced n: weight tilting with [...]

93. `IDEA-20261018-013d6b` `EXP-HQC-b0014c` `[HQC, measurement, high]`
    Failure boosting for HQC at reduced n: precomputation per ciphertext versus failure-probability gain [...]

94. `IDEA-20261018-c8bf9b` `EXP-HQC-b6e6db` `[HQC, measurement, medium]`
    Weak-key classes under boosted ciphertexts: per-key DFR upper tail at reduced n and the queries needed [...]

95. `IDEA-20261018-baf40a` `EXP-HQC-51a90e` `[HQC, measurement, high]`
    Quasi-cyclic DOOM gain measured: Stern and Dumer on reduced QC syndromes with n shifts versus one [...]

96. `IDEA-20261018-169104` `EXP-HQC-c048de` `[HQC, measurement, medium]`
    Low-memory ISD re-measured: Stern, Dumer and MMT under hard memory caps at reduced HQC-like parameters, [...]

97. `IDEA-20261018-a4ea02` `EXP-HQC-e181c8` `[HQC, measurement, medium]`
    Multilevel amortised Gaussian elimination re-measured: Prange and Stern with and without pivot reuse at [...]

98. `IDEA-20261018-11917c` `EXP-HQC-afc485` `[HQC, tooling, medium]`
    Quantum ISD cost tables for HQC under depth caps: Grover-Prange and quantum-walk variants with MAXDEPTH [...]

99. `IDEA-20261018-a4977e` `EXP-HQC-0fed82` `[HQC, mechanism, low]`
    Fixed-weight sampler bias as an ISD prior: does a measured position bias in the error sampler shorten [...]

100. `IDEA-20261018-4cd7b8` `EXP-HQC-465cc3` `[HQC, control, medium]`
    Calibrating the syndrome-decoding estimator against counted ISD at reduced n: measured constant offsets [...]