EXP-AUXIN-fef6ac run report

Observation record only. This report describes one attempted Stage 0 launch. It does not evaluate the hypothesis, assign evidence strength, or change any research status. The supervisor stopped in macOS `preexec_fn` before the scientific child process began.

Identity and execution

Experiment	EXP-AUXIN-fef6ac	**Hypothesis**	H-AUXIN-9d9ee0
Goal	GOAL-AUXIN-a93442	**Task**	TASK-20261004-f88f65
Run	RUN-AUXIN-69eec8	**Approval**	DEC-20261004-927012
Plan SHA-256	4e0a325e…fdace1f2c6724834	**Platform**	darwin
Python	3.13.1	**Status**	infrastructure_error

The first trial started at `2026-10-11T19:48:35.407017Z` and the receipt finished at `2026-10-11T19:48:35.437853Z`. The runner recorded source commit `74de5c3280d161fba4073c68c4f671415966f25a`. The run-record commit is `d8d90a393e`.

Requested pipeline

The frozen plan requested Stage 0 `RUN-AUXIN-69eec8`, followed by dependent Stage 1 `RUN-AUXIN-aa27b4`. The exact supervisor command was:

```
/usr/local/bin/python3 tools/experiment_execution.py run --plan experiments/EXP-AUXIN-fef6ac/trial-plan-v1.json --owner executor-auxin-fef6ac --epoch 1
```




Figure 1. Execution diagram for `RUN-AUXIN-69eec8`; the failure occurred before the scientific child process.

Recorded result and missing data

Field	Recorded value	Source
Supervisor status	infrastructure_error	execution-receipt.json
Failure detail	Exception occurred in preexec_fn.	execution-receipt.json
Child return code	null	execution-receipt.json
Checker return code	null	execution-receipt.json
Scientific program started	false	empty child logs and missing raw result
Trials requested	2	trial-plan-v1.json
Run directories materialized	1	execution-receipt.json
Output validated	0	supervisor summary

The runner produced launch, receipt, command, environment, stdout, stderr, and checker-log files for Stage 0. It did not produce `manifest.yaml`, `raw-result.json`, Stage 0 freeze files, Stage 1 census files, or `RESULTS.md`. No scientific metric, control outcome, uncertainty, certificate, wall-time value, or CPU-time value was recorded.

The report's graph source/data are `graph.svg` and `graph-data.json`. The corresponding machine-readable receipt is `../../runs/RUN-AUXIN-69eec8/execution-receipt.json`.

Runtime note

The frozen plan was not edited and no replacement run ID was minted. A Linux recovery was attempted through the pinned local container path, but the Docker API did not answer and no configured RunPod executor or remote connector was available in this session. That attempt produced no additional run directory. This report records the host-side infrastructure outcome only.