Run report: ecbench session `ECBS1h4d63e1551dc1` (char2-ladder), 2026-10-15T08:02Z

Spec `specs/SPEC-char2-ladder.json` (id `ECS1ha1c9d5c5c676`). Binary sha256 `92610bdf…`, commit `f0a8f49d9`, clean. Host as B1, run CPU 3 reserved. Finished 08:49Z. Arms: rho-neg, ic-frobenius (`gaudry-d4-bin`, Frobenius form, sparsest, replay), rho-neg-aa. 24 executions requested, 24 completed, 24 verified.

m	$\log_2 r$	workloads	ic-frobenius S	rho-neg S	IC wall (s, median)
6	20.19	`W1240…`, `Wabf6…`	4,501; 3,654	1.017; 1.314	20.6
8	29.42	`Wf87c…`, `Wa195…`	573.9; 459.6	0.624; 1.048	53.5
10	39.00	`W845d…`, `Wc69d…`	71.4; 73.4	0.722; 1.911	181.6
12	44.68	`W739a…`, `W2553…`	44.0; 42.6	0.932; 0.847	715.9

Recorded IC trials / relations: 5,397/14, 4,353/12; 14,320/58, 11,436/60; 45,525/255, 46,810/256; 186,121/1,025, 180,033/1,019. `ecbench compare` ic-frobenius/rho-neg per workload in `sessions/char2-ladder/comparisons/`. Audit: `audits/char2-ladder.audit.json`: OK, 24 replays reproduced, 0 problems. Wall time is L1 or L2 and descriptive.




Figure 1: IC S ÷ rho's theory S (0.886) per run, with the fit and model (`raw/summary.json`); sessions `ECBS1h4d63e1551dc1` and `ECBS1hb9229e3a0f30`.