Checkout size by recipe, 2026-10-16

`main` at `f25d5e520`, cloned once per recipe from github.com through a Claude Code cloud container's HTTPS proxy (shared network, no isolation). Recipes: `docs/sparse-checkout.md`. Values: `docs/checkout/20261016-checkout-size/data.json`.



Figure 1: Bytes on disk after the clone (working tree and `.git`), files on disk and wall time; one clone per recipe at `f25d5e520`.

recipe	files	tree (bytes)	.git (bytes)	time (s)	`cargo check --all-targets`
git clone	100,218	6,651,988,041	4,061,787,984	190	not run
blobless, harness	81,435	2,521,984,680	749,208,026	46 after minimal	pass
blobless, minimal	26,078	458,328,475	140,696,247	33	pass
blobless, bare cone	3,434	220,299,783	62,890,969	9, 8	fail; lib and bins pass

All values measured (`du -sb`; wall seconds around the clone). One sample per recipe, two for the bare cone; times show order of magnitude only. The harness row applied `--profile harness` to the minimal clone.

Derived from `git ls-tree -r -l f25d5e520`: 829 of 100,218 tracked files are over 1 MiB and hold 4,823,311,258 of 6,651,988,041 bytes (72.5%), the part `blob_limit_kb: 1024` leaves out of a cloud session's clone.

The bare cone of `src docs scripts tools benches examples tests` fails `cargo check --all-targets` because four Cargo targets are declared in `experiments/`; the minimal profile adds those directories and every `include_str!`, `include_bytes!` and `#[path]` target, and passes (160 s cold, 30.8 s warm).