N83 retained factor-base run report

Run ID: `run-20261016T2352Z`
Date: 2026-10-16
Protocol/source: `research/n83_prebuilt_factor_base_20261016/PROTOCOL.md`, commit `2d3a7f3723925311e74a29ff1cdc7c74a0a97f50`.
Host: shared macOS arm64, L0.
Workload: 54 native compressed objects per panel, 83,328,324 bytes; both exact degree-83 curves, three policies, three seeds and K=64/256/600.

N83 retained factor-base panel: three local repetitions
Seconds, local L0 host; each panel contains 54 compressed objects (83,328,324 bytes).

Interval	0 ⟶ 180 s; bar length = 0.52 mm/s	Seconds
Build 1		59.518
Build 2		74.022
Build 3		169.555
Replay 1		46.66
Replay 2		52.15
Replay 3		31.43

Blue: native construction + compression + object writes (internal interval).
Green: separate full generic arithmetic replay of a saved manifest against byte-identical reconstructed objects (outer interval).
All six producer/replay data rows completed; the original `/usr/bin/time -l` wrapper failed after each build because sandboxed `sysctl kern.clockrate` was unavailable. Build and replay perform different work; no speed ratio is inferred.

Run ID: `run-20261016T2352Z`
Source: `runs/run-{1,2,3}/manifest.json` and `replay-recovery.stderr`.

All three native panel manifests report 54/54 complete, with internal construction intervals of 59.517962583 s, 74.022112708 s and 169.554772250 s. The corresponding outer real intervals were 60.07 s, 74.73 s and 172.78 s. Every object hash and point-set hash matched the historical S3 panel exactly.

The first three replay attempts failed because temporary objects were cleared across a chat continuation. A separate workspace reconstruction recreated byte-identical objects. Three independent processes then replayed the original manifests with the generic multi-limb arithmetic path: 46.66 s, 52.15 s and 31.43 s; all returned PASS for 54 objects.

The `/usr/bin/time -l` wrapper itself exited 1 after each completed panel because `sysctl kern.clockrate` was unavailable in the sandbox. Peak RSS is missing. Replay and construction do different work, and shared-host wall spread is large. Relation yield, rank, target work, complete cost, rho and an equal-output external comparator were not measured.

Raw and replay receipts: `research/n83_prebuilt_factor_base_20261016/runs/`. The main `RESULT.md` gives the exact checksum binding and interpretation.