
Prime pair-table arity at 64 abscissae

Measured result. Frozen spec commit `fd85dff96`, registered curve `icv1-fp20-t727-cd198a38`, subgroup order 562427. Eight fresh public targets, three measured rounds per arm, same point and algorithm seed in each comparison. Session `ECBS1h4c7b9db8a389` is complete and sealed.

Arm	Verified	Mean GAE	Relation trials
rho.negation	24/24	894.167	—
pair table m=2	24/24	17,909.292	10,223
pair table m=3	24/24	25,634.375	227.5
rootfind-subtract m=3	0/24	—	setup error



ECBS1h4c7b9db8a389 · means from sealed records; batched-rootfinder arm had 32 setup errors; L0 wall

The paired m3/m2 counted quotient is **1.431345** (95% target-cluster interval 1.224624–1.716117, 24 pairs). Mean setup is 4,160 GAE for both pair-table arms; relation work is 12,087.917 GAE for m2 and 19,813 GAE for m3. The matched m2/rho counted quotient is 20.029; rho A/A is 1.000. Full local replay reproduced all 96 measured verified executions with zero integrity problems.

The 32 errors belong to an auxiliary arm: the retained binary lacked the new `rootfind-subtract` oracle and rejected it at setup. They remain recorded, with no performance inference. Prime native work is partly unpriced in GAE; every wall observation earned L0, so no runtime comparison is admitted.

Evidence: `REPORT.md`, `summary.json`, `replay-all.json`, `sessions/prime20-b64-m2-vs-m3/`, and `render_chart.mjs`. The figure is this session's local counted-cost graph; no canonical frontier changed.