A18: a wider factor base at 2^47.2, with and without the huge-page filter

Exploration, a recipe change, no round.

- **The rows and recipes:** `M1`'s two rows at `icv1-f2m61-t158598901-ab42b6c5`, with the suite's recipe (320 signed-Frobenius orbits) against 400 and 470 orbits, every other parameter the suite's.
- **The binaries:** v8 (`ic-r12-v7-23138d20`) and A17's huge-page filter (`ic-a17-v8-fb4284d8`).
- **The runs:** 2026-10-17 06:00–06:13 UTC; 48 isolated processes, all completed, none contended; every logarithm the suite's.

Outcome:

- **The wider base buys 2% at most.** From 320 to 470 orbits, collection falls 27% but the build rises 2.28× for 2.17× the stored pairs.
- **A17 replicates:** 1.065 [1.040, 1.090].
- **The build,** about 31–35 ns per stored pair, is the next lever.




Figure 1: Left: cold time paired against v8 on the suite's recipe (above 1: the arm is faster), with the geometric mean and 95% t interval. Right: phases per arm. Values from `pairs-*.tsv`, `summary-*.tsv` and `phases.tsv`.

arm	v8-c320 / arm [95%]	cold ms	collection ms	build ms	rest ms
v8-c320	—	1629.1	1315.7	216.8	96.6
v8-c400	1.020 [1.002, 1.037]	1597.6	1123.2	365.0	109.4
v8-c470	1.023 [0.994, 1.054]	1591.9	959.1	495.0	137.7
a17-c320	1.065 [1.040, 1.090]	1530.1	1217.9	226.3	85.9
a17-c400	1.055 [1.019, 1.093]	1543.8	1006.2	420.1	117.6
a17-c470	1.058 [1.042, 1.074]	1540.1	866.6	546.0	127.5

Scope: one host, one core, one size, two rows. Only the base's width changed.