Run report: W8 interleaved session, run-20261011T2131Z

Started 2026-10-11 21:31 UTC. **Host** shared Apple M4 Pro (macOS), load average 100–341 (per-process `uptime` in `raw/driver.log`). **Isolation** L0. This report describes what ran; interpretation is in the study README.

Arms and binaries

- **original**: `orig-bin` (sha256 `1a7b78ed…`): the W8 harness source compiled as a scratch crate against the program-baseline library, path dependency on the shared worktree `wt/lit2026-baseline` at `4b6e09b78` (nothing there edited); run with `--arms sym`.
- **previous**: `sym` in the candidate binary `w8bin5` (sha256 `b42e8494…`, library identical to `4b6e09b78`).
- **candidate**: `eg` in `w8bin5`, interleaved in-process with **previous**.

Driver `speed.sh` (thin shell): 5 rounds, ABAB with the process order flipped each round (`orig cand`, `cand orig`, …), each process one round over 8 targets per cell, `--no-degrees`, `KIC_F4_MAX_DEGREE_ONLY=0`, seed `0x5EED`. Cells: K1/F2^15, K0/F2^15, K1/F2^17, K0/F2^23, K1/F2^23, all `m = 2` (curve ids and subgroups as in the study README). Ratios computed by the harness: `lit2026_w8_summation_models compare --inputs orig=raw/r1-orig.json,…,cand=raw/r5-cand.json --out compare.json`.

Recorded values




Figure 1: `compare.json`: per-round ratio of total ms over 8 targets (dots) and ratio of medians (bar), and the deterministic word-op ratio, for original/candidate and previous/candidate.

cell	word ops orig = prev	word ops cand	ratio	wall orig/cand median [min–max]	wall prev/cand
K1/F2^15	6 750 384	4 218 414	1.600	3.73 [0.31–14.8]	1.60 [0.59–8.62]
K0/F2^15	6 235 447	3 797 654	1.642	0.96 [0.26–6.75]	1.43 [0.80–4.45]
K1/F2^17	169 687 396	117 819 615	1.440	3.11 [2.06–4.28]	2.27 [1.46–2.86]
K0/F2^23	11 054 138 493	8 205 050 470	1.347	1.62 [0.95–2.11]	1.25 [1.21–1.26]
K1/F2^23	10 866 191 751	8 107 487 123	1.340	1.84 [1.18–5.67]	1.22 [1.12–1.40]

Word-op totals were identical in all 5 rounds for every arm, and original = previous exactly. Root-set digests (FNV-1a over sorted `w`-tuples, per target) identical across all three arms and all rounds. Runs requested 10 processes, completed 10, exit 0.

Observation (not part of the session)

`raw/observation-wide-path-K0-23.json`: `sym` and `eg` at K0/F2^23 with `KIC_F4_ACTIVE_MULTIPLIERS=1 KIC_F4_SOLVER_LINEAR_TAIL=1 KIC_F4_FLAT_MATRIX=1` (3 rounds, `w8bin5`): median per solve `sym` 2 976 ms / 1.02e9 word ops, `eg` 2 510 ms / 0.72e9; root digests equal to the session's.