CRYPTOLOGIC ARCHIVES / COLLECTION 03

Companion standards

From primitives to implementations

Modes / parameters / encodings / protocol profiles / selection and evaluation

Research snapshot 2026-10-17

7 family maps; 36 sourced claims and deductions; 27 dated milestones.

40 additional preserved documents and snapshots. This guide references 52 records, of which 49 are preserved.

Includes official 2010 SM2/SM3 releases, Russian GOST companion RFCs, ZUC specification and evaluation records, Japanese selection lists, German protocol guidance and Korean cipher profiles.

Scope and how to read

This collection links the archive’s algorithm profiles to the surrounding specifications: modes, parameters, key formats, protocol profiles, selection lists and validation records. It preserves particular editions and their dates rather than claiming to hold every standard or the latest version of every document.

An algorithm release, a national-standard issue, an effective date, an RFC publication and a product certificate describe different events. A protocol profile can expose exact mathematical and wire-format choices while leaving deployment and implementation approval unresolved.

The original files remain unchanged. Documented statements have source locators; deductions identify their premises and assumptions. Acquisition failures and incomplete copies are listed alongside successful preservation.

Layers of a usable cryptographic system

Layer	Question and examples	Evidence
Primitive	What mathematical transformation is specified? SM2 point arithmetic; SM3 compression; Magma and Kuznyechik block transformations.	S096, S098, S037
Mode and parameters	How are messages, nonces, tags, curves and keys selected? GCM, CCM, CMAC, MGM; concrete SM2 and GOST curve parameters.	S003, S057, S059, S067, S068, S097
API and encoding	How does software represent and invoke the operation? PKCS #11 objects and mechanisms; X.509 identifiers, public keys and signatures.	S001, S061, S064, S066
Protocol profile	How do peers negotiate and combine the parts? TLS, IPsec/IKEv2, SRTP, and cellular EEA3/EIA3.	S026, S060, S062, S063, S065, S076, S091
Selection and policy	Which algorithms and lifetimes does a dated policy recommend? CRYPTREC list categories and BSI TR-02102 recommendations.	S078, S079, S080, S081
Implementation evaluation	What evidence concerns a particular implementation or evaluation? Known-answer tests, design evaluation reports, and separately dated product certificates.	S092, S093

Source IDs in the evidence notes link to the source catalogue within this PDF. Original files, checksums, retrieval times and editable research are also in the repository.

Reading map

Family	Start here	Question resolved
Common modes, formats and Suite A interfaces	S001, S003, S004, S064, S065, S066, S067, S068, S069	Read the primitive or mechanism interface, then the mode definition, then the protocol that uses it. The PKCS #11 Base and Historical Mechanisms copies deliberately share the v3.0 publication date.
Russia: GOST parameters, modes and protocol bindings	S050, S057, S058, S059, S060, S061, S062, S063, S064, S065	Start with the existing primitive profiles. Use RFC 4357 for older GOST companion choices; RFC 7836 for newer auxiliary algorithms and curves; RFC 9058 for MGM; then choose the certificate, TLS or IPsec binding.
China: original releases, parameters and successive standards	S026, S034, S035, S036, S070, S071, S072, S073, S074, S096, S097, S098	Pair the dated 2010 announcements with their official attachments. Read the one-page SM2 curve parameters separately from the general algorithm. Follow the 2012 industry standards, later GB/T records, revised application standards, and the TLS 1.3 profile.
China and 3GPP: ZUC, EEA3 and EIA3	S037, S075, S076, S092, S093	Read ZUC Document 2 for the keystream generator, Document 1 for the EEA3/EIA3 packet algorithms, Document 3 for implementer test data and Document 4 for design/evaluation history. The Release 19 ETSI wrapper records the later standards context.
Japan: CRYPTREC selections and Camellia protocol profiles	S077, S078, S079, S080, S086, S087, S094	Compare the historical 2003 list (with its 2005 correction), the original 2013 list, and the preserved March 2026 revision. Use the strength-requirements document to interpret key-length and lifetime choices. Camellia TLS and IPsec bindings are separate protocol records.
Republic of Korea: SEED and ARIA protocol profiles	S084, S085, S088, S089, S090, S091, S099	Use the existing SEED and ARIA primitive specifications, then the TLS and IPsec/SRTP bindings as relevant. The KCMVP programme pages are acquisition leads only until their original bytes can be preserved.
Germany: general recommendations and protocol guidance	S081, S082, S083, S095	TR-02102-1 gives general cryptographic mechanism and key-length recommendations; Parts 2, 3 and 4 specialize guidance for TLS, IPsec/IKEv2 and SSH. Read these separately from the existing historical product and approval records.

Common modes, formats and Suite A interfaces

Existing profiles: MEDLEY, BATON, JUNIPER, ACCORDION

Read the primitive or mechanism interface, then the mode definition, then the protocol that uses it. The PKCS #11 Base and Historical Mechanisms copies deliberately share the v3.0 publication date.

Scope limit: A public API can constrain roles, sizes and representation without publishing a classified round function. Generic NIST modes do not establish NSA approval of a named Suite A algorithm.

Documented statements

SP 800-38A specifies ECB, CBC, CFB, OFB and CTR confidentiality modes; SP 800-38D specifies GCM and GMAC and requires a 128-bit block cipher for GCM.

STD-COM-F1

S004: Abstract; Sections 6.1–6.5; S003: Section 5.1

CMAC supplies message authentication, CCM combines counter-mode encryption with CBC-MAC, and SP 800-38F specifies methods for cryptographic key wrapping. These documents address distinct operations.

STD-COM-F2

S067: Abstract; Section 6; S068: Abstract; Section 6; S069: Abstract; Sections 1 and 4

The preserved PKCS #11 Base and Historical Mechanisms specifications are both OASIS v3.0 standards dated 2020-06-15. The base API and historical mechanism descriptions are separate companion documents.

STD-COM-F3

S066: Cover; Sections 1 and 2; S001: Cover; Scope

RFC 5280 profiles X.509 certificates and certificate revocation lists; RFC 8446 specifies TLS 1.3. Their publication category is Standards Track, which is distinct from the Informational categories of several national-algorithm profiles.

STD-COM-F4

S064: Header; Abstract; Sections 4 and 5; S065: Header; Abstract

Inference and assumptions

If a product uses MEDLEY with GCM exactly as defined in SP 800-38D, the block cipher supplied to that mode has 128-bit blocks. This deduction supplies neither its key length nor its round construction.

Assumption: The manufacturer’s GCM label refers to the standard mode without a proprietary change in its block interface.

STD-COM-I1 | Confidence: conditional | Basis: MEDLEY-F1, STD-COM-F1

Russia: GOST parameters, modes and protocol bindings

Existing profiles: GOST 28147-89, Magma, Kuznyechik, Streebog, GOST signatures

Start with the existing primitive profiles. Use RFC 4357 for older GOST companion choices; RFC 7836 for newer auxiliary algorithms and curves; RFC 9058 for MGM; then choose the certificate, TLS or IPsec binding.

Scope limit: The preserved GOST binding RFCs are Informational Independent Submissions. RFC 8645 is an IRTF Informational document. These distinct streams do not imply IETF standards-track endorsement or establish the original Russian approval dates.

Documented statements

RFC 4357 provides additional modes, key meshing, wrapping, parameter sets and identifiers for the older GOST algorithm family. RFC 7836 adds HMAC, VKO key agreement, KDF and wrapping constructions and elliptic-curve parameters for the 2012 family.

STD-GOST-F1

S050: Abstract; Sections 2–8; S057: Sections 4 and 5; Appendix A

MGM is an authenticated-encryption mode defined for both 64-bit and 128-bit block ciphers. RFC 9058 supplies test vectors for Kuznyechik and Magma.

STD-GOST-F2

S059: Abstract; Section 4; Appendices A.1 and A.2

RFC 9227 binds Magma and Kuznyechik in MGM, with external rekeying, to ESP and IKEv2. RFC 9189 profiles GOST for TLS 1.2; RFC 9367 separately defines cipher suites, signature schemes and key exchange for TLS 1.3.

STD-GOST-F3

S060: Abstract; Section 1; S062: Abstract; S063: Abstract; Sections 4–6

RFC 9215 specifies GOST signature/hash identifiers, parameters and encodings for the Internet X.509 PKI, including public-key encoding and signature representation.

STD-GOST-F4

S061: Abstract; Sections 2–4

RFCs 7836, 9058, 9189, 9215, 9227 and 9367 are Informational Independent Submissions. RFC 8645 is Informational in the IRTF stream and describes symmetric rekeying mechanisms.

STD-GOST-F5

S057: Header; Status of This Memo; S058: Header; Abstract; Status of This Memo; S059: Header; S060: Header; S061: Header; S062: Header; S063: Header

Inference and assumptions

An implementation described only as supporting GOST is underspecified: interoperation also requires agreement on the primitive generation, curve or parameter set, mode, rekeying rules, encoding and protocol profile.

Assumption: The parties exchange keys, signatures or protected messages using the cited protocol families.

STD-GOST-I1 | Confidence: conditional | Basis: STD-GOST-F1, STD-GOST-F2, STD-GOST-F3, STD-GOST-F4

China: original releases, parameters and successive standards

Existing profiles: SM2, SM3, SM4

Pair the dated 2010 announcements with their official attachments. Read the one-page SM2 curve parameters separately from the general algorithm. Follow the 2012 industry standards, later GB/T records, revised application standards, and the TLS 1.3 profile.

Scope limit: The 2010 release texts, later industry/national standards and hosted English translations are different editions. The archive has official revision announcements, but not complete copies of every announced 2023 standard. S074 is an incomplete booklet scan.

Documented statements

The Chinese authority’s announcements No.21 and No.22 are dated 2010-12-17 and release SM2 and SM3 respectively. Their attached official algorithm PDFs carry December 2010 covers.

STD-SM-F1

S070: Release date and announcement text; attachment links; S071: Release date and announcement text; attachment link; S096: Covers at PDF pages 1, 47, 61 and 80; S098: Cover

The 93-page SM2 release combines Parts 1–4: general elliptic-curve rules, signatures, key exchange and public-key encryption. A separate one-page official attachment recommends a 256-bit prime-field curve and gives p, a, b, n, Gx and Gy.

STD-SM-F2

S096: Part covers at PDF pages 1, 47, 61 and 80; S097: Entire one-page parameter sheet

The recommended SM2 curve has p = FFFFFFFE FFFFFFFF FFFFFFFF FFFFFFFF FFFFFFFF 00000000 FFFFFFFF FFFFFFFF and a = p − 3. Its equation is $y^2 = x^3 + ax + b$ over that prime field. This parameter choice is more specific than the general label elliptic-curve cryptography.

STD-SM-F3

S097: Curve equation and parameter lines p and a

The original SM3 specification uses 512-bit message blocks, 32-bit words, 64 compression rounds, modular addition, XOR, rotations and Boolean functions, and outputs 256 bits.

STD-SM-F4

S098: Sections 2–5, especially 4.3–4.4 and 5.2–5.4

The 2012-11-22 announcement lists GM/T 0009-2012 for SM2 applications, GM/T 0010-2012 for signed/enveloped message syntax, GM/T 0014-2012 for certificate-authentication protocols and GM/T 0015-2012 for certificate format.

STD-SM-F5

S072: Announcement No.24; numbered standards list

Announcement No.45, posted 2023-12-23, lists 2023 revisions of GM/T 0009, 0010, 0014 and 0015 among other standards and states an effective date of 2024-06-01. The web posting date is recorded separately from each standard’s issue date.

STD-SM-F6

S073: Posting date; announcement; attached standards list

The official GB/T records for SM2 Part 1 and SM4 record issue on 2016-08-29 and implementation on 2017-03-01. These are later national-standard milestones, separate from the 2010 SM2 release and 2012 industry-standard announcements.

STD-SM-F7

S035: Issue and implementation metadata; S036: Issue and implementation metadata; S070: Release date; S034: Announcement No.23 and standards list

RFC 8998 profiles SM2, SM3 and SM4 for TLS 1.3, including SM4-GCM and SM4-CCM cipher suites. It is an Informational Independent Submission, while the underlying TLS 1.3 specification RFC 8446 is Standards Track.

STD-SM-F8

S026: Header; Sections 2 and 3; S065: Header

Inference and assumptions

The curve sheet and SM3 text allow concrete descriptions of arithmetic, parameters and hashing without inferring those choices from a codeword. The published record does not, by itself, identify the original classified design date or every government use.

Assumption: The question concerns the preserved public specifications and their dated releases, rather than an undocumented earlier variant.

STD-SM-I1 | Confidence: conditional | Basis: STD-SM-F1, STD-SM-F2, STD-SM-F3, STD-SM-F4

China and 3GPP: ZUC, EEA3 and EIA3

Existing profiles: ZUC / Zu Chongzhi

Read ZUC Document 2 for the keystream generator, Document 1 for the EEA3/EIA3 packet algorithms, Document 3 for implementer test data and Document 4 for design/evaluation history. The Release 19 ETSI wrapper records the later standards context.

Scope limit: These copies come from different dated editions; they are not a single synchronized conformance package. In particular, the Release 19 wrapper specifically references Document 1 v1.7, whereas the separately preserved Document 1 is v1.8. Test vectors and design evaluation are separate kinds of evidence.

Documented statements

The archive holds ZUC Document 2 v1.6 (2011-06-28), EEA3/EIA3 Document 1 v1.8 (2019-01-24), Implementor’s Test Data v1.1 (2011-01-04), and Design and Evaluation Report v2.0 (2011-09-09).

STD-ZUC-F1

S037: Cover; S076: Cover; S092: Cover; S093: Cover

The EEA3/EIA3 document history records initial publication on 2010-06-18, an EIA3 modification on 2011-01-04, and maximum-message-length changes in 2011 and 2019. The design report records the first public release of that report on 2010-08-11 and a ZUC/EIA3 modification in January 2011.

STD-ZUC-F2

S076: Document History, PDF page 2; S093: Document History, PDF page 2

The test-data preface includes internal ZUC state and input/output examples, but expressly says conformance with the test data does not guarantee a correct implementation.

STD-ZUC-F3

S092: Preface, PDF page 3

ETSI TS 135 221 v19.0.0 is dated October 2025 and identifies 3GPP TS 35.221 Release 19. Its technical provisions are incorporated by reference to EEA3/EIA3 Document 1 v1.7; the separately archived Document 1 is v1.8.

STD-ZUC-F4

S075: Cover; Section 2 reference [2]; Section 4; S076: Cover

Inference and assumptions

The name ZUC alone does not fully specify the cellular confidentiality or integrity operation: EEA3 and EIA3 define different uses of the generator, with packet inputs and initialization rules. Version history is necessary when interpreting early analyses.

Assumption: The implementation or historical analysis concerns the 128-EEA3/128-EIA3 family covered by these records.

STD-ZUC-I1 | Confidence: conditional | Basis: STD-ZUC-F1, STD-ZUC-F2, STD-ZUC-F4

Japan: CRYPTREC selections and Camellia protocol profiles

Existing profiles: Camellia, CLEFIA

Compare the historical 2003 list (with its 2005 correction), the original 2013 list, and the preserved March 2026 revision. Use the strength-requirements document to interpret key-length and lifetime choices. Camellia TLS and IPsec bindings are separate protocol records.

Scope limit: CRYPTREC list membership and category are dated policy evidence. They do not establish first invention, implementation certification or universal government approval.

Documented statements

The preserved legacy CRYPTREC list is dated 2003-02-20 and includes a 2005-10-12 correction appendix. The archive also holds the 2013-03-01 list and the list revised 2026-03-30, whose family cover date is 2023-03-30.

STD-JP-F1

S094: Cover and correction appendix; S079: Cover; S078: Cover

The March 2026 list places Camellia among e-Government Recommended Ciphers and CLEFIA among Candidate Recommended Ciphers. A separate Monitored Ciphers category also exists.

STD-JP-F2

S078: e-Government Recommended, Candidate Recommended and Monitored tables; PDF pages 1, 4 and 5

The strength-requirements PDF’s revision table records first publication on 2022-07-01 and corrections on 2023-03-30. Its cover still states March 2022; the archive retains that internal date discrepancy.

STD-JP-F3

S080: Cover; revision table in introductory pages

RFC 5932 specifies Camellia cipher suites for TLS (June 2010), and RFC 4312 specifies Camellia for IPsec (December 2005). Both were published with the Standards Track category.

STD-JP-F4

S086: Header; Abstract; S087: Header; Abstract

Inference and assumptions

A claim that Camellia and CLEFIA have the same CRYPTREC recommendation status loses a distinction visible in the preserved 2026 list. An accurate claim names both the edition and category.

Assumption: The claim refers to the March 2026 CRYPTREC list, rather than a different selection program or edition.

STD-JP-I1 | Confidence: conditional | Basis: STD-JP-F2

Republic of Korea: SEED and ARIA protocol profiles

Existing profiles: SEED, ARIA

Use the existing SEED and ARIA primitive specifications, then the TLS and IPsec/SRTP bindings as relevant. The KCMVP programme pages are acquisition leads only until their original bytes can be preserved.

Scope limit: The three KISA pages returned HTTP 503 and were not preserved. No current KCMVP eligibility list, complete validation procedure, or certificate is asserted from those unavailable pages.

Documented statements

RFCs 4162 and 4196 bind SEED to TLS and IPsec, with publication dates August and October 2005. Their preserved headers give the Standards Track category.

STD-KR-F1

S088: Header; Abstract; S089: Header; Abstract

RFC 6209 defines ARIA cipher suites for TLS (April 2011). RFC 8269 defines ARIA for SRTP (October 2017), including CTR/GCM, key derivation, DTLS-SRTP profiles and MIKEY parameters. Both are IETF Informational documents.

STD-KR-F2

S090: Header; Abstract; Status of This Memo; S091: Header; Abstract; Status of This Memo

Inference and assumptions

The protocol records establish specified interoperability choices, but they do not by themselves show that a named product passed Korean module validation. Such a claim needs a product-specific validation record and its scope.

Assumption: The proposed claim concerns implementation validation rather than publication of a protocol profile.

STD-KR-I1 | Confidence: conditional | Basis: STD-KR-F1, STD-KR-F2

Germany: general recommendations and protocol guidance

Existing profiles: CHIASMUS, LIBELLE / SINA

TR-02102-1 gives general cryptographic mechanism and key-length recommendations; Parts 2, 3 and 4 specialize guidance for TLS, IPsec/IKEv2 and SSH. Read these separately from the existing historical product and approval records.

Scope limit: General BSI technical guidance is not a public specification of LIBELLE or proof that a particular SINA product is approved for a classification level. It also does not establish CHIASMUS's internal construction.

Documented statements

The archived TR-02102-1 is version 2026-01, as of 2026-01-23. It provides general cryptographic mechanism and key-length recommendations.

STD-DE-F1

S081: Cover; Section 1

TR-02102 Parts 2, 3 and 4 address TLS, IPsec/IKEv2 and SSH respectively. Each preserved edition's history dates version 2026-01 to 2026-01-27.

STD-DE-F2

S082: Cover; Document history; Section 1; S083: Cover; Document history; Section 1; S095: Cover; Document history; Section 1

Inference and assumptions

The TR series supplies a public policy and protocol context for German deployments; identifying the mathematics or approval scope of an opaque product still requires a record that names that product and its algorithm or certification boundary.

Assumption: No additional product-specific approval or algorithm specification is supplied by the generic guidance citation.

STD-DE-I1 | Confidence: conditional | Basis: STD-DE-F1, STD-DE-F2

Publication and effective dates

These are particular release, revision and publication events. A dated record is not automatically the first invention, first classified use or original algorithm approval.

Date / subject	Event / evidence	Interpretation
2003-02-20 CRYPTREC legacy list	list issue S094: Cover; correction appendix	Original list date; the preserved R1 copy also has a 2005 correction.
2005-08 SEED / TLS	RFC publication S088: Header	RFC 4162 Standards Track profile; not an invention date.
2005-10-12 CRYPTREC legacy list	correction S094: Correction appendix	Specification-reference correction; not a new cipher design.
2005-12 Camellia / IPsec	RFC publication S087: Header	RFC 4312 Standards Track profile.
2010-06-18 EEA3/EIA3	specification publication S076: Document History, PDF page 2	Document 1 history records v1.0 publication.
2010-12-17 SM2 and SM3	public release announcements S070: Announcement; compare S071	Official releases; attached PDFs have December 2010 covers.
2011-01-04 ZUC/EEA3/EIA3	algorithm revision and test edition S076: Document History; compare S092 and S093	EIA3 modification and v1.1 implementer-test edition; see design report for ZUC change.
2011-09-09 ZUC design evaluation	report edition S093: Cover; Document History	Version 2.0 final deliverable.
2012-03-21 Chinese industry standards	standards announcement S034: Announcement; standards list	No.23 lists six standards including SM3 and SM4 industry standards.
2012-11-22 SM2 application ecosystem	standards announcement S072: Announcement; standards list	No.24 lists applications, message syntax, certificate protocols and formats.
2013-03-01 CRYPTREC list	list issue S079: Cover	Original 2013 list retained as a historical edition.
2016-08-29 SM2 Part 1 and SM4	national-standard issue S036: Official metadata; compare S035	GB/T issue date; later implementation date is 2017-03-01.
2017-03-01 SM2 Part 1 and SM4	national-standard implementation S036: Official metadata; compare S035	Implementation date distinct from public release and issue.
2017-10 ARIA / SRTP	RFC publication S091: Header	RFC 8269 IETF Informational profile.
2019-01-24 EEA3/EIA3	specification revision S076: Cover; Document History	Document 1 v1.8 increases maximum integrity-message length.
2020-06-15 PKCS #11 v3.0	OASIS standard edition S066: Cover; compare S001	Matched Base and Historical Mechanisms editions.
2021-06 MGM	RFC publication S059: Header; Abstract	RFC 9058; separate from the original Russian mode standardization.
2022-03 GOST protocol and PKI profiles	RFC publications S062: Header; compare S060 and S061	TLS 1.2, X.509 and ESP/IKEv2 companion RFCs.
2022-07-01 CRYPTREC strength requirements	first publication in revision table S080: Cover; revision table	Table date conflicts with March 2022 printed cover; retain both fields.

Date / subject	Event / evidence	Interpretation
2023-02 GOST / TLS 1.3	RFC publication S063: Header	RFC 9367 Informational Independent Submission.
2023-03-30 CRYPTREC strength requirements	correction S080: Revision table	R1 correction record, including publication-month correction.
2023-12-23 Chinese revised standards	announcement posting S073: Posting metadata; announcement	No.45 announcement posting date, not every standard’s issue date.
2024-06-01 Chinese revised standards	effective date S073: Announcement	Effective date stated in No.45 for the announced revisions.
2025-10 ETSI EEA3/EIA3 wrapper	technical-specification edition S075: Cover	TS 135 221 v19.0.0, Release 19.
2026-01-23 BSI TR-02102-1	guidance edition S081: Cover	Version 2026-01, as-of date from cover.
2026-01-27 BSI TLS/IPsec/SSH guidance	guidance edition S082: Document history; compare S083 and S095	Version 2026-01 dates from histories of Parts 2, 3 and 4.
2026-03-30 CRYPTREC list	list revision S078: Cover; list tables	LS-0001-2022R2, with distinct recommended, candidate and monitored lists.

Preservation and coverage limits

Incomplete application-standard scan

S074 is preserved exactly as acquired: three PDF pages containing imposed booklet images of covers, contents, foreword and printed body pages 6–7. Earlier body pages are absent. It must not be cited as a complete GM/T 0009-2012 text.

S074

Korean validation acquisition gaps

S084, S085 and S099 returned HTTP 503. The catalogue retains the attempted URLs and retrieval errors, but no original copy is claimed. Programme names and acquisition leads are not substitutes for a preserved current eligibility list or product certificate.

S084, S085, S099

Revised standards announced but not fully acquired

S073 preserves the official announcement and list of 2023 industry-standard revisions. The archive does not claim to contain the full text of every listed revision. Historical 2012 material cannot silently substitute for a 2023 edition.

S072, S073, S074

Translations and mutable publisher URLs

The earlier Alipay-hosted English SM2/SM3/SM4 files remain separately labeled translations with edition uncertainties. The newly acquired official Chinese release files supply independent 2010 evidence. BSI and CRYPTREC URLs may later change their contents; SHA-256 and acquisition times identify the copies used here.

S070, S071, S078, S081, S096, S097, S098

Status and coverage limits

RFC categories and streams describe publication status at issue. This guide does not perform a complete present-day obsolescence, errata or approval audit. Full ISO/IEC standards and every national standard cited by the profiles are not all preserved. Historical rotor-machine records remain in their existing profiles; modern companion standards are not retroactively applied to Enigma, Lorenz or Fialka.

Source catalogue

Only the companion collection is catalogued in this PDF. Original third-party notices remain in the files. A checksum identifies the acquired bytes; it does not authenticate the publisher or establish permission, completeness or implementation approval.

S001 — PKCS #11 Historical Mechanisms Specification v3.0

OASIS

Document date: 2020-06-15 | English | pdf

Provenance: Original publisher

https://docs.oasis-open.org/pkcs11/pkcs11-hist/v3.0/os/pkcs11-hist-v3.0-os.pdf

Preserved: sources/originals/S001-oasis-pkcs11-historical-2020.pdf | 1,548,298 bytes | 64 pages

Retrieved UTC: 2026-10-17T18:39:55.140223+00:00

SHA-256: d3cd42b3d17abfe068ed410967da38df97a4f14763bbf33aa10c1605ba7eb0a5

S003 — SP 800-38D: Galois/Counter Mode and GMAC

NIST

Document date: 2007-11 | English | pdf

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38d.pdf

Preserved: sources/originals/S003-nist-gcm-2007.pdf | 271,960 bytes | 39 pages

Retrieved UTC: 2026-10-17T18:39:55.143028+00:00

SHA-256: d99f3921ccebca049e7522426553aba071dae14ec3d5b6041e8c111a6cb57bba

S004 — SP 800-38A: Block Cipher Modes of Operation

NIST

Document date: 2001-12 | English | pdf

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38a.pdf

Preserved: sources/originals/S004-nist-modes-2001.pdf | 378,266 bytes | 66 pages

Retrieved UTC: 2026-10-17T18:39:55.145224+00:00

SHA-256: 66821162de1e7130c5fb5eedb22140d8d6d013ec51af4550bb095c2a9481a00e

S026 — RFC 8998: ShangMi (SM) Cipher Suites for TLS 1.3

RFC Editor; named document authors

Document date: 2021-03 | English | pdf

Provenance: RFC Editor publication; original national standards and RFC dates are distinguished

RFC category: Informational | RFC stream: Independent Submission

Preserved in the original publisher format. RFC publication does not itself establish national approval or IETF endorsement; consult the document status statement.

https://www.rfc-editor.org/rfc/rfc8998.pdf

Preserved: sources/originals/S026-rfc8998.pdf | 189,766 bytes | 13 pages

Retrieved UTC: 2026-10-17T18:50:43.324478+00:00

SHA-256: 6a8296ee227a22e5fdc8551e99833181bc206c79f949809506df5d6b24fbfecd

S034 — Announcement No.23: release of six cryptographic industry standards

State Cryptography Administration of China (OSCCA)

Document date: 2012-03-21 | Chinese | html

Provenance: Original publisher

Contemporary announcement of industry standards; distinct from later GB/T national standards.

https://oscca.gov.cn/sca/xxgk/2012-03/21/content_1002392.shtml

Preserved: sources/web/S034-oscca-standards-announcement-2012.html | 13,246 bytes

Retrieved UTC: 2026-10-17T18:50:44.307988+00:00

SHA-256: 86b601282319c44cf068df65a3207a7fca7ca968a036134eb80a6993e99da9af

S035 — Official SM4 national-standard record: GB/T 32907-2016

State Administration for Market Regulation / national standards platform

Document date: 2016-08-29 | Chinese | html

Provenance: Original publisher

Official metadata distinguishes issue date from implementation date. A dynamic page snapshot may not preserve all rendered fields.

https://std.samr.gov.cn/gb/search/gbDetailed?id=71F772D81199D3A7E05397BE0A0AB82A

Preserved: sources/web/S035-samr-sm4-record.html | 70,676 bytes

Retrieved UTC: 2026-10-17T18:50:44.456635+00:00

SHA-256: dfb19daab1a72a95006e24d8dc1bd9ec1469b7b891d98a1ecb4b0c4107ede5a5

S036 — Official SM2 Part 1 national-standard record: GB/T 32918.1-2016

State Administration for Market Regulation / national standards platform

Document date: 2016-08-29 | Chinese | html

Provenance: Original publisher

Official record: issue 2016-08-29, implementation 2017-03-01. These dates are not first invention or first classified use.

https://openstd.samr.gov.cn/bzgk/std/newGbInfo?hcno=3EE2FD47B962578070541ED468497C5B

Preserved: sources/web/S036-samr-sm2-record.html | 24,217 bytes

Retrieved UTC: 2026-10-17T18:50:44.572374+00:00

SHA-256: 4933070480f36247e5983d4cc776e58138908a048177231bb11d58a4725769e1

S037 — ZUC Algorithm Specification, Version 1.6

ETSI/SAGE specification hosted by GSMA

Document date: 2011-06-28 | English | pdf

Provenance: Original publisher

Algorithm specification for 128-EEA3 and 128-EIA3. The 2019 upload path is distinct from the 2011 document date.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/eea3eia3zucv16

Preserved: sources/originals/S037-zuc-specification-2011.pdf | 293,332 bytes | 18 pages

Retrieved UTC: 2026-10-17T18:50:44.844568+00:00

SHA-256: 07db149438c92b6931eb34708df81134c4fa9a89cb2e0802cb3dd2d59f8907ae

S050 — RFC 4357: Additional Cryptographic Algorithms for Use with GOST Algorithms

RFC Editor; named document authors

Document date: 2006-01 | English | text

Provenance: RFC Editor publication; original national standards and RFC dates are distinguished

RFC category: Informational | RFC stream: Not stated in the preserved header

Preserved in the original publisher format. RFC publication does not itself establish national approval or IETF endorsement; consult the document status statement.

https://www.rfc-editor.org/rfc/rfc4357.txt

Preserved: sources/originals/S050-rfc4357.txt | 114,564 bytes

Retrieved UTC: 2026-10-17T18:50:52.141462+00:00

SHA-256: 384473bcec574b8934e45346006d91efaff7f92bdfd868ec3913cc713f6e21d2

S057 — RFC 7836: Guidelines on the Cryptographic Algorithms to Accompany GOST R 34.10-2012 and GOST R 34.11-2012

RFC Editor; named document authors

Document date: 2016-03 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc7836.txt

Preserved: sources/originals/S057-rfc7836.txt | 57,463 bytes

Retrieved UTC: 2026-10-17T19:11:47.934571+00:00

SHA-256: f92f3197751c5defd87e54b383d399d27f316761c379403af24efc8471577731

S058 — RFC 8645: Re-keying Mechanisms for Symmetric Keys

RFC Editor; named document authors

Document date: 2019-08 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: IRTF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc8645.txt

Preserved: sources/originals/S058-rfc8645.txt | 141,580 bytes

Retrieved UTC: 2026-10-17T19:11:47.935555+00:00

SHA-256: 08bad083c340eaff1072f16b0f5f57cda8a5e832ad8b1cd8efa5467e837feb38

S059 — RFC 9058: Multilinear Galois Mode (MGM)

RFC Editor; named document authors

Document date: 2021-06 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9058.pdf

Preserved: sources/originals/S059-rfc9058.pdf | 173,239 bytes | 25 pages

Retrieved UTC: 2026-10-17T19:11:47.936282+00:00

SHA-256: 653bd6f4313468dea174690e05958a65b3fe203a706952042315e68e9902029a

S060 — RFC 9227: Using GOST Ciphers in ESP and IKEv2

RFC Editor; named document authors

Document date: 2022-03 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9227.pdf

Preserved: sources/originals/S060-rfc9227.pdf | 251,876 bytes | 22 pages

Retrieved UTC: 2026-10-17T19:11:47.937205+00:00

SHA-256: 32c405af711d13d97166e0fbab6a618da4cb996ea27b5e5166ab9c484666cd1c

S061 — RFC 9215: Using GOST Algorithms with the Internet X.509 PKI

RFC Editor; named document authors

Document date: 2022-03 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9215.pdf

Preserved: sources/originals/S061-rfc9215.pdf | 299,153 bytes | 38 pages

Retrieved UTC: 2026-10-17T19:11:48.363866+00:00

SHA-256: 2bcba999a1025a05fc23939136d5aa6326e350458e3575a74c7f25165f4dace3

S062 — RFC 9189: GOST Cipher Suites for TLS Version 1.2

RFC Editor; named document authors

Document date: 2022-03 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9189.pdf

Preserved: sources/originals/S062-rfc9189.pdf | 579,033 bytes | 92 pages

Retrieved UTC: 2026-10-17T19:11:48.423981+00:00

SHA-256: c88bbba5b99aefe100deba848c0b41fc89dc2845ce8b79d6383e0ef710a0d8c0

S063 — RFC 9367: GOST Cipher Suites for TLS Version 1.3

RFC Editor; named document authors

Document date: 2023-02 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9367.pdf

Preserved: sources/originals/S063-rfc9367.pdf | 450,902 bytes | 71 pages

Retrieved UTC: 2026-10-17T19:11:48.758423+00:00

SHA-256: f78461079a798f04737503fa382d1460dea4896fd8894f789a8a3fce2a673704

S064 — RFC 5280: Internet X.509 Public Key Infrastructure Certificate and CRL Profile

RFC Editor; named document authors

Document date: 2008-05 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc5280.txt

Preserved: sources/originals/S064-rfc5280.txt | 352,580 bytes

Retrieved UTC: 2026-10-17T19:11:48.891486+00:00

SHA-256: a2f2628c0a83b873fc4786abd921f9b2c02395954b655d190bf16b831633345d

S065 — RFC 8446: The Transport Layer Security (TLS) Protocol Version 1.3

RFC Editor; named document authors

Document date: 2018-08 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc8446.txt

Preserved: sources/originals/S065-rfc8446.txt | 337,736 bytes

Retrieved UTC: 2026-10-17T19:11:48.984017+00:00

SHA-256: 47871bc8820a2c3b6ea89f061055577058862cf543686b82d10131239702b3bd

S066 — PKCS #11 Base Specification Version 3.0

OASIS

Document date: 2020-06-15 | English | pdf

Provenance: Original publisher

Edition selected to match the archived Historical Mechanisms v3.0 (S001), not asserted to be the newest PKCS #11 edition.

https://docs.oasis-open.org/pkcs11/pkcs11-base/v3.0/os/pkcs11-base-v3.0-os.pdf

Preserved: sources/originals/S066-pkcs11-base-v3-2020.pdf | 2,235,865 bytes | 167 pages

Retrieved UTC: 2026-10-17T19:11:48.994501+00:00

SHA-256: fbb3a84657ad7c06c982b511cc9541e9ec08f5f10e4e07dc2e0efa71f8cc7cc8

S067 — SP 800-38B: The CMAC Mode for Authentication

NIST

Document date: 2005-05 | English | pdf

Provenance: Original publisher

Edition: 2005 edition with 2016 updates | Revision: 2016-10-06

First issued May 2005; the preserved publisher PDF includes updates dated 2016-10-06.

https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-38B.pdf

Preserved: sources/originals/S067-nist-cmac.pdf | 253,317 bytes | 21 pages

Retrieved UTC: 2026-10-17T19:11:49.274110+00:00

SHA-256: da9dc0f1e1f08af917caf4a831a7497cf18997b8046353af89570a812f1ec5a2

S068 — SP 800-38C: The CCM Mode for Authentication and Confidentiality

NIST

Document date: 2004-05 | English | pdf

Provenance: Original publisher

Edition: 2004 edition with 2007 errata | Revision: 2007-07-20

First issued May 2004; the preserved PDF states that errata were updated 2007-07-20.

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38c.pdf

Preserved: sources/originals/S068-nist-ccm.pdf | 287,840 bytes | 27 pages

Retrieved UTC: 2026-10-17T19:11:49.306060+00:00

SHA-256: 16ec6f99424192757b5b9928a7dcf41817be3aaf85d48366740dfdf7c16db250

S069 — SP 800-38F: Methods for Key Wrapping

NIST

Document date: 2012-12 | English | pdf

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-38F.pdf

Preserved: sources/originals/S069-nist-key-wrapping.pdf | 289,262 bytes | 32 pages

Retrieved UTC: 2026-10-17T19:11:49.310097+00:00

SHA-256: b8b1052755448e5ff3913ea09dc9b5ae47a97886752525a0cccfa024fb072fa8

S070 — Announcement No.21: release of the SM2 elliptic-curve public-key algorithm

State Cryptography Administration of China

Document date: 2010-12-17 | Chinese | html

Provenance: Original publisher

Contemporary public release announcement; distinct from the later GM/T and GB/T standards.

https://www.sca.gov.cn/sca/xwdt/2010-12/17/content_1002386.shtml

Preserved: sources/web/S070-sm2-announcement-2010.html | 12,790 bytes

Retrieved UTC: 2026-10-17T19:11:49.381748+00:00

SHA-256: 27fdadba38fada46c3910c484f67ee1d1471fbc0ef58148b2c7ffd5d2b5db7d6

S071 — Announcement No.22: release of the SM3 hash algorithm

State Cryptography Administration of China

Document date: 2010-12-17 | Chinese | html

Provenance: Original publisher

https://www.oscca.gov.cn/sca/xxgk/2010-12/17/content_1002389.shtml

Preserved: sources/web/S071-sm3-announcement-2010.html | 12,696 bytes

Retrieved UTC: 2026-10-17T19:11:49.679498+00:00

SHA-256: d46328faff445c1769df34d5786d59512bc7983268e2db6db8794cdbec1947be

S072 — Announcement No.24: fourteen cryptographic industry standards, including SM2 application and certificate specifications

State Cryptography Administration of China

Document date: 2012-11-22 | Chinese | html

Provenance: Original publisher

https://www.sca.gov.cn/sca/xxgk/2012-11/22/content_1002397.shtml

Preserved: sources/web/S072-sm2-application-standards-2012.html | 14,017 bytes

Retrieved UTC: 2026-10-17T19:11:50.224563+00:00

SHA-256: 2177d6207dc89b9a3259b6513af341073c10ae922e3acff37cc646bf481dbc44

S073 — Announcement No.45: 2023 cryptographic industry-standard revisions

State Cryptography Administration of China

Document date: 2023-12-23 | Chinese | html

Provenance: Original publisher

Web announcement date is separate from individual standard issue dates and the stated 2024-06-01 implementation date.

https://oscca.gov.cn/sca/xxgk/2023-12/23/content_1061160.shtml

Preserved: sources/web/S073-china-standards-revisions-2023.html | 15,769 bytes

Retrieved UTC: 2026-10-17T19:11:50.240764+00:00

SHA-256: 1dd01569604b595616565886f8bb56be225df31faab45c4f645c2aa2a048845e

S074 — GM/T 0009-2012: SM2 application specification, three-page booklet scan

State Cryptography Administration of China; preserved copy

Document date: 2012-11-22 | Chinese | pdf

Provenance: Original national-language standard scan preserved by Antpedia

Extent: Three PDF pages of imposed booklet images; incomplete body

Third-party three-page booklet scan. The images contain the covers, contents, foreword, and printed body pages 6 and 7; the earlier body pages are absent. This is not a complete copy of GM/T 0009-2012. The cover states issue and implementation on 2012-11-22; S073 records a later revision.

https://img.antpedia.com/standard/files/pdfs_ora/CN-GM/c8e/GM_T%200009-2012_5625.pdf

Preserved: sources/originals/S074-sm2-application-specification-2012.pdf | 224,289 bytes | 3 pages

Retrieved UTC: 2026-10-17T19:11:51.622298+00:00

SHA-256: 572b0f9314e38c0f74f1bfdd562b8083fbef4e4cb1c334887021d1edea7cb9b9

S075 — ETSI TS 135 221 V19.0.0: EEA3 and EIA3 specifications, Release 19

ETSI / 3GPP

Document date: 2025-10 | English | pdf

Provenance: Original publisher

Edition: 19.0.0 / Release 19

The ETSI wrapper and its normative references are distinguished from the separately preserved detailed ETSI/SAGE algorithm document.

https://www.etsi.org/deliver/etsi_ts/135200_135299/135221/19.00.00_60/ts_135221v190000p.pdf

Preserved: sources/originals/S075-etsi-ts135221-release19.pdf | 86,592 bytes | 8 pages

Retrieved UTC: 2026-10-17T19:11:52.123284+00:00

SHA-256: c5a9a292787d2e653beb711d4dd1ef0345707e81caf13740d3bbefb8a606523f

S076 — 128-EEA3 and 128-EIA3 Specification, Version 1.8

ETSI/SAGE; hosted by GSMA

Document date: 2019-01-24 | English | pdf

Provenance: Original publisher

Edition: 1.8

Document 1 complements the ZUC core specification S037. The 2019 upload directory is not used as evidence for earlier revision dates.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/EEA3_EIA3_specification_v1_8.pdf

Preserved: sources/originals/S076-eea3-eia3-specification-v18.pdf | 236,953 bytes | 16 pages

Retrieved UTC: 2026-10-17T19:11:52.527124+00:00

SHA-256: b65d11ffa74c87ae6c898b48df5b36fe838297aede9c819bacb782c43695b974

S077 — CRYPTREC Ciphers List: current and historical edition index

CRYPTREC / Japanese government agencies

Document date: not printed / not verified | English | html

Provenance: Original publisher

Raw snapshot of the official index; revised and historical lists are preserved separately.

https://www.cryptrec.go.jp/en/list.html

Preserved: sources/web/S077-cryptrec-list-index.html | 11,658 bytes

Retrieved UTC: 2026-10-17T19:11:52.563131+00:00

SHA-256: 2d99652dcad14e3ac30f144425faf011466aa7ee4872cd2cd1cfe2223bfc2c9a

S078 — CRYPTREC Ciphers List, LS-0001-2022R2

CRYPTREC

Document date: 2026-03-30 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0001-2022R2 | Initial issue: 2023-03-30 | Revision: 2026-03-30

The identifier contains 2022. The cover dates the list family to 2023-03-30 and this revision to 2026-03-30. Preserve its three distinct list categories.

https://www.cryptrec.go.jp/list/cryptrec-ls-0001-2022r2.pdf

Preserved: sources/originals/S078-cryptrec-list-2026.pdf | 239,893 bytes | 7 pages

Retrieved UTC: 2026-10-17T19:11:52.739325+00:00

SHA-256: a492a5dce043b51cc0afd064a0bf7202518b31c65fb808bcc492f9cd4f0b32e3

S079 — CRYPTREC Ciphers List, LS-0001-2012, original 2013 edition

CRYPTREC

Document date: 2013-03-01 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0001-2012

Historical original list; recommendation categories and edition are kept separate from the later revised list.

https://www.cryptrec.go.jp/list/cryptrec-ls-0001-2012.pdf

Preserved: sources/originals/S079-cryptrec-list-2013.pdf | 124,137 bytes | 4 pages

Retrieved UTC: 2026-10-17T19:11:52.780752+00:00

SHA-256: b47b0f9477129812d6af321eed4bed99c0a66e988d8a8d50618fa76510cb0615

S080 — Standards for Cryptographic Strength Requirements, LS-0003-2022R1

CRYPTREC

Document date: 2023-03-30 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0003-2022R1 / Ver. 1.0 | Initial issue: 2022-07-01 | Revision: 2023-03-30

The revision table records first publication on 2022-07-01 and corrections on 2023-03-30, including correction of the publication month. The acquired cover still prints March 2022. These conflicting internal date fields are retained explicitly.

https://www.cryptrec.go.jp/list/cryptrec-ls-0003-2022r1.pdf

Preserved: sources/originals/S080-cryptrec-strength-requirements.pdf | 1,424,925 bytes | 42 pages

Retrieved UTC: 2026-10-17T19:11:53.774667+00:00

SHA-256: f249b7a5f880ce4bd239972de945bc8d5375912a98bf9d5e938e3293154cdced

S081 — TR-02102-1: Cryptographic Mechanisms, Recommendations and Key Lengths

German Federal Office for Information Security (BSI)

Document date: 2026-01-23 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Version 2026-01; cover states as of 2026-01-23. General recommendations do not constitute approval of a particular classified product.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.pdf?__blob=publicationFile&v=15

Preserved: sources/originals/S081-bsi-tr02102-1.pdf | 568,388 bytes | 92 pages

Retrieved UTC: 2026-10-17T19:11:53.879999+00:00

SHA-256: f601cdf25c000b431573a307a3c125f3c51d301897089e7e63dde0449367a62a

S082 — TR-02102-2: Use of Transport Layer Security (TLS)

German Federal Office for Information Security (BSI)

Document date: 2026-01-27 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Document history dates version 2026-01 to 2026-01-27.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-2.pdf?__blob=publicationFile&v=11

Preserved: sources/originals/S082-bsi-tr02102-2-tls.pdf | 758,922 bytes | 18 pages

Retrieved UTC: 2026-10-17T19:11:53.933737+00:00

SHA-256: a7f55c3403d45719287415d2698bf51e629aafe841e2e9867e8afe8749d238e5

S083 — TR-02102-3: Use of IPsec and IKEv2

German Federal Office for Information Security (BSI)

Document date: 2026-01-27 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Document history dates version 2026-01 to 2026-01-27.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-3.pdf?__blob=publicationFile&v=10

Preserved: sources/originals/S083-bsi-tr02102-3-ipsec.pdf | 724,281 bytes | 18 pages

Retrieved UTC: 2026-10-17T19:11:53.950547+00:00

SHA-256: ee6cf28a1b7fbc79b60dd2a913a905e99e3a246b0796cff894a41e22207d6bdc

S084 — KCMVP: algorithms subject to cryptographic module validation

Korea Internet and Security Agency (KISA)

Document date: not printed / not verified | Korean | html

Provenance: Original publisher

An eligibility/validation-reference page, not a certificate for a particular implementation. Acquisition may be unavailable; any failure remains explicit.

https://seed.kisa.or.kr/kisa/kcmvp/EgovVerification.do

NOT PRESERVED: failed; HTTPError: HTTP Error 503: Service Unavailable

Attempt UTC: 2026-10-17T19:11:54.380270+00:00

S085 — KCMVP: cryptographic module testing and validation procedures

Korea Internet and Security Agency (KISA)

Document date: not printed / not verified | Korean | html

Provenance: Original publisher

https://seed.kisa.or.kr/kisa/kcmvp/reference.do

NOT PRESERVED: failed; HTTPError: HTTP Error 503: Service Unavailable

Attempt UTC: 2026-10-17T19:11:55.326633+00:00

S086 — RFC 5932: Camellia Cipher Suites for TLS

RFC Editor; named document authors

Document date: 2010-06 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc5932.txt

Preserved: sources/originals/S086-rfc5932.txt | 11,949 bytes

Retrieved UTC: 2026-10-17T19:11:55.980731+00:00

SHA-256: 4da0b39f346d7807a210a6c4b88ea5780a74267f256547cc5cd6b1f64976bb5d

S087 — RFC 4312: The Camellia Cipher Algorithm and Its Use With IPsec

RFC Editor; named document authors

Document date: 2005-12 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc4312.txt

Preserved: sources/originals/S087-rfc4312.txt | 15,980 bytes

Retrieved UTC: 2026-10-17T19:11:56.250552+00:00

SHA-256: 3a1034a459d9be0b6195576b1171b413e8556967e7126b692a617a9b4fa38988

S088 — RFC 4162: Addition of SEED Cipher Suites to TLS

RFC Editor; named document authors

Document date: 2005-08 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc4162.txt

Preserved: sources/originals/S088-rfc4162.txt | 10,578 bytes

Retrieved UTC: 2026-10-17T19:11:56.447889+00:00

SHA-256: ae3456638cacf62adc60577867f3f13b0c33ecb02d70ac7ca83ccaa209b1b67e

S089 — RFC 4196: The SEED Cipher Algorithm and Its Use with IPsec

RFC Editor; named document authors

Document date: 2005-10 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc4196.txt

Preserved: sources/originals/S089-rfc4196.txt | 22,587 bytes

Retrieved UTC: 2026-10-17T19:11:56.634517+00:00

SHA-256: fcd316975dc1abe1c9fdcfc48d0d29f9caca5858075ef4882a99d40abbd97d9a

S090 — RFC 6209: Addition of the ARIA Cipher Suites to TLS

RFC Editor; named document authors

Document date: 2011-04 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc6209.txt

Preserved: sources/originals/S090-rfc6209.txt | 19,501 bytes

Retrieved UTC: 2026-10-17T19:11:56.645443+00:00

SHA-256: bec379ec5fe8df5faa17315146c2208bdf901f0cbfdad0a2f5010243d813deeb

S091 — RFC 8269: The ARIA Algorithm and Its Use with SRTP

RFC Editor; named document authors

Document date: 2017-10 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc8269.txt

Preserved: sources/originals/S091-rfc8269.txt | 39,285 bytes

Retrieved UTC: 2026-10-17T19:13:43.412389+00:00

SHA-256: f2a4fa93fc63c6e94a1a9df148970b9759cdee770f98cb38cc706dee650e921d

S092 — 128-EEA3 and 128-EIA3 Implementer Test Data, Version 1.1

ETSI/SAGE; hosted by GSMA

Document date: 2011-01-04 | English | pdf

Provenance: Original publisher

Edition: 1.1

Cover date is 2011-01-04; the 2019 hosting directory is not the document publication date. The preface expressly says that passing these tests does not guarantee a correct implementation.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/eea3eia3testdatav11.pdf

Preserved: sources/originals/S092-eea3-eia3-implementer-tests.pdf | 227,188 bytes | 21 pages

Retrieved UTC: 2026-10-17T19:11:56.830113+00:00

SHA-256: 65b461c84daac4f9c7e831b739ca33792e25fdcbcf67e2e6befa60e4a58eea82

S093 — Design and Evaluation Report: 128-EEA3, 128-EIA3 and ZUC, Version 2.0

ETSI/SAGE; hosted by GSMA

Document date: 2011-09-09 | English | pdf

Provenance: Original publisher

Edition: 2.0

Final-deliverable edition dated 2011-09-09. Its history records a first public release on 2010-08-11 and subsequent algorithm revisions.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/EEA3_EIA3_Design_Evaluation_v2_0.pdf

Preserved: sources/originals/S093-zuc-design-evaluation.pdf | 1,027,545 bytes | 43 pages

Retrieved UTC: 2026-10-17T19:11:56.988033+00:00

SHA-256: f31c51cad773fff898d3fd6c6246629eca73cba8c0d9b893b451eca9d99165ee

S094 — CRYPTREC e-Government Recommended Ciphers List, LS-0001-2002R1

CRYPTREC

Document date: 2005-10-12 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0001-2002R1 | Initial issue: 2003-02-20 | Revision: 2005-10-12

List cover: 2003-02-20. Appended correction record: 2005-10-12, changing a Triple-DES specification reference from FIPS 46-3 to SP 800-67. This is the historical list with that correction, not a fresh 2005 selection.

https://www.cryptrec.go.jp/list/cryptrec-ls-0001-2002r1.pdf

Preserved: sources/originals/S094-cryptrec-legacy-list.pdf | 153,555 bytes | 3 pages

Retrieved UTC: 2026-10-17T19:11:57.044703+00:00

SHA-256: 953e17ad183ea28e21052ec106eea85703bb0381ee1e2af7d8aee401828c0dca

S095 — TR-02102-4: Use of Secure Shell (SSH)

German Federal Office for Information Security (BSI)

Document date: 2026-01-27 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Document history dates version 2026-01 to 2026-01-27.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-4.pdf?__blob=publicationFile&v=11

Preserved: sources/originals/S095-bsi-tr02102-4-ssh.pdf | 639,452 bytes | 12 pages

Retrieved UTC: 2026-10-17T19:11:57.110794+00:00

SHA-256: 9338643a2c5019bf1c819c759b9c1e903203f0db79e5ecb087b0ace0613f4de8

S096 — SM2 elliptic-curve public-key cryptographic algorithm: original release, Parts 1–4

State Cryptography Administration of China

Document date: 2010-12 | Chinese | pdf

Provenance: Original publisher

Extent: 93 PDF pages; four separately titled parts combined

Official attachment to the release announcement of 2010-12-17 (S070). The four part covers are dated December 2010: general, signature, key exchange, and public-key encryption. These are the original release texts, not the later GB/T editions.

https://www.sca.gov.cn/sca/xwdt/2010-12/17/1002386/files/b791a9f908bb4803875ab6aeeb7b4e03.pdf

Preserved: sources/originals/S096-sm2-official-release-a.pdf | 945,731 bytes | 93 pages

Retrieved UTC: 2026-10-17T19:14:35.055523+00:00

SHA-256: 727ad5611ccc6efeef9b184b39687a5ce72540eea5a9a58bf99685d881a9962a

S097 — SM2 recommended elliptic-curve parameters: original release attachment

State Cryptography Administration of China

Document date: not printed / not verified | Chinese | pdf

Provenance: Original publisher

Extent: One PDF page

Undated one-page parameter sheet directly linked by the official 2010-12-17 announcement (S070). The announcement supplies the dated release evidence; the sheet itself has no printed date.

https://www.sca.gov.cn/sca/xwdt/2010-12/17/1002386/files/b965ce832cc34bc191cb1cde446b860d.pdf

Preserved: sources/originals/S097-sm2-official-release-b.pdf | 22,552 bytes | 1 pages

Retrieved UTC: 2026-10-17T19:14:35.057158+00:00

SHA-256: a2b7aa352aa218f46116879748e87596ce45a5a80aef8036fc6e3ab151d2b90c

S098 — SM3 Cryptographic Hash Algorithm: original official release

State Cryptography Administration of China

Document date: 2010-12 | Chinese | pdf

Provenance: Original publisher

Extent: 13 PDF pages

Cover dated December 2010; official attachment to the 2010-12-17 announcement (S071). This is the original release specification, not a later GM/T or GB/T edition.

https://www.oscca.gov.cn/sca/xxgk/2010-12/17/1002389/files/302a3ada057c4a73830536d03e683110.pdf

Preserved: sources/originals/S098-sm3-official-release.pdf | 103,677 bytes | 13 pages

Retrieved UTC: 2026-10-17T19:14:35.056622+00:00

SHA-256: 6f35d1870b8b137f70f309270d7c60c830a20a678f6bdedf33cb6008d00ab38e

S099 — Cryptographic module validation programme overview

Korea Internet and Security Agency (KISA)

Document date: not printed / not verified | Korean | html

Provenance: Original publisher

Official programme overview on KISA's main host, distinct from the unavailable seed.kisa.or.kr detail pages.

https://www.kisa.or.kr/1040209

NOT PRESERVED: failed; HTTPError: HTTP Error 503: Service Unavailable

Attempt UTC: 2026-10-17T19:14:35.057635+00:00