CRYPTOLOGIC ARCHIVES / COLLECTION 03

Companion standards

From primitives to implementations

Modes / parameters / encodings / protocol profiles / selection and evaluation

Research snapshot 2026-10-20

10 family maps; 77 sourced claims and deductions; 40 dated milestones.

40 additional preserved documents and snapshots. This guide references 92 records, of which 89 are preserved.

Includes Russian national-language modes and correction records, Chinese application and certificate scans, Japanese/Korean profiles, German ECC, French ANSSI guidance, international cellular specifications and Swiss/Swedish historical records.

Scope and how to read

This collection links the archive’s algorithm profiles to the surrounding specifications: modes, parameters, key formats, protocol profiles, selection lists and validation records. It preserves particular editions and their dates rather than claiming to hold every standard or the latest version of every document.

An algorithm release, a national-standard issue, an effective date, an RFC publication and a product certificate describe different events. A protocol profile can expose exact mathematical and wire-format choices while leaving deployment and implementation approval unresolved.

The original files remain unchanged. Documented statements have source locators; deductions identify their premises and assumptions. Acquisition failures and incomplete copies are listed alongside successful preservation.

The 2026-10-20 continuation adds Russian national-language modes and correction records, complete-body Chinese companion scans, Japanese and Korean protocol records, German ECC/Brainpool material, French ANSSI guides, international mobile specifications, and Swiss/Swedish historical records. The original 2010 SM2/SM3 releases remain the earlier preserved editions.

Layers of a usable cryptographic system

Layer	Question and examples	Evidence
Primitive	What mathematical transformation is specified? SM2 point arithmetic; SM3 compression; Magma and Kuznyechik block transformations.	S096, S098, S037
Mode and parameters	How are messages, nonces, tags, curves and keys selected? GCM, CCM, CMAC, MGM; concrete SM2 and GOST curve parameters.	S003, S057, S059, S067, S068, S097
API and encoding	How does software represent and invoke the operation? PKCS #11 objects and mechanisms; X.509 identifiers, public keys and signatures.	S001, S061, S064, S066
Protocol profile	How do peers negotiate and combine the parts? TLS, IPsec/IKEv2, SRTP, and cellular EEA3/EIA3.	S026, S060, S062, S063, S065, S076, S091
Selection and policy	Which algorithms and lifetimes does a dated policy recommend? CRYPTREC list categories and BSI TR-02102 recommendations.	S078, S079, S080, S081
Implementation evaluation	What evidence concerns a particular implementation or evaluation? Known-answer tests, design evaluation reports, and separately dated product certificates.	S092, S093

Source IDs in the evidence notes link to the source catalogue within this PDF. Original files, checksums, retrieval times and editable research are also in the repository.

Reading map

Family	Start here	Question resolved
Common modes, formats and Suite A interfaces	S001, S003, S004, S064, S065, S066, S067, S068, S069, S100, S126, S127	Read the primitive or mechanism interface, then the mode definition, then the protocol that uses it. The PKCS #11 Base and Historical Mechanisms copies deliberately share the v3.0 publication date.
Russia: GOST parameters, modes and protocol bindings	S050, S057, S058, S059, S060, S061, S062, S063, S064, S065, S101, S102, S103, S104, S105, S106, S107, S108	Start with the Russian modes text, official registration record, separate 2018 correction and per-key data-volume recommendation. Then choose the algorithm generation, parameter/KDF documents, certificate or PFX encoding, and the required TLS/IPsec/CMS profile. RFC 9337’s integer-counter notation is an explicit unresolved compatibility question.
China: original releases, parameters and successive standards	S026, S034, S035, S036, S070, S071, S072, S073, S074, S096, S097, S098, S109, S110, S111, S112, S113, S114	Read the original 2010 release and curve sheet, then the acquired 2012 application/message/certificate/token standards and historical 2014 SSL VPN specification. S109 fills the missing GM/T 0009 body pages. Compare each with its exact later revision and the separate RFC 8998 TLS 1.3 profile.
China and 3GPP: ZUC, EEA3 and EIA3	S037, S075, S076, S092, S093	Read ZUC Document 2 for the keystream generator, Document 1 for the EEA3/EIA3 packet algorithms, Document 3 for implementer test data and Document 4 for design/evaluation history. The Release 19 ETSI wrapper records the later standards context.
Japan: selection lists, additional primitives and Camellia profiles	S077, S078, S079, S080, S086, S087, S094, S115, S116, S117, S118, S119, S120, S139	Compare dated CRYPTREC selections with the primitive specification. Camellia’s mode/test-vector, IPsec and TLS documents have different RFC categories. MISTY1, KCipher-2 and KASUMI are separately specified primitives; a later RFC or standards wrapper does not date their invention.
Republic of Korea: SEED and ARIA protocol profiles	S084, S085, S088, S089, S090, S091, S099, S121, S122	Use the existing SEED and ARIA primitive specifications, then the TLS and IPsec/SRTP bindings as relevant. The KCMVP programme pages are acquisition leads only until their original bytes can be preserved.
Germany: ECC constructions, Brainpool and protocol guidance	S081, S082, S083, S095, S123, S124, S125	Read TR-03111 for concrete signature/key-agreement operations and encodings, RFC 5639 for Brainpool parameters and RFC 8734 for its TLS 1.3 binding. TR-02102 supplies the separately dated recommendation and protocol context.
France: ANSSI selection and mechanism rules	S128, S129, S130, S123, S126, S127	Read the distribution-page snapshot, then the exact cover and history of each guide. The rules PDF is version 3.00 of March 2026; the selection guide is version 1.0 of March 2021. Use cited specifications for the actual algorithm and encoding.
International mobile standards: SNOW 3G, UEA2 and UIA2	S131, S132, S133, S134, S135	Read Document 2 for the generator, Document 1 for packet confidentiality/integrity, Document 3 for tests and Document 5 for design history. The GSMA distribution index records the provenance of these copies.
Swiss and Swedish historical machine records	S136, S137, S138	Start with the original bilingual NEMA instructions and their cover stamp. For Siemens T52, separate FRA’s retrospective institutional history from Borelius’s explicitly hypothetical reconstruction of Beurling’s working method.

Common modes, formats and Suite A interfaces

Existing profiles: MEDLEY, BATON, JUNIPER, ACCORDION

Read the primitive or mechanism interface, then the mode definition, then the protocol that uses it. The PKCS #11 Base and Historical Mechanisms copies deliberately share the v3.0 publication date.

Scope limit: A public API can constrain roles, sizes and representation without publishing a classified round function. Generic NIST modes do not establish NSA approval of a named Suite A algorithm.

Documented statements

SP 800-38A specifies ECB, CBC, CFB, OFB and CTR confidentiality modes; SP 800-38D specifies GCM and GMAC and requires a 128-bit block cipher for GCM.

STD-COM-F1

S004: Abstract; Sections 6.1–6.5; S003: Section 5.1

CMAC supplies message authentication, CCM combines counter-mode encryption with CBC-MAC, and SP 800-38F specifies methods for cryptographic key wrapping. These documents address distinct operations.

STD-COM-F2

S067: Abstract; Section 6; S068: Abstract; Section 6; S069: Abstract; Sections 1 and 4

The preserved PKCS #11 Base and Historical Mechanisms specifications are both OASIS v3.0 standards dated 2020-06-15. The base API and historical mechanism descriptions are separate companion documents.

STD-COM-F3

S066: Cover; Sections 1 and 2; S001: Cover; Scope

RFC 5280 profiles X.509 certificates and certificate revocation lists; RFC 8446 specifies TLS 1.3. Their publication category is Standards Track, which is distinct from the Informational categories of several national-algorithm profiles.

STD-COM-F4

S064: Header; Abstract; Sections 4 and 5; S065: Header; Abstract

HKDF separates extraction of a pseudorandom key from expansion of output keying material. PKCS #5 v2.1 separately specifies PBKDF2, PBES2 and PBMAC1 for password-based derivation, encryption and authentication.

STD-COM-F5

S126: Sections 2.1–2.3; Appendix A; S127: Sections 5.2, 6.2 and 7.1

The preserved RFC index supplies stream, publication-status and current-status fields. For example it labels RFC 2994 Legacy, RFC 5528 IETF and Informational, and RFC 5529 IETF and Proposed Standard. The category printed in each RFC and the index’s more specific status remain distinct fields.

STD-COM-F6

S100: rfc-entry elements RFC2994, RFC5528 and RFC5529: stream, publication-status, current-status; S115: Header and Status of This Memo; S116: Header and Status of This Memo

Inference and assumptions

If a product uses MEDLEY with GCM exactly as defined in SP 800-38D, the block cipher supplied to that mode has 128-bit blocks. This deduction supplies neither its key length nor its round construction.

Assumption: The manufacturer’s GCM label refers to the standard mode without a proprietary change in its block interface.

STD-COM-I1 | Confidence: conditional | Basis: MEDLEY-F1, STD-COM-F1

Russia: GOST parameters, modes and protocol bindings

Existing profiles: GOST 28147-89, Magma, Kuznyechik, Streebog, GOST signatures

Start with the Russian modes text, official registration record, separate 2018 correction and per-key data-volume recommendation. Then choose the algorithm generation, parameter/KDF documents, certificate or PFX encoding, and the required TLS/IPsec/CMS profile. RFC 9337’s integer-counter notation is an explicit unresolved compatibility question.

Scope limit: The preserved GOST binding RFCs are Informational Independent Submissions. RFC 8645 is an IRTF Informational document. These distinct streams do not imply IETF standards-track endorsement or establish the original Russian approval dates. The Russian printing and separate erratum are reproduced by a mirror with advertising-link text; they are not authenticated publisher downloads. RFC publication category varies across generations.

Documented statements

RFC 4357 provides additional modes, key meshing, wrapping, parameter sets and identifiers for the older GOST algorithm family. RFC 7836 adds HMAC, VKO key agreement, KDF and wrapping constructions and elliptic-curve parameters for the 2012 family.

STD-GOST-F1

S050: Abstract; Sections 2–8; S057: Sections 4 and 5; Appendix A

MGM is an authenticated-encryption mode defined for both 64-bit and 128-bit block ciphers. RFC 9058 supplies test vectors for Kuznyechik and Magma.

STD-GOST-F2

S059: Abstract; Section 4; Appendices A.1 and A.2

RFC 9227 binds Magma and Kuznyechik in MGM, with external rekeying, to ESP and IKEv2. RFC 9189 profiles GOST for TLS 1.2; RFC 9367 separately defines cipher suites, signature schemes and key exchange for TLS 1.3.

STD-GOST-F3

S060: Abstract; Section 1; S062: Abstract; S063: Abstract; Sections 4–6

RFC 9215 specifies GOST signature/hash identifiers, parameters and encodings for the Internet X.509 PKI, including public-key encoding and signature representation.

STD-GOST-F4

S061: Abstract; Sections 2–4

RFCs 7836, 9058, 9189, 9215, 9227 and 9367 are Informational Independent Submissions. RFC 8645 is Informational in the IRTF stream and describes symmetric rekeying mechanisms.

STD-GOST-F5

S057: Header; Status of This Memo; S058: Header; Abstract; Status of This Memo; S059: Header; S060: Header; S061: Header; S062: Header; S063: Header

GOST R 34.13-2015 cites approval order 750-st of 2015-06-19 and an effective date of 2016-01-01. The acquired Russian printing has a 2016 cover and an imprint signed for printing on 2016-03-28; these are separate milestones.

STD-GOST-F6

S101: Foreword, PDF p.2; printed p.1 / PDF p.6; imprint, PDF p.29; S103: Registration in the fund: order number, order date and effective date

The Russian modes standard defines ECB, CTR, OFB, CBC, CFB and MAC procedures and supplies examples for 128-bit and 64-bit block ciphers. Its Magma CBC example uses a 192-bit initialization register for a 64-bit block cipher.

STD-GOST-F7

S101: Sections 5.1–5.6; Appendix A; A.2.4.1, printed p.21 / PDF p.26

The separately preserved IUS No.6/2018 correction changes Section 5.3.2, rule (7), of GOST R 34.13-2015. It is retained as a correction document, without altering the earlier printing's acquired bytes.

STD-GOST-F8

S102: Entire one-page correction, location column and corrected formula; S103: Changes and corrections: IUS 6-2018

R 1323565.1.005-2017 addresses permissible plaintext-block volumes processed under one key for certain GOST modes. It cites approval on 2017-10-25 and states effective 2018-04-01. Its scope assumes the adversary cannot obtain additional information about the key.

STD-GOST-F9

S104: Foreword, PDF p.2; Introduction, PDF p.4; Section 1, printed p.1 / PDF p.5

RFCs 4490 and 4491 were issued as Standards Track in May 2006 and bind the older GOST signature/hash family to CMS and X.509 respectively. RFC 9215 is a separate 2022 profile for the 2012 signature/hash algorithms; the editions are not interchangeable.

STD-GOST-F10

S105: Header; Sections 1–2; S106: Header; Section 1; S061: Header; Sections 1–2; S100: RFC4490, RFC4491 and RFC9215 entries

RFC 9337 specifies password-based derivation with HMAC using the 512-bit GOST R 34.11-2012 hash output, plus PBES2, PBMAC1 and ASN.1 identifiers. RFC 9548 separately profiles PKCS #12 PFX containers, private-key representations and certificates for GOST R 34.10-2012. Both are Informational Independent Submissions.

STD-GOST-F11

S107: Header; Sections 3–7; Appendix A; S108: Header; Sections 4–7 and 10; Appendix A

There is a visible counter-encoding discrepancy between the preserved texts: RFC 8018 Section 5.2 defines INT(i) as four octets with the most significant octet first, while RFC 9337 Section 3 defines Int(i) using i=i1+2^8*i2+2^16*i3+2^24*i4 and Section 4 uses S || INT(i). This is recorded as a specification question, not a verified implementation failure or a completed errata audit.

STD-GOST-F12

S127: Section 5.2, step 3 definition of INT(i); S107: Section 3, Table 1 Int(i); Section 4, U_1(i) equation

Inference and assumptions

An implementation described only as supporting GOST is underspecified: interoperation also requires agreement on the primitive generation, curve or parameter set, mode, rekeying rules, encoding and protocol profile.

Assumption: The parties exchange keys, signatures or protected messages using the cited protocol families.

STD-GOST-I1 | Confidence: conditional | Basis: STD-GOST-F1, STD-GOST-F2, STD-GOST-F3, STD-GOST-F4

An IV length alone cannot identify the cipher's block size: the preserved GOST example explicitly uses an initialization register longer than one block.

Assumption: The interface implements the cited GOST mode and its generalized register construction.

STD-GOST-I2 | Confidence: conditional | Basis: STD-GOST-F7

Literal implementations of the two counter definitions require an explicit compatibility decision before assuming identical PBKDF2 outputs. No claim is made here about deployed implementations or the resolution of any erratum.

Assumption: The Int/INT notation in RFC 9337 denotes its tabulated integer encoding; no external correction or implementation-specific convention overrides it.

STD-GOST-I3 | Confidence: conditional | Basis: STD-GOST-F12

China: original releases, parameters and successive standards

Existing profiles: SM2, SM3, SM4

Read the original 2010 release and curve sheet, then the acquired 2012 application/message/certificate/token standards and historical 2014 SSL VPN specification. S109 fills the missing GM/T 0009 body pages. Compare each with its exact later revision and the separate RFC 8998 TLS 1.3 profile.

Scope limit: The new Chinese scans are third-party mirror copies, not authenticated publisher downloads. S109 supplies the full 2012 application body, while S074 remains incomplete. The 2023 revision announcement still does not supply full revised texts. The 2012/2014 companion editions and the RFC's TLS profile remain separate.

Documented statements

The Chinese authority's announcements No.21 and No.22 are dated 2010-12-17 and release SM2 and SM3 respectively. Their attached official algorithm PDFs carry December 2010 covers.

STD-SM-F1

S070: Release date and announcement text; attachment links; S071: Release date and announcement text; attachment link; S096: Covers at PDF pages 1, 47, 61 and 80; S098: Cover

The 93-page SM2 release combines Parts 1–4: general elliptic-curve rules, signatures, key exchange and public-key encryption. A separate one-page official attachment recommends a 256-bit prime-field curve and gives p, a, b, n, Gx and Gy.

STD-SM-F2

S096: Part covers at PDF pages 1, 47, 61 and 80; S097: Entire one-page parameter sheet

The recommended SM2 curve has p = FFFFFFFE FFFFFFFF FFFFFFFF FFFFFFFF FFFFFFFF 00000000 FFFFFFFF FFFFFFFF and a = p − 3. Its equation is $y^2 = x^3 + ax + b$ over that prime field. This parameter choice is more specific than the general label elliptic-curve cryptography.

STD-SM-F3

S097: Curve equation and parameter lines p and a

The original SM3 specification uses 512-bit message blocks, 32-bit words, 64 compression rounds, modular addition, XOR, rotations and Boolean functions, and outputs 256 bits.

STD-SM-F4

S098: Sections 2–5, especially 4.3–4.4 and 5.2–5.4

The 2012-11-22 announcement lists GM/T 0009-2012 for SM2 applications, GM/T 0010-2012 for signed/enveloped message syntax, GM/T 0014-2012 for certificate-authentication protocols and GM/T 0015-2012 for certificate format.

STD-SM-F5

S072: Announcement No.24; numbered standards list

Announcement No.45, posted 2023-12-23, lists 2023 revisions of GM/T 0009, 0010, 0014 and 0015 among other standards and states an effective date of 2024-06-01. The web posting date is recorded separately from each standard's issue date.

STD-SM-F6

S073: Posting date; announcement; attached standards list

The official GB/T records for SM2 Part 1 and SM4 record issue on 2016-08-29 and implementation on 2017-03-01. These are later national-standard milestones, separate from the 2010 SM2 release and 2012 industry-standard announcements.

STD-SM-F7

S035: Issue and implementation metadata; S036: Issue and implementation metadata; S070: Release date; S034: Announcement No.23 and standards list

RFC 8998 profiles SM2, SM3 and SM4 for TLS 1.3, including SM4-GCM and SM4-CCM cipher suites. It is an Informational Independent Submission, while the underlying TLS 1.3 specification RFC 8446 is Standards Track.

STD-SM-F8

S026: Header; Sections 2 and 3; S065: Header

A second GM/T 0009-2012 acquisition contains 12 PDF pages, including all printed body pages 1–7. Its cover prints issue and implementation on 2012-11-22; its final imprint says first edition and printing in January 2013. The older S074 remains a separately preserved incomplete scan.

STD-SM-F9

S109: Cover; contents; printed body pp.1–7 / PDF pp.5–11; imprint / PDF p.12

GM/T 0009-2012 specifies private/public-key and encryption/signature data formats. Its public-key BIT STRING contains 04 || X || Y, with 256-bit coordinates. Its encryption structure lists XCoordinate, YCoordinate, a 32-byte hash and ciphertext; its signature representation contains integer R and S fields.

STD-SM-F10

S109: Sections 5.1–5.2 and 7.1–7.3, printed pp.1–3 / PDF pp.5–7

The application standard defines identity preprocessing and, absent a special agreement, the 16-byte user identity represented by the ASCII string 1234567812345678. RFC 8998 instead specifies a TLS-specific SM2 signature identity for its handshake context and separately discusses certificate identities.

STD-SM-F11

S109: Section 8, printed p.4 / PDF p.8; Section 10, printed p.7 / PDF p.11; S026: Section 3.2.1, SM2 signature scheme identity values

GM/T 0010-2012 defines object identifiers and signed, enveloped, signed-and-enveloped, encrypted and key-agreement message structures, with SM2 key syntax in normative Appendix A. These are message encodings around the primitive.

STD-SM-F12

S110: Section 5; Sections 8–12; normative Appendix A, printed p.9 / PDF p.12

GM/T 0014-2012 specifies certificate-system protocols and associated message formats; Section 5 refers SM2 key structures to GM/T 0009 and encapsulation to GM/T 0010. GM/T 0015-2012 separately specifies DER-based certificate and CRL structures and encoding examples.

STD-SM-F13

S111: Section 5, printed p.2 / PDF p.7; Section 6; Appendices A–B; S112: Sections 5.2 and 6; Appendices A–D

GM/T 0017-2012 is a smart-token interface data-format specification whose Sections 7–9 cover command/response APDUs, instruction/status-byte encoding and commands. The scan’s cover prints the 2012 edition and 2012-11-22 issue/effective dates.

STD-SM-F14

S113: Cover, PDF p.1; contents, PDF pp.2–5; Sections 7–9

The acquired GM/T 0024-2014 is an SSL VPN specification with issue and effective dates 2014-02-13 on its cover. It is a historical Chinese VPN specification, separate from the 2021 RFC 8998 TLS 1.3 profile.

STD-SM-F15

S114: Cover, PDF p.1; contents and Scope; S026: Header; Abstract; Section 1

Inference and assumptions

The curve sheet and SM3 text allow concrete descriptions of arithmetic, parameters and hashing without inferring those choices from a codeword. The published record does not, by itself, identify the original classified design date or every government use.

Assumption: The question concerns the preserved public specifications and their dated releases, rather than an undocumented earlier variant.

STD-SM-I1 | Confidence: conditional | Basis: STD-SM-F1, STD-SM-F2, STD-SM-F3, STD-SM-F4

Interoperation requires agreement on identity preprocessing, point/ciphertext/signature representation and the protocol binding. The label SM2 support alone leaves choices visible in these companion documents unresolved.

Assumption: The implementations exchange the specified SM2 objects or signatures, rather than merely using elliptic-curve arithmetic internally.

STD-SM-I2 | Confidence: conditional | Basis: STD-SM-F10, STD-SM-F11, STD-SM-F12, STD-SM-F13

China and 3GPP: ZUC, EEA3 and EIA3

Existing profiles: ZUC / Zu Chongzhi

Read ZUC Document 2 for the keystream generator, Document 1 for the EEA3/EIA3 packet algorithms, Document 3 for implementer test data and Document 4 for design/evaluation history. The Release 19 ETSI wrapper records the later standards context.

Scope limit: These copies come from different dated editions; they are not a single synchronized conformance package. In particular, the Release 19 wrapper specifically references Document 1 v1.7, whereas the separately preserved Document 1 is v1.8. Test vectors and design evaluation are separate kinds of evidence.

Documented statements

The archive holds ZUC Document 2 v1.6 (2011-06-28), EEA3/EIA3 Document 1 v1.8 (2019-01-24), Implementor’s Test Data v1.1 (2011-01-04), and Design and Evaluation Report v2.0 (2011-09-09).

STD-ZUC-F1

S037: Cover; S076: Cover; S092: Cover; S093: Cover

The EEA3/EIA3 document history records initial publication on 2010-06-18, an EIA3 modification on 2011-01-04, and maximum-message-length changes in 2011 and 2019. The design report records the first public release of that report on 2010-08-11 and a ZUC/EIA3 modification in January 2011.

STD-ZUC-F2

S076: Document History, PDF page 2; S093: Document History, PDF page 2

The test-data preface includes internal ZUC state and input/output examples, but expressly says conformance with the test data does not guarantee a correct implementation.

STD-ZUC-F3

S092: Preface, PDF page 3

ETSI TS 135 221 v19.0.0 is dated October 2025 and identifies 3GPP TS 35.221 Release 19. Its technical provisions are incorporated by reference to EEA3/EIA3 Document 1 v1.7; the separately archived Document 1 is v1.8.

STD-ZUC-F4

S075: Cover; Section 2 reference [2]; Section 4; S076: Cover

Inference and assumptions

The name ZUC alone does not fully specify the cellular confidentiality or integrity operation: EEA3 and EIA3 define different uses of the generator, with packet inputs and initialization rules. Version history is necessary when interpreting early analyses.

Assumption: The implementation or historical analysis concerns the 128-EEA3/128-EIA3 family covered by these records.

STD-ZUC-I1 | Confidence: conditional | Basis: STD-ZUC-F1, STD-ZUC-F2, STD-ZUC-F4

Japan: selection lists, additional primitives and Camellia profiles

Existing profiles: Camellia, CLEFIA, MISTY1, KCipher-2, KASUMI

Compare dated CRYPTREC selections with the primitive specification. Camellia's mode/test-vector, IPsec and TLS documents have different RFC categories. MISTY1, KCipher-2 and KASUMI are separately specified primitives; a later RFC or standards wrapper does not date their invention.

Scope limit: CRYPTREC list membership and category are dated policy evidence. They do not establish first invention, implementation certification or universal government approval.

Documented statements

The preserved legacy CRYPTREC list is dated 2003-02-20 and includes a 2005-10-12 correction appendix. The archive also holds the 2013-03-01 list and the list revised 2026-03-30, whose family cover date is 2023-03-30.

STD-JP-F1

S094: Cover and correction appendix; S079: Cover; S078: Cover

The March 2026 list places Camellia among e-Government Recommended Ciphers and CLEFIA among Candidate Recommended Ciphers. A separate Monitored Ciphers category also exists.

STD-JP-F2

S078: e-Government Recommended, Candidate Recommended and Monitored tables; PDF pages 1, 4 and 5

The strength-requirements PDF's revision table records first publication on 2022-07-01 and corrections on 2023-03-30. Its cover still states March 2022; the archive retains that internal date discrepancy.

STD-JP-F3

S080: Cover; revision table in introductory pages

RFC 5932 specifies Camellia cipher suites for TLS (June 2010), and RFC 4312 specifies Camellia for IPsec (December 2005). Both were published with the Standards Track category.

STD-JP-F4

S086: Header; Abstract; S087: Header; Abstract

RFC 5528 gives Camellia CTR/CCM algorithms and test vectors; RFC 5529 binds CBC/CTR/CCM to IPsec. Both date to April 2009, but the first is IETF Informational and the second Standards Track. RFC 6367 adds Camellia TLS cipher suites in September 2011 as IETF Informational.

STD-JP-F5

S115: Header; Sections 3–4; S116: Header; Sections 1 and 3–6; S117: Header; Abstract; Sections 2–3; S100: RFC5528, RFC5529 and RFC6367 stream/status entries

The new primitive records include MISTY1 (RFC 2994, November 2000), KCipher-2 (RFC 7008, August 2013) and an April 2022 Release 17 KASUMI specification. These are concrete preserved editions, not common first-approval dates.

STD-JP-F6

S118: Header; Sections 1–2; S119: Header; Abstract; Section 2; S120: Cover; Sections 0 and 3

The December 2002 3GPP TR 55.919 design/evaluation report explicitly describes KASUMI’s changes from MISTY1 in the data-encryption part and key schedule. Its cover marks the preserved copy as not approved by the Organizational Partners and not for implementation; its design history is not an approval record.

STD-JP-F7

S139: Cover; Sections 9.2–9.3, printed/PDF pp.14–15

Inference and assumptions

A claim that Camellia and CLEFIA have the same CRYPTREC recommendation status loses a distinction visible in the preserved 2026 list. An accurate claim names both the edition and category.

Assumption: The claim refers to the March 2026 CRYPTREC list, rather than a different selection program or edition.

STD-JP-I1 | Confidence: conditional | Basis: STD-JP-F2

Republic of Korea: SEED and ARIA protocol profiles

Existing profiles: SEED, ARIA

Use the existing SEED and ARIA primitive specifications, then the TLS and IPsec/SRTP bindings as relevant. The KCMVP programme pages are acquisition leads only until their original bytes can be preserved.

Scope limit: The three KISA pages returned HTTP 503 and were not preserved. No current KCMVP eligibility list, complete validation procedure, or certificate is asserted from those unavailable pages.

Documented statements

RFCs 4162 and 4196 bind SEED to TLS and IPsec, with publication dates August and October 2005. Their preserved headers give the Standards Track category.

STD-KR-F1

S088: Header; Abstract; S089: Header; Abstract

RFC 6209 defines ARIA cipher suites for TLS (April 2011). RFC 8269 defines ARIA for SRTP (October 2017), including CTR/GCM, key derivation, DTLS-SRTP profiles and MIKEY parameters. Both are IETF Informational documents.

STD-KR-F2

S090: Header; Abstract; Status of This Memo; S091: Header; Abstract; Status of This Memo

RFC 4010, issued Standards Track in February 2005, specifies SEED in CMS and supplies identifiers for its use. It is an encoding/protocol companion rather than a module-validation certificate.

STD-KR-F3

S122: Header; Abstract; Sections 2–3; S100: RFC4010 stream/status entry

RFC 5669, issued IETF Standards Track in August 2010, specifies SEED for SRTP/SRTCP, including CTR, CCM and GCM, nonce formats, SEED-CTR key derivation and test vectors.

STD-KR-F4

S121: Header; Sections 2–4; Appendix A

Inference and assumptions

The protocol records establish specified interoperability choices, but they do not by themselves show that a named product passed Korean module validation. Such a claim needs a product-specific validation record and its scope.

Assumption: The proposed claim concerns implementation validation rather than publication of a protocol profile.

STD-KR-I1 | Confidence: conditional | Basis: STD-KR-F1, STD-KR-F2

Germany: ECC constructions, Brainpool and protocol guidance

Existing profiles: CHIASMUS, LIBELLE / SINA, Brainpool curves

Read TR-03111 for concrete signature/key-agreement operations and encodings, RFC 5639 for Brainpool parameters and RFC 8734 for its TLS 1.3 binding. TR-02102 supplies the separately dated recommendation and protocol context.

Scope limit: General BSI technical guidance is not a public specification of LIBELLE or proof that a particular SINA product is approved for a classification level. It also does not establish CHIASMUS's internal construction.

Documented statements

The archived TR-02102-1 is version 2026-01, as of 2026-01-23. It provides general cryptographic mechanism and key-length recommendations.

STD-DE-F1

S081: Cover; Section 1

TR-02102 Parts 2, 3 and 4 address TLS, IPsec/IKEv2 and SSH respectively. Each preserved edition's history dates version 2026-01 to 2026-01-27.

STD-DE-F2

S082: Cover; Document history; Section 1; S083: Cover; Document history; Section 1; S095: Cover; Document history; Section 1

BSI TR-03111's cover and history identify version 2.10 dated 2018-06-01 and its initial public version on 2007-02-14. The URL filename's V-2-1 token is not the printed version number.

STD-DE-F3

S125: Cover, PDF p.1; History, PDF p.2

TR-03111 separately specifies ECDSA, ECGDSA, EC Schnorr signatures, elliptic-curve key agreement, derivation functions and PACE, then gives public-key/signature input-output formats and OIDs.

STD-DE-F4

S125: Sections 4.2–4.4; Sections 5.1–5.4

RFC 5639 supplies Brainpool curve parameters and generation procedures. RFC 8734 separately specifies Brainpool groups and signature schemes for TLS 1.3. Both are Informational Independent Submissions; a curve definition and a TLS binding are different records.

STD-DE-F5

S123: Header; Sections 2–4; Appendix A; S124: Header; Sections 2–3

Inference and assumptions

The TR series supplies a public policy and protocol context for German deployments; identifying the mathematics or approval scope of an opaque product still requires a record that names that product and its algorithm or certification boundary.

Assumption: No additional product-specific approval or algorithm specification is supplied by the generic guidance citation.

STD-DE-I1 | Confidence: conditional | Basis: STD-DE-F1, STD-DE-F2

France: ANSSI selection and mechanism rules

Existing profiles: Brainpool curves

Read the distribution-page snapshot, then the exact cover and history of each guide. The rules PDF is version 3.00 of March 2026; the selection guide is version 1.0 of March 2021. Use cited specifications for the actual algorithm and encoding.

Scope limit: A distribution page's date does not redetermine a linked PDF's edition. Recommendation, reference-rule compliance and product certification remain different attributes. The earlier v2.04 PDF was not recovered in this pass.

Documented statements

The current ANSSI distribution page is dated 2026-03-20 and links two guides. The mechanisms rules PDF is version 3.00 dated 2026-03-20; the algorithm-selection PDF remains the initial version 1.0 dated 2021-03-08.

STD-FR-F1

S128: Publication date and two download links; S129: Cover; version history, PDF p.3; S130: Cover; version history, PDF p.3

The mechanisms guide's revision history records a first applicable version on 2004-11-19, v2.04 on 2020-01-01 and v3.00 on 2026-03-20, with the quantum threat added to the latter. These are guide-version milestones.

STD-FR-F2

S129: Version history, PDF p.3

The 2021 selection guide separately recommends key-wrapping mechanisms SIV and AES-KeyWrap, KDFs including HKDF and PBKDF2, and selected elliptic-curve families including Brainpool. Recommendations are attached to specified mechanisms and implementation notes.

STD-FR-F3

S130: Sections 4.6–4.8, printed pp.26–28 / PDF pp.28–30; Section 5.3, printed pp.31–32 / PDF pp.33–34

The 2026 rules guide recommends seeking post-quantum security for mechanisms expected to remain in use after 2030-01-01 or exposed to retrospective decryption risk. The guide states that general rule compliance alone is insufficient to guarantee mechanism security.

STD-FR-F4

S129: Section 2, RecoSécuLongTerme, printed p.8 / PDF p.10; Section 1.4, printed p.5 / PDF p.7

Inference and assumptions

The two currently linked guides must be interpreted with their own dates and scopes. A 2026 webpage does not establish a 2026 revision of every recommendation in the 2021 PDF.

Assumption: The historical question concerns the acquired PDF editions, not an unpreserved later revision.

STD-FR-I1 | Confidence: conditional | Basis: STD-FR-F1, STD-FR-F2, STD-FR-F3

International mobile standards: SNOW 3G, UEA2 and UIA2

Existing profiles: SNOW 3G

Read Document 2 for the generator, Document 1 for packet confidentiality/integrity, Document 3 for tests and Document 5 for design history. The GSMA distribution index records the provenance of these copies.

Scope limit: The preserved companion documents have different dates and version numbers. The historical evaluation describes its contemporary design rationale; it is not a present-day security guarantee. This is an international standardization context, not a national approval inventory.

Documented statements

SNOW 3G Document 2 v1.1 is dated 2006-09-06 and records initial publication on 2006-01-10. The generator uses a 128-bit key and 128-bit initialization variable, a 16-word LFSR and a three-register FSM, with 32-bit output words.

STD-MOBILE-F1

S131: Cover; Document History, PDF p.2; Sections 2.1, 3.2 and 3.3

UEA2/UIA2 Document 1 v2.1 is dated 2009-03-16. Its confidentiality and integrity algorithms use distinct input mappings and generator uses; the history identifies the 2009 change as a C-code improvement.

STD-MOBILE-F2

S132: Cover; Document History, PDF p.2; Sections 3–4

The design/evaluation report describes SNOW 3G as a modification of SNOW 2.0 and explains changes to the FSM and nonlinear components. Its v1.1 cover is dated 2006-09-06; its history records v1.0 on 2006-02-06.

STD-MOBILE-F3

S134: Cover; Document History, PDF p.2; Sections 8.1.2–8.3

The implementors’ test document is v1.1 dated 2012-10-25, distinct from the 2006 primitive and design documents and 2009 packet specification. GSMA’s distribution page links these records and states its distribution role for UEA2/UIA2.

STD-MOBILE-F4

S133: Cover; Document History, PDF pp.1–2; S135: UEA2 & UIA2 distribution section and Documents 1–5 links

Inference and assumptions

A name such as SNOW 3G identifies a generator; a complete cellular operation also needs the confidentiality or integrity construction, initialization mapping, length conventions and exact companion edition.

Assumption: The target implementation follows the preserved UEA2/UIA2 family, rather than another use of the underlying generator.

STD-MOBILE-I1 | Confidence: conditional | Basis: STD-MOBILE-F1, STD-MOBILE-F2, STD-MOBILE-F4

Swiss and Swedish historical machine records

Existing profiles: NEMA, Siemens T52 / G-schreiber

Start with the original bilingual NEMA instructions and their cover stamp. For Siemens T52, separate FRA's retrospective institutional history from Borelius's explicitly hypothetical reconstruction of Beurling's working method.

Scope limit: The manual's original issue date is unverified. Borelius's account was written in the 1980s and is not Beurling's contemporaneous laboratory record. Raw web snapshots do not include every externally linked image.

Documented statements

The NEMA instructions' cover identifies copy 717 and bears a declassification stamp dated 1992-07-09. The bilingual German/French instructions are preserved as 18 PDF pages of scanned booklet spreads; the original publication date is not established.

STD-HIST-F1

S136: Cover, PDF p.1; German opening, PDF p.2; French portion

FRA's official history identifies the G-schreiber as Siemens und Halske T52 and dates the first interception of the relevant teleprinter traffic to 19 May 1940. It separately dates FRA's establishment as an independent agency to 1942-07-01.

STD-HIST-F2

S137: G-skrivaren, printed pp.8–9 / PDF p.5; FRA bildas, printed pp.10–11 / PDF p.6

FRA identifies Carl-Gösta Borelius as a participant in G-schreiber cryptanalysis from 1941 and describes this account as written in the 1980s. Its introduction explicitly presents a reconstruction of how Beurling may have proceeded, rather than a disclosed account by Beurling himself.

STD-HIST-F3

S138: Introduction under Hur gjorde Arne Beurling för att forcera G-skrivaren?; concluding paragraphs

Inference and assumptions

The 1992 declassification stamp dates release of a secrecy control on the surviving manual; it supplies no first-use or first-approval date for the NEMA machine.

Assumption: The stamp is read as a declassification annotation on this copy, without an additional original approval record.

STD-HIST-I1 | Confidence: conditional | Basis: STD-HIST-F1

Publication and effective dates

These are particular release, revision and publication events. A dated record is not automatically the first invention, first classified use or original algorithm approval.

Date / subject	Event / evidence	Interpretation
1992-07-09 NEMA operating manual	declassification annotation S136: Cover	Date stamped on surviving manual copy 717; original issue unverified.
2003-02-20 CRYPTREC legacy list	list issue S094: Cover; correction appendix	Original list date; the preserved R1 copy also has a 2005 correction.
2005-08 SEED / TLS	RFC publication S088: Header	RFC 4162 Standards Track profile; not an invention date.
2005-10-12 CRYPTREC legacy list	correction S094: Correction appendix	Specification-reference correction; not a new cipher design.
2005-12 Camellia / IPsec	RFC publication S087: Header	RFC 4312 Standards Track profile.
2006-01-10 SNOW 3G Document 2	recorded initial publication S131: Document History, PDF p.2	Date in the preserved v1.1 history, not a first national approval.
2010-06-18 EEA3/EIA3	specification publication S076: Document History, PDF page 2	Document 1 history records v1.0 publication.
2010-12-17 SM2 and SM3	public release announcements S070: Announcement; compare S071	Official releases; attached PDFs have December 2010 covers.
2011-01-04 ZUC/EEA3/EIA3	algorithm revision and test edition S076: Document History; compare S092 and S093	EIA3 modification and v1.1 implementer-test edition; see design report for ZUC change.
2011-09-09 ZUC design evaluation	report edition S093: Cover; Document History	Version 2.0 final deliverable.
2012-03-21 Chinese industry standards	standards announcement S034: Announcement; standards list	No.23 lists six standards including SM3 and SM4 industry standards.
2012-10-25 UEA2/UIA2 test data	document revision S133: Cover	Document 3 v1.1; not the generator specification’s date.
2012-11-22 SM2 application ecosystem	standards announcement S072: Announcement; standards list	No.24 lists applications, message syntax, certificate protocols and formats.
2013-01 GM/T 0009-2012	first printing S109: Imprint, PDF p.12	January 2013 first edition/printing follows the standard’s 2012-11-22 issue.
2013-03-01 CRYPTREC list	list issue S079: Cover	Original 2013 list retained as a historical edition.
2014-02-13 GM/T 0024-2014	standard issue and effective date S114: Cover	Historical SSL VPN specification; separate from the later TLS 1.3 RFC.
2015-06-19 GOST R 34.13-2015	standard approval order S101: Foreword, PDF p.2	Order 750-st; distinct from effective and printing dates.
2016-01-01 GOST R 34.13-2015	effective date S101: Printed p.1 / PDF p.6	Effective date printed in the standard and official catalogue.
2016-03-28 GOST R 34.13-2015	printing milestone S101: Imprint, PDF p.29	Signed for printing; not the standard issue date.

Date / subject	Event / evidence	Interpretation
2016-08-29 SM2 Part 1 and SM4	national-standard issue S036: Official metadata; compare S035	GB/T issue date; later implementation date is 2017-03-01.
2017-03-01 SM2 Part 1 and SM4	national-standard implementation S036: Official metadata; compare S035	Implementation date distinct from public release and issue.
2017-10 ARIA / SRTP	RFC publication S091: Header	RFC 8269 IETF Informational profile.
2018-04-01 R 1323565.1.005-2017	effective date S104: Printed p.1 / PDF p.5	Per-key data-volume recommendation; approval order is dated 2017-10-25.
2018-06 GOST modes correction	corrigendum issue S102: One-page correction	IUS No.6/2018 correction to 5.3.2, rule (7); no exact day asserted.
2018-06-01 BSI TR-03111	guideline revision S125: Cover and History	Printed version 2.10, despite V-2-1 in the download filename.
2019-01-24 EEA3/EIA3	specification revision S076: Cover; Document History	Document 1 v1.8 increases maximum integrity-message length.
2020-06-15 PKCS #11 v3.0	OASIS standard edition S066: Cover; compare S001	Matched Base and Historical Mechanisms editions.
2021-03-08 ANSSI selection guide	initial guide issue S130: Cover and version history	ANSSI-PA-079 v1.0; the currently linked PDF still has this date.
2021-06 MGM	RFC publication S059: Header; Abstract	RFC 9058; separate from the original Russian mode standardization.
2022-03 GOST protocol and PKI profiles	RFC publications S062: Header; compare S060 and S061	TLS 1.2, X.509 and ESP/IKEv2 companion RFCs.
2022-07-01 CRYPTREC strength requirements	first publication in revision table S080: Cover; revision table	Table date conflicts with March 2022 printed cover; retain both fields.
2023-02 GOST / TLS 1.3	RFC publication S063: Header	RFC 9367 Informational Independent Submission.
2023-03-30 CRYPTREC strength requirements	correction S080: Revision table	R1 correction record, including publication-month correction.
2023-12-23 Chinese revised standards	announcement posting S073: Posting metadata; announcement	No.45 announcement posting date, not every standard’s issue date.
2024-06-01 Chinese revised standards	effective date S073: Announcement	Effective date stated in No.45 for the announced revisions.
2025-10 ETSI EEA3/EIA3 wrapper	technical-specification edition S075: Cover	TS 135 221 v19.0.0, Release 19.
2026-01-23 BSI TR-02102-1	guidance edition S081: Cover	Version 2026-01, as-of date from cover.
2026-01-27 BSI TLS/IPsec/SSH guidance	guidance edition S082: Document history; compare S083 and S095	Version 2026-01 dates from histories of Parts 2, 3 and 4.
2026-03-20 ANSSI mechanism rules	guideline revision S129: Cover and version history	ANSSI-PG-083 v3.00; adds quantum-threat treatment.

Date / subject	Event / evidence	Interpretation
2026-03-30 CRYPTREC list	list revision S078: Cover; list tables	LS-0001-2022R2, with distinct recommended, candidate and monitored lists.

Preservation and coverage limits

Incomplete application-standard scan

S074 remains the original three-page incomplete booklet scan and must still be labeled incomplete. S109 is a separate 12-page mirror acquisition whose complete body sequence 1–7 has been checked against the contents. The earlier gap is filled for the 2012 application text; the old bytes are retained for provenance. This does not supply the 2023 revision.

S074, S109

Korean validation acquisition gaps

S084, S085 and S099 each returned HTTP 503 again on 2026-10-20 after one respectful retry. Prior errors remain in acquisition_history. No current KCMVP eligibility list, procedure page or product certificate is claimed. New SEED RFC companions do not resolve this gap.

S084, S085, S099

Revised standards announced but not fully acquired

S073 preserves the official announcement and list of 2023 industry-standard revisions. The archive does not claim to contain the full text of every listed revision. Historical 2012 material cannot silently substitute for a 2023 edition.

S072, S073, S074, S109, S110, S111, S112

Translations and mutable publisher URLs

The earlier Alipay-hosted English SM2/SM3/SM4 files remain separately labeled translations with edition uncertainties. The newly acquired official Chinese release files supply independent 2010 evidence. BSI and CRYPTREC URLs may later change their contents; SHA-256 and acquisition times identify the copies used here.

S070, S071, S078, S081, S096, S097, S098

Status and coverage limits

RFC categories and streams describe publication status at issue. This guide does not perform a complete present-day obsolescence, errata or approval audit. Full ISO/IEC standards and every national standard cited by the profiles are not all preserved. Historical rotor-machine records remain in their existing profiles; modern companion standards are not retroactively applied to Enigma, Lorenz or Fialka.

Mirrors, overlays and incomplete authentication

The Chinese scans are pinned to a third-party GitHub commit and retain scan marks. The Russian Meganorm copies include host-added advertising-link text. Their acquired bytes are unchanged, but neither host is the original issuing authority. Rosstandart’s independently preserved catalogue record confirms the identified modes standard and dates, not the byte authenticity of every mirrored page.

S101, S102, S103, S104, S109, S110, S111, S112, S113, S114

French historical guide recovery and edition mismatch

The former v2.04 mechanisms-PDF URL now redirects to a current distribution page. The archive acquired the linked March 2026 v3.00 rules and March 2021 v1.0 selection guide separately. The historical v2.04 file and RGS key-management Annex B2 were not acquired; attempted B2 locations returned 404. data/acquisition-attempts.json records these outcomes.

S128, S129, S130

GOST password-KDF notation remains a specification question

The literal integer-counter encodings in RFC 8018 and RFC 9337 differ. The guide records the equations and their locators, without silently merging the definitions, asserting a deployed failure, or claiming that all errata and implementations have been audited.

S107, S127

Source catalogue

Only the companion collection is catalogued in this PDF. Original third-party notices remain in the files. A checksum identifies the acquired bytes; it does not authenticate the publisher or establish permission, completeness or implementation approval.

S001 — PKCS #11 Historical Mechanisms Specification v3.0

OASIS

Document date: 2020-06-15 | English | pdf

Provenance: Original publisher

https://docs.oasis-open.org/pkcs11/pkcs11-hist/v3.0/os/pkcs11-hist-v3.0-os.pdf

Preserved: sources/originals/S001-oasis-pkcs11-historical-2020.pdf | 1,548,298 bytes | 64 pages

Retrieved UTC: 2026-10-17T18:39:55.140223+00:00

SHA-256: d3cd42b3d17abfe068ed410967da38df97a4f14763bbf33aa10c1605ba7eb0a5

S003 — SP 800-38D: Galois/Counter Mode and GMAC

NIST

Document date: 2007-11 | English | pdf

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38d.pdf

Preserved: sources/originals/S003-nist-gcm-2007.pdf | 271,960 bytes | 39 pages

Retrieved UTC: 2026-10-17T18:39:55.143028+00:00

SHA-256: d99f3921ccebca049e7522426553aba071dae14ec3d5b6041e8c111a6cb57bba

S004 — SP 800-38A: Block Cipher Modes of Operation

NIST

Document date: 2001-12 | English | pdf

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38a.pdf

Preserved: sources/originals/S004-nist-modes-2001.pdf | 378,266 bytes | 66 pages

Retrieved UTC: 2026-10-17T18:39:55.145224+00:00

SHA-256: 66821162de1e7130c5fb5eedb22140d8d6d013ec51af4550bb095c2a9481a00e

S026 — RFC 8998: ShangMi (SM) Cipher Suites for TLS 1.3

RFC Editor; named document authors

Document date: 2021-03 | English | pdf

Provenance: RFC Editor publication; original national standards and RFC dates are distinguished

RFC category: Informational | RFC stream: Independent Submission

Preserved in the original publisher format. RFC publication does not itself establish national approval or IETF endorsement; consult the document status statement.

https://www.rfc-editor.org/rfc/rfc8998.pdf

Preserved: sources/originals/S026-rfc8998.pdf | 189,766 bytes | 13 pages

Retrieved UTC: 2026-10-17T18:50:43.324478+00:00

SHA-256: 6a8296ee227a22e5fdc8551e99833181bc206c79f949809506df5d6b24fbfecd

S034 — Announcement No.23: release of six cryptographic industry standards

State Cryptography Administration of China (OSCCA)

Document date: 2012-03-21 | Chinese | html

Provenance: Original publisher

Contemporary announcement of industry standards; distinct from later GB/T national standards.

https://oscca.gov.cn/sca/xxgk/2012-03/21/content_1002392.shtml

Preserved: sources/web/S034-oscca-standards-announcement-2012.html | 13,246 bytes

Retrieved UTC: 2026-10-17T18:50:44.307988+00:00

SHA-256: 86b601282319c44cf068df65a3207a7fca7ca968a036134eb80a6993e99da9af

S035 — Official SM4 national-standard record: GB/T 32907-2016

State Administration for Market Regulation / national standards platform

Document date: 2016-08-29 | Chinese | html

Provenance: Original publisher

Official metadata distinguishes issue date from implementation date. A dynamic page snapshot may not preserve all rendered fields.

https://std.samr.gov.cn/gb/search/gbDetailed?id=71F772D81199D3A7E05397BE0A0AB82A

Preserved: sources/web/S035-samr-sm4-record.html | 70,676 bytes

Retrieved UTC: 2026-10-17T18:50:44.456635+00:00

SHA-256: dfb19daab1a72a95006e24d8dc1bd9ec1469b7b891d98a1ecb4b0c4107ede5a5

S036 — Official SM2 Part 1 national-standard record: GB/T 32918.1-2016

State Administration for Market Regulation / national standards platform

Document date: 2016-08-29 | Chinese | html

Provenance: Original publisher

Official record: issue 2016-08-29, implementation 2017-03-01. These dates are not first invention or first classified use.

https://openstd.samr.gov.cn/bzgk/std/newGbInfo?hcno=3EE2FD47B962578070541ED468497C5B

Preserved: sources/web/S036-samr-sm2-record.html | 24,217 bytes

Retrieved UTC: 2026-10-17T18:50:44.572374+00:00

SHA-256: 4933070480f36247e5983d4cc776e58138908a048177231bb11d58a4725769e1

S037 — ZUC Algorithm Specification, Version 1.6

ETSI/SAGE specification hosted by GSMA

Document date: 2011-06-28 | English | pdf

Provenance: Original publisher

Algorithm specification for 128-EEA3 and 128-EIA3. The 2019 upload path is distinct from the 2011 document date.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/eea3eia3zucv16

Preserved: sources/originals/S037-zuc-specification-2011.pdf | 293,332 bytes | 18 pages

Retrieved UTC: 2026-10-17T18:50:44.844568+00:00

SHA-256: 07db149438c92b6931eb34708df81134c4fa9a89cb2e0802cb3dd2d59f8907ae

S050 — RFC 4357: Additional Cryptographic Algorithms for Use with GOST Algorithms

RFC Editor; named document authors

Document date: 2006-01 | English | text

Provenance: RFC Editor publication; original national standards and RFC dates are distinguished

RFC category: Informational | RFC stream: Not stated in the preserved header

Preserved in the original publisher format. RFC publication does not itself establish national approval or IETF endorsement; consult the document status statement.

https://www.rfc-editor.org/rfc/rfc4357.txt

Preserved: sources/originals/S050-rfc4357.txt | 114,564 bytes

Retrieved UTC: 2026-10-17T18:50:52.141462+00:00

SHA-256: 384473bcec574b8934e45346006d91efaff7f92bdfd868ec3913cc713f6e21d2

S057 — RFC 7836: Guidelines on the Cryptographic Algorithms to Accompany GOST R 34.10-2012 and GOST R 34.11-2012

RFC Editor; named document authors

Document date: 2016-03 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc7836.txt

Preserved: sources/originals/S057-rfc7836.txt | 57,463 bytes

Retrieved UTC: 2026-10-17T19:11:47.934571+00:00

SHA-256: f92f3197751c5defd87e54b383d399d27f316761c379403af24efc8471577731

S058 — RFC 8645: Re-keying Mechanisms for Symmetric Keys

RFC Editor; named document authors

Document date: 2019-08 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: IRTF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc8645.txt

Preserved: sources/originals/S058-rfc8645.txt | 141,580 bytes

Retrieved UTC: 2026-10-17T19:11:47.935555+00:00

SHA-256: 08bad083c340eaff1072f16b0f5f57cda8a5e832ad8b1cd8efa5467e837feb38

S059 — RFC 9058: Multilinear Galois Mode (MGM)

RFC Editor; named document authors

Document date: 2021-06 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9058.pdf

Preserved: sources/originals/S059-rfc9058.pdf | 173,239 bytes | 25 pages

Retrieved UTC: 2026-10-17T19:11:47.936282+00:00

SHA-256: 653bd6f4313468dea174690e05958a65b3fe203a706952042315e68e9902029a

S060 — RFC 9227: Using GOST Ciphers in ESP and IKEv2

RFC Editor; named document authors

Document date: 2022-03 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9227.pdf

Preserved: sources/originals/S060-rfc9227.pdf | 251,876 bytes | 22 pages

Retrieved UTC: 2026-10-17T19:11:47.937205+00:00

SHA-256: 32c405af711d13d97166e0fbab6a618da4cb996ea27b5e5166ab9c484666cd1c

S061 — RFC 9215: Using GOST Algorithms with the Internet X.509 PKI

RFC Editor; named document authors

Document date: 2022-03 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9215.pdf

Preserved: sources/originals/S061-rfc9215.pdf | 299,153 bytes | 38 pages

Retrieved UTC: 2026-10-17T19:11:48.363866+00:00

SHA-256: 2bcba999a1025a05fc23939136d5aa6326e350458e3575a74c7f25165f4dace3

S062 — RFC 9189: GOST Cipher Suites for TLS Version 1.2

RFC Editor; named document authors

Document date: 2022-03 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9189.pdf

Preserved: sources/originals/S062-rfc9189.pdf | 579,033 bytes | 92 pages

Retrieved UTC: 2026-10-17T19:11:48.423981+00:00

SHA-256: c88bbba5b99aefe100deba848c0b41fc89dc2845ce8b79d6383e0ef710a0d8c0

S063 — RFC 9367: GOST Cipher Suites for TLS Version 1.3

RFC Editor; named document authors

Document date: 2023-02 | English | pdf

Provenance: Original publisher

RFC category: Informational | RFC stream: Independent Submission

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc9367.pdf

Preserved: sources/originals/S063-rfc9367.pdf | 450,902 bytes | 71 pages

Retrieved UTC: 2026-10-17T19:11:48.758423+00:00

SHA-256: f78461079a798f04737503fa382d1460dea4896fd8894f789a8a3fce2a673704

S064 — RFC 5280: Internet X.509 Public Key Infrastructure Certificate and CRL Profile

RFC Editor; named document authors

Document date: 2008-05 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc5280.txt

Preserved: sources/originals/S064-rfc5280.txt | 352,580 bytes

Retrieved UTC: 2026-10-17T19:11:48.891486+00:00

SHA-256: a2f2628c0a83b873fc4786abd921f9b2c02395954b655d190bf16b831633345d

S065 — RFC 8446: The Transport Layer Security (TLS) Protocol Version 1.3

RFC Editor; named document authors

Document date: 2018-08 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc8446.txt

Preserved: sources/originals/S065-rfc8446.txt | 337,736 bytes

Retrieved UTC: 2026-10-17T19:11:48.984017+00:00

SHA-256: 47871bc8820a2c3b6ea89f061055577058862cf543686b82d10131239702b3bd

S066 — PKCS #11 Base Specification Version 3.0

OASIS

Document date: 2020-06-15 | English | pdf

Provenance: Original publisher

Edition selected to match the archived Historical Mechanisms v3.0 (S001), not asserted to be the newest PKCS #11 edition.

https://docs.oasis-open.org/pkcs11/pkcs11-base/v3.0/os/pkcs11-base-v3.0-os.pdf

Preserved: sources/originals/S066-pkcs11-base-v3-2020.pdf | 2,235,865 bytes | 167 pages

Retrieved UTC: 2026-10-17T19:11:48.994501+00:00

SHA-256: fbb3a84657ad7c06c982b511cc9541e9ec08f5f10e4e07dc2e0efa71f8cc7cc8

S067 — SP 800-38B: The CMAC Mode for Authentication

NIST

Document date: 2005-05 | English | pdf

Provenance: Original publisher

Edition: 2005 edition with 2016 updates | Revision: 2016-10-06

First issued May 2005; the preserved publisher PDF includes updates dated 2016-10-06.

https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-38B.pdf

Preserved: sources/originals/S067-nist-cmac.pdf | 253,317 bytes | 21 pages

Retrieved UTC: 2026-10-17T19:11:49.274110+00:00

SHA-256: da9dc0f1e1f08af917caf4a831a7497cf18997b8046353af89570a812f1ec5a2

S068 — SP 800-38C: The CCM Mode for Authentication and Confidentiality

NIST

Document date: 2004-05 | English | pdf

Provenance: Original publisher

Edition: 2004 edition with 2007 errata | Revision: 2007-07-20

First issued May 2004; the preserved PDF states that errata were updated 2007-07-20.

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38c.pdf

Preserved: sources/originals/S068-nist-ccm.pdf | 287,840 bytes | 27 pages

Retrieved UTC: 2026-10-17T19:11:49.306060+00:00

SHA-256: 16ec6f99424192757b5b9928a7dcf41817be3aaf85d48366740dfdf7c16db250

S069 — SP 800-38F: Methods for Key Wrapping

NIST

Document date: 2012-12 | English | pdf

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/SpecialPublications/NIST.SP.800-38F.pdf

Preserved: sources/originals/S069-nist-key-wrapping.pdf | 289,262 bytes | 32 pages

Retrieved UTC: 2026-10-17T19:11:49.310097+00:00

SHA-256: b8b1052755448e5ff3913ea09dc9b5ae47a97886752525a0cccfa024fb072fa8

S070 — Announcement No.21: release of the SM2 elliptic-curve public-key algorithm

State Cryptography Administration of China

Document date: 2010-12-17 | Chinese | html

Provenance: Original publisher

Contemporary public release announcement; distinct from the later GM/T and GB/T standards.

https://www.sca.gov.cn/sca/xwdt/2010-12/17/content_1002386.shtml

Preserved: sources/web/S070-sm2-announcement-2010.html | 12,790 bytes

Retrieved UTC: 2026-10-17T19:11:49.381748+00:00

SHA-256: 27fdadba38fada46c3910c484f67ee1d1471fbc0ef58148b2c7ffd5d2b5db7d6

S071 — Announcement No.22: release of the SM3 hash algorithm

State Cryptography Administration of China

Document date: 2010-12-17 | Chinese | html

Provenance: Original publisher

https://www.oscca.gov.cn/sca/xxgk/2010-12/17/content_1002389.shtml

Preserved: sources/web/S071-sm3-announcement-2010.html | 12,696 bytes

Retrieved UTC: 2026-10-17T19:11:49.679498+00:00

SHA-256: d46328faff445c1769df34d5786d59512bc7983268e2db6db8794cdbec1947be

S072 — Announcement No.24: fourteen cryptographic industry standards, including SM2 application and certificate specifications

State Cryptography Administration of China

Document date: 2012-11-22 | Chinese | html

Provenance: Original publisher

https://www.sca.gov.cn/sca/xxgk/2012-11/22/content_1002397.shtml

Preserved: sources/web/S072-sm2-application-standards-2012.html | 14,017 bytes

Retrieved UTC: 2026-10-17T19:11:50.224563+00:00

SHA-256: 2177d6207dc89b9a3259b6513af341073c10ae922e3acff37cc646bf481dbc44

S073 — Announcement No.45: 2023 cryptographic industry-standard revisions

State Cryptography Administration of China

Document date: 2023-12-23 | Chinese | html

Provenance: Original publisher

Web announcement date is separate from individual standard issue dates and the stated 2024-06-01 implementation date.

https://oscca.gov.cn/sca/xxgk/2023-12/23/content_1061160.shtml

Preserved: sources/web/S073-china-standards-revisions-2023.html | 15,769 bytes

Retrieved UTC: 2026-10-17T19:11:50.240764+00:00

SHA-256: 1dd01569604b595616565886f8bb56be225df31faab45c4f645c2aa2a048845e

S074 — GM/T 0009-2012: SM2 application specification, three-page booklet scan

State Cryptography Administration of China; preserved copy

Document date: 2012-11-22 | Chinese | pdf

Provenance: Original national-language standard scan preserved by Antpedia

Extent: Three PDF pages of imposed booklet images; incomplete body

Third-party three-page booklet scan. The images contain the covers, contents, foreword, and printed body pages 6 and 7; the earlier body pages are absent. This is not a complete copy of GM/T 0009-2012. The cover states issue and implementation on 2012-11-22; S073 records a later revision.

https://img.antpedia.com/standard/files/pdfs_ora/CN-GM/c8e/GM_T%200009-2012_5625.pdf

Preserved: sources/originals/S074-sm2-application-specification-2012.pdf | 224,289 bytes | 3 pages

Retrieved UTC: 2026-10-17T19:11:51.622298+00:00

SHA-256: 572b0f9314e38c0f74f1bfdd562b8083fbef4e4cb1c334887021d1edea7cb9b9

S075 — ETSI TS 135 221 V19.0.0: EEA3 and EIA3 specifications, Release 19

ETSI / 3GPP

Document date: 2025-10 | English | pdf

Provenance: Original publisher

Edition: 19.0.0 / Release 19

The ETSI wrapper and its normative references are distinguished from the separately preserved detailed ETSI/SAGE algorithm document.

https://www.etsi.org/deliver/etsi_ts/135200_135299/135221/19.00.00_60/ts_135221v190000p.pdf

Preserved: sources/originals/S075-etsi-ts135221-release19.pdf | 86,592 bytes | 8 pages

Retrieved UTC: 2026-10-17T19:11:52.123284+00:00

SHA-256: c5a9a292787d2e653beb711d4dd1ef0345707e81caf13740d3bbefb8a606523f

S076 — 128-EEA3 and 128-EIA3 Specification, Version 1.8

ETSI/SAGE; hosted by GSMA

Document date: 2019-01-24 | English | pdf

Provenance: Original publisher

Edition: 1.8

Document 1 complements the ZUC core specification S037. The 2019 upload directory is not used as evidence for earlier revision dates.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/EEA3_EIA3_specification_v1_8.pdf

Preserved: sources/originals/S076-eea3-eia3-specification-v18.pdf | 236,953 bytes | 16 pages

Retrieved UTC: 2026-10-17T19:11:52.527124+00:00

SHA-256: b65d11ffa74c87ae6c898b48df5b36fe838297aede9c819bacb782c43695b974

S077 — CRYPTREC Ciphers List: current and historical edition index

CRYPTREC / Japanese government agencies

Document date: not printed / not verified | English | html

Provenance: Original publisher

Raw snapshot of the official index; revised and historical lists are preserved separately.

https://www.cryptrec.go.jp/en/list.html

Preserved: sources/web/S077-cryptrec-list-index.html | 11,658 bytes

Retrieved UTC: 2026-10-17T19:11:52.563131+00:00

SHA-256: 2d99652dcad14e3ac30f144425faf011466aa7ee4872cd2cd1cfe2223bfc2c9a

S078 — CRYPTREC Ciphers List, LS-0001-2022R2

CRYPTREC

Document date: 2026-03-30 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0001-2022R2 | Initial issue: 2023-03-30 | Revision: 2026-03-30

The identifier contains 2022. The cover dates the list family to 2023-03-30 and this revision to 2026-03-30. Preserve its three distinct list categories.

https://www.cryptrec.go.jp/list/cryptrec-ls-0001-2022r2.pdf

Preserved: sources/originals/S078-cryptrec-list-2026.pdf | 239,893 bytes | 7 pages

Retrieved UTC: 2026-10-17T19:11:52.739325+00:00

SHA-256: a492a5dce043b51cc0afd064a0bf7202518b31c65fb808bcc492f9cd4f0b32e3

S079 — CRYPTREC Ciphers List, LS-0001-2012, original 2013 edition

CRYPTREC

Document date: 2013-03-01 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0001-2012

Historical original list; recommendation categories and edition are kept separate from the later revised list.

https://www.cryptrec.go.jp/list/cryptrec-ls-0001-2012.pdf

Preserved: sources/originals/S079-cryptrec-list-2013.pdf | 124,137 bytes | 4 pages

Retrieved UTC: 2026-10-17T19:11:52.780752+00:00

SHA-256: b47b0f9477129812d6af321eed4bed99c0a66e988d8a8d50618fa76510cb0615

S080 — Standards for Cryptographic Strength Requirements, LS-0003-2022R1

CRYPTREC

Document date: 2023-03-30 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0003-2022R1 / Ver. 1.0 | Initial issue: 2022-07-01 | Revision: 2023-03-30

The revision table records first publication on 2022-07-01 and corrections on 2023-03-30, including correction of the publication month. The acquired cover still prints March 2022. These conflicting internal date fields are retained explicitly.

https://www.cryptrec.go.jp/list/cryptrec-ls-0003-2022r1.pdf

Preserved: sources/originals/S080-cryptrec-strength-requirements.pdf | 1,424,925 bytes | 42 pages

Retrieved UTC: 2026-10-17T19:11:53.774667+00:00

SHA-256: f249b7a5f880ce4bd239972de945bc8d5375912a98bf9d5e938e3293154cdced

S081 — TR-02102-1: Cryptographic Mechanisms, Recommendations and Key Lengths

German Federal Office for Information Security (BSI)

Document date: 2026-01-23 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Version 2026-01; cover states as of 2026-01-23. General recommendations do not constitute approval of a particular classified product.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-1.pdf?__blob=publicationFile&v=15

Preserved: sources/originals/S081-bsi-tr02102-1.pdf | 568,388 bytes | 92 pages

Retrieved UTC: 2026-10-17T19:11:53.879999+00:00

SHA-256: f601cdf25c000b431573a307a3c125f3c51d301897089e7e63dde0449367a62a

S082 — TR-02102-2: Use of Transport Layer Security (TLS)

German Federal Office for Information Security (BSI)

Document date: 2026-01-27 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Document history dates version 2026-01 to 2026-01-27.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-2.pdf?__blob=publicationFile&v=11

Preserved: sources/originals/S082-bsi-tr02102-2-tls.pdf | 758,922 bytes | 18 pages

Retrieved UTC: 2026-10-17T19:11:53.933737+00:00

SHA-256: a7f55c3403d45719287415d2698bf51e629aafe841e2e9867e8afe8749d238e5

S083 — TR-02102-3: Use of IPsec and IKEv2

German Federal Office for Information Security (BSI)

Document date: 2026-01-27 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Document history dates version 2026-01 to 2026-01-27.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-3.pdf?__blob=publicationFile&v=10

Preserved: sources/originals/S083-bsi-tr02102-3-ipsec.pdf | 724,281 bytes | 18 pages

Retrieved UTC: 2026-10-17T19:11:53.950547+00:00

SHA-256: ee6cf28a1b7fbc79b60dd2a913a905e99e3a246b0796cff894a41e22207d6bdc

S084 — KCMVP: algorithms subject to cryptographic module validation

Korea Internet and Security Agency (KISA)

Document date: not printed / not verified | Korean | html

Provenance: Original publisher

An eligibility/validation-reference page, not a certificate for a particular implementation. Acquisition may be unavailable; any failure remains explicit.

https://seed.kisa.or.kr/kisa/kcmvp/EgovVerification.do

NOT PRESERVED: failed; HTTPError: HTTP Error 503: Service Unavailable

Attempt UTC: 2026-10-20T15:36:04.711250+00:00

S085 — KCMVP: cryptographic module testing and validation procedures

Korea Internet and Security Agency (KISA)

Document date: not printed / not verified | Korean | html

Provenance: Original publisher

https://seed.kisa.or.kr/kisa/kcmvp/reference.do

NOT PRESERVED: failed; HTTPError: HTTP Error 503: Service Unavailable

Attempt UTC: 2026-10-20T15:36:06.117019+00:00

S086 — RFC 5932: Camellia Cipher Suites for TLS

RFC Editor; named document authors

Document date: 2010-06 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc5932.txt

Preserved: sources/originals/S086-rfc5932.txt | 11,949 bytes

Retrieved UTC: 2026-10-17T19:11:55.980731+00:00

SHA-256: 4da0b39f346d7807a210a6c4b88ea5780a74267f256547cc5cd6b1f64976bb5d

S087 — RFC 4312: The Camellia Cipher Algorithm and Its Use With IPsec

RFC Editor; named document authors

Document date: 2005-12 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc4312.txt

Preserved: sources/originals/S087-rfc4312.txt | 15,980 bytes

Retrieved UTC: 2026-10-17T19:11:56.250552+00:00

SHA-256: 3a1034a459d9be0b6195576b1171b413e8556967e7126b692a617a9b4fa38988

S088 — RFC 4162: Addition of SEED Cipher Suites to TLS

RFC Editor; named document authors

Document date: 2005-08 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc4162.txt

Preserved: sources/originals/S088-rfc4162.txt | 10,578 bytes

Retrieved UTC: 2026-10-17T19:11:56.447889+00:00

SHA-256: ae3456638cacf62adc60577867f3f13b0c33ecb02d70ac7ca83ccaa209b1b67e

S089 — RFC 4196: The SEED Cipher Algorithm and Its Use with IPsec

RFC Editor; named document authors

Document date: 2005-10 | English | text

Provenance: Original publisher

RFC category: Standards Track | RFC stream: IETF (pre-explicit-stream header)

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc4196.txt

Preserved: sources/originals/S089-rfc4196.txt | 22,587 bytes

Retrieved UTC: 2026-10-17T19:11:56.634517+00:00

SHA-256: fcd316975dc1abe1c9fdcfc48d0d29f9caca5858075ef4882a99d40abbd97d9a

S090 — RFC 6209: Addition of the ARIA Cipher Suites to TLS

RFC Editor; named document authors

Document date: 2011-04 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc6209.txt

Preserved: sources/originals/S090-rfc6209.txt | 19,501 bytes

Retrieved UTC: 2026-10-17T19:11:56.645443+00:00

SHA-256: bec379ec5fe8df5faa17315146c2208bdf901f0cbfdad0a2f5010243d813deeb

S091 — RFC 8269: The ARIA Algorithm and Its Use with SRTP

RFC Editor; named document authors

Document date: 2017-10 | English | text

Provenance: Original publisher

RFC category: Informational | RFC stream: IETF

Publication category and stream are recorded separately from national approval. The preserved edition may be updated by later RFCs; its header governs its publication status.

https://www.rfc-editor.org/rfc/rfc8269.txt

Preserved: sources/originals/S091-rfc8269.txt | 39,285 bytes

Retrieved UTC: 2026-10-17T19:13:43.412389+00:00

SHA-256: f2a4fa93fc63c6e94a1a9df148970b9759cdee770f98cb38cc706dee650e921d

S092 — 128-EEA3 and 128-EIA3 Implementer Test Data, Version 1.1

ETSI/SAGE; hosted by GSMA

Document date: 2011-01-04 | English | pdf

Provenance: Original publisher

Edition: 1.1

Cover date is 2011-01-04; the 2019 hosting directory is not the document publication date. The preface expressly says that passing these tests does not guarantee a correct implementation.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/eea3eia3testdatav11.pdf

Preserved: sources/originals/S092-eea3-eia3-implementer-tests.pdf | 227,188 bytes | 21 pages

Retrieved UTC: 2026-10-17T19:11:56.830113+00:00

SHA-256: 65b461c84daac4f9c7e831b739ca33792e25fdcbcf67e2e6befa60e4a58eea82

S093 — Design and Evaluation Report: 128-EEA3, 128-EIA3 and ZUC, Version 2.0

ETSI/SAGE; hosted by GSMA

Document date: 2011-09-09 | English | pdf

Provenance: Original publisher

Edition: 2.0

Final-deliverable edition dated 2011-09-09. Its history records a first public release on 2010-08-11 and subsequent algorithm revisions.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/EEA3_EIA3_Design_Evaluation_v2_0.pdf

Preserved: sources/originals/S093-zuc-design-evaluation.pdf | 1,027,545 bytes | 43 pages

Retrieved UTC: 2026-10-17T19:11:56.988033+00:00

SHA-256: f31c51cad773fff898d3fd6c6246629eca73cba8c0d9b893b451eca9d99165ee

S094 — CRYPTREC e-Government Recommended Ciphers List, LS-0001-2002R1

CRYPTREC

Document date: 2005-10-12 | Japanese | pdf

Provenance: Original publisher

Edition: LS-0001-2002R1 | Initial issue: 2003-02-20 | Revision: 2005-10-12

List cover: 2003-02-20. Appended correction record: 2005-10-12, changing a Triple-DES specification reference from FIPS 46-3 to SP 800-67. This is the historical list with that correction, not a fresh 2005 selection.

https://www.cryptrec.go.jp/list/cryptrec-ls-0001-2002r1.pdf

Preserved: sources/originals/S094-cryptrec-legacy-list.pdf | 153,555 bytes | 3 pages

Retrieved UTC: 2026-10-17T19:11:57.044703+00:00

SHA-256: 953e17ad183ea28e21052ec106eea85703bb0381ee1e2af7d8aee401828c0dca

S095 — TR-02102-4: Use of Secure Shell (SSH)

German Federal Office for Information Security (BSI)

Document date: 2026-01-27 | English | pdf

Provenance: Original publisher

Edition: 2026-01

Document history dates version 2026-01 to 2026-01-27.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TG02102/BSI-TR-02102-4.pdf?__blob=publicationFile&v=11

Preserved: sources/originals/S095-bsi-tr02102-4-ssh.pdf | 639,452 bytes | 12 pages

Retrieved UTC: 2026-10-17T19:11:57.110794+00:00

SHA-256: 9338643a2c5019bf1c819c759b9c1e903203f0db79e5ecb087b0ace0613f4de8

S096 — SM2 elliptic-curve public-key cryptographic algorithm: original release, Parts 1–4

State Cryptography Administration of China

Document date: 2010-12 | Chinese | pdf

Provenance: Original publisher

Extent: 93 PDF pages; four separately titled parts combined

Official attachment to the release announcement of 2010-12-17 (S070). The four part covers are dated December 2010: general, signature, key exchange, and public-key encryption. These are the original release texts, not the later GB/T editions.

https://www.sca.gov.cn/sca/xwdt/2010-12/17/1002386/files/b791a9f908bb4803875ab6aeeb7b4e03.pdf

Preserved: sources/originals/S096-sm2-official-release-a.pdf | 945,731 bytes | 93 pages

Retrieved UTC: 2026-10-17T19:14:35.055523+00:00

SHA-256: 727ad5611ccc6efeef9b184b39687a5ce72540eea5a9a58bf99685d881a9962a

S097 — SM2 recommended elliptic-curve parameters: original release attachment

State Cryptography Administration of China

Document date: not printed / not verified | Chinese | pdf

Provenance: Original publisher

Extent: One PDF page

Undated one-page parameter sheet directly linked by the official 2010-12-17 announcement (S070). The announcement supplies the dated release evidence; the sheet itself has no printed date.

https://www.sca.gov.cn/sca/xwdt/2010-12/17/1002386/files/b965ce832cc34bc191cb1cde446b860d.pdf

Preserved: sources/originals/S097-sm2-official-release-b.pdf | 22,552 bytes | 1 pages

Retrieved UTC: 2026-10-17T19:14:35.057158+00:00

SHA-256: a2b7aa352aa218f46116879748e87596ce45a5a80aef8036fc6e3ab151d2b90c

S098 — SM3 Cryptographic Hash Algorithm: original official release

State Cryptography Administration of China

Document date: 2010-12 | Chinese | pdf

Provenance: Original publisher

Extent: 13 PDF pages

Cover dated December 2010; official attachment to the 2010-12-17 announcement (S071). This is the original release specification, not a later GM/T or GB/T edition.

https://www.oscca.gov.cn/sca/xxgk/2010-12/17/1002389/files/302a3ada057c4a73830536d03e683110.pdf

Preserved: sources/originals/S098-sm3-official-release.pdf | 103,677 bytes | 13 pages

Retrieved UTC: 2026-10-17T19:14:35.056622+00:00

SHA-256: 6f35d1870b8b137f70f309270d7c60c830a20a678f6bdedf33cb6008d00ab38e

S099 — Cryptographic module validation programme overview

Korea Internet and Security Agency (KISA)

Document date: not printed / not verified | Korean | html

Provenance: Original publisher

Official programme overview on KISA's main host, distinct from the unavailable seed.kisa.or.kr detail pages.

https://www.kisa.or.kr/1040209

NOT PRESERVED: failed; HTTPError: HTTP Error 503: Service Unavailable

Attempt UTC: 2026-10-20T15:36:07.447820+00:00

S100 — RFC Series index: publisher XML metadata snapshot

RFC Editor

Document date: not printed / not verified | English | xml

Provenance: Original publisher XML; dated acquisition snapshot

Extent: Publisher XML index snapshot

Mutable publisher index acquired on 2026-10-20. Stream and current-status fields are observations at retrieval; they do not alter the category printed in an original RFC.

https://www.rfc-editor.org/rfc/rfc-index.xml

Preserved: sources/originals/S100-rfc-index.xml | 13,732,842 bytes

Retrieved UTC: 2026-10-20T15:42:47.878865+00:00

SHA-256: ab81329d975096f37b9a8a85cfb8b593e5c249b65f7a9707cd1ec45d3edf4099

S101 — GOST R 34.13-2015: Modes of operation for block ciphers, Russian official-edition scan

Rosstandart; Standartinform

Document date: 2016-03-28 | Russian | pdf

Provenance: Primary Russian standard reproduced by the Meganorm mirror; host-added advertising text remains unchanged

Edition: GOST R 34.13-2015 / Standartinform 2016 printing | Initial issue: 2015-06-19 | Effective: 2016-01-01 | Printing: 2016-03-28 | Extent: 29 PDF pages: cover, preliminaries, printed body pages 1–23 and imprint

Foreword cites approval order 750-st of 2015-06-19; body states effective 2016-01-01. Imprint says signed for printing 2016-03-28. Meganorm mirror contains added advertising/link text; it is a reproduced standard, not an authenticated publisher download. The separate 2018 erratum is not silently applied.

https://meganorm.ru/Data2/1/4293762/4293762703.pdf

Preserved: sources/originals/S101-gost-modes-ru.pdf | 606,856 bytes | 29 pages

Retrieved UTC: 2026-10-20T15:41:13.464877+00:00

SHA-256: de71f9360586a492986bb5f984950b57805febc31accc0894174cce7f57e7d0f

S102 — Correction to GOST R 34.13-2015, IUS No. 6/2018

Rosstandart / national standards information bulletin

Document date: 2018-06 | Russian | pdf

Provenance: Primary correction notice reproduced by the Meganorm mirror

Edition: IUS No. 6/2018 | Revision: 2018-06 | Extent: 1 PDF pages

One-page correction to Section 5.3.2, rule (7). Month comes from IUS No. 6/2018; no exact issue day is asserted. Mirror contains added advertising/link text.

https://meganorm.ru/Data2/0/4294800/4294800102.pdf

Preserved: sources/originals/S102-gost-modes-erratum.pdf | 18,242 bytes | 1 pages

Retrieved UTC: 2026-10-20T15:41:13.465939+00:00

SHA-256: d8e9e45e18d8675dddf05d120cf18fa88887255cfc29815aad7e3d006c9938b9

S103 — Official Rosstandart record for GOST R 34.13-2015 and its correction

Rosstandart / Institute of Standardization

Document date: not printed / not verified | Russian | html

Provenance: Original publisher

Effective: 2016-01-01 | Extent: Raw HTML snapshot; linked assets not bundled

Live catalogue metadata, not a dated copy of the standard itself. Lists order 750-st dated 2015-06-19, effective 2016-01-01 and IUS 6-2018 correction.

https://protect.gost.ru/gost/details/ed723f12-1f11-4bbb-b09b-86c455a393db

Preserved: sources/web/S103-gost-modes-official-record.html | 87,658 bytes

Retrieved UTC: 2026-10-20T15:41:13.467034+00:00

SHA-256: 353af593617336f82de902d2b9be2183d010757082e0fd67e5a6e00cc345b6e7

S104 — R 1323565.1.005-2017: Permissible data volumes under one key for GOST block-cipher modes

Rosstandart; Standartinform

Document date: 2017 | Russian | pdf

Provenance: Primary Russian recommendation reproduced by the Meganorm mirror

Edition: R 1323565.1.005-2017 | Initial issue: 2017-10-25 | Effective: 2018-04-01 | Extent: 8 PDF pages

Cover printing year 2017; foreword cites order 1518-st of 2017-10-25; body states effective 2018-04-01. A standardization recommendation, distinct from a product certificate. Mirror-added advertising text remains in the acquired PDF.

https://meganorm.ru/Data2/1/4293741/4293741713.pdf

Preserved: sources/originals/S104-gost-key-volume.pdf | 126,643 bytes | 8 pages

Retrieved UTC: 2026-10-20T15:41:15.621639+00:00

SHA-256: 3afe34287fca0c08812ceff61e22a9a1aaa03675e520ed333993a4bc9555a989

S105 — RFC 4490: Using the GOST 28147-89, GOST R 34.11-94, GOST R 34.10-94, and GOST R 34.10-2001 Algorithms with Cryptographic Message Syntax (CMS)

RFC Editor; named document authors

Document date: 2006-05 | English | text

Provenance: Original publisher

Edition: RFC 4490 | RFC category: Standards Track | RFC stream: IETF | RFC status at issue: PROPOSED STANDARD | Status in acquired index: PROPOSED STANDARD | Extent: 29 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC4490. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc4490.txt

Preserved: sources/originals/S105-rfc4490.txt | 54,912 bytes

Retrieved UTC: 2026-10-20T15:37:46.105890+00:00

SHA-256: c1391aca412ec468dd584196f0ba8e7f0ccdbaf49e3a83b7d76ebd304f5c8f45

S106 — RFC 4491: Using the GOST R 34.10-94, GOST R 34.10-2001, and GOST R 34.11-94 Algorithms with the Internet X.509 Public Key Infrastructure Certificate and CRL Profile

RFC Editor; named document authors

Document date: 2006-05 | English | text

Provenance: Original publisher

Edition: RFC 4491 | RFC category: Standards Track | RFC stream: IETF | RFC status at issue: PROPOSED STANDARD | Status in acquired index: PROPOSED STANDARD | Extent: 20 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC4491. They establish RFC publication provenance, not national approval or implementation certification. The index snapshot does not mark this RFC obsoleted; RFC 9215 separately addresses the 2012 GOST algorithms. The two profiles must not be silently merged.

https://www.rfc-editor.org/rfc/rfc4491.txt

Preserved: sources/originals/S106-rfc4491.txt | 39,095 bytes

Retrieved UTC: 2026-10-20T15:37:46.107768+00:00

SHA-256: 39f1d26e869fb99e4615c0bc4cfe6a8b44aaca0b28f7f99f45d28658da89eb6e

S107 — RFC 9337: Generating Password-Based Keys Using the GOST Algorithms

RFC Editor; named document authors

Document date: 2022-12 | English | text

Provenance: Original publisher

Edition: RFC 9337 | RFC category: Informational | RFC stream: Independent Submission | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 14 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC9337. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc9337.txt

Preserved: sources/originals/S107-rfc9337.txt | 28,990 bytes

Retrieved UTC: 2026-10-20T15:37:46.103313+00:00

SHA-256: 4af753ad9ca1056af97d7a011f8874b435b62bc42d004f063b79259c858253c1

S108 — RFC 9548: Generating Transport Key Containers (PFX) Using the GOST Algorithms

RFC Editor; named document authors

Document date: 2024-05 | English | text

Provenance: Original publisher

Edition: RFC 9548 | RFC category: Informational | RFC stream: Independent Submission | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 24 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC9548. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc9548.txt

Preserved: sources/originals/S108-rfc9548.txt | 52,834 bytes

Retrieved UTC: 2026-10-20T15:38:40.965686+00:00

SHA-256: 43a2fac0561542aaa2d743a8897dc99c1b10413ddfedaa2f36d265a501d09e55

S109 — GM/T 0009-2012: SM2 cryptography algorithm application specification (Chinese scan)

State Cryptography Administration of China; Standards Press of China

Document date: 2012-11-22 | Chinese | pdf

Provenance: Primary Chinese standard reproduced by the guanzhi/GM-Standards mirror; not a publisher-hosted or translated edition

Edition: GM/T 0009-2012 | Initial issue: 2012-11-22 | Effective: 2012-11-22 | Printing: 2013-01 | Extent: 12 PDF pages

Chinese national-language standard scan hosted by guanzhi/GM-Standards on GitHub, pinned to commit 402e57ed1c4002e3262978061b4f490b5e9ffc65. Cover identifies GM/T 0009-2012 and prints issue/effective dates 2012-11-22. Host filenames and mirror commit dates are not issue or approval dates. Final imprint identifies the first edition and first printing as January 2013, distinct from the 2012 standard issue date. This 12-page scan includes covers, contents, foreword, introduction and all printed body pages 1–7; it fills the omissions in S074. S074 remains preserved as the earlier incomplete acquisition.

https://raw.githubusercontent.com/guanzhi/GM-Standards/402e57ed1c4002e3262978061b4f490b5e9ffc65/GMT%E5%AF%86%E7%A0%81%E8%A1%8C%E6%A0%87/GMT%200009-2012%20SM2%E5%AF%86%E7%A0%81%E7%AE%97%E6%B3%95%E4%BD%BF%E7%94%A8%E8%A7%84%E8%8C%83%20.pdf

Preserved: sources/originals/S109-gmt0009-mirror.pdf | 4,128,321 bytes | 12 pages

Retrieved UTC: 2026-10-20T15:38:38.797048+00:00

SHA-256: 281abef0ae055ef3f40aa28b3e63daf9d1d6b209125fe2ecd321311582ffd029

S110 — GM/T 0010-2012: SM2 cryptography message syntax specification (Chinese scan)

State Cryptography Administration of China; Standards Press of China

Document date: 2012-11-22 | Chinese | pdf

Provenance: Primary Chinese standard reproduced by the guanzhi/GM-Standards mirror; not a publisher-hosted or translated edition

Edition: GM/T 0010-2012 | Initial issue: 2012-11-22 | Effective: 2012-11-22 | Printing: 2013-01 | Extent: 14 PDF pages

Chinese national-language standard scan hosted by guanzhi/GM-Standards on GitHub, pinned to commit 402e57ed1c4002e3262978061b4f490b5e9ffc65. Cover identifies GM/T 0010-2012 and prints issue/effective dates 2012-11-22. Host filenames and mirror commit dates are not issue or approval dates. Final imprint identifies the first edition and first printing as January 2013, distinct from the 2012 standard issue date.

https://raw.githubusercontent.com/guanzhi/GM-Standards/402e57ed1c4002e3262978061b4f490b5e9ffc65/GMT%E5%AF%86%E7%A0%81%E8%A1%8C%E6%A0%87/GMT%200010-2012%20SM2%E5%AF%86%E7%A0%81%E7%AE%97%E6%B3%95%E5%8A%A0%E5%AF%86%E7%AD%BE%E5%90%8D%E6%B6%88%E6%81%AF%E8%AF%AD%E6%B3%95%E8%A7%84%E8%8C%83.pdf

Preserved: sources/originals/S110-gmt0010-mirror.pdf | 5,170,500 bytes | 14 pages

Retrieved UTC: 2026-10-20T15:38:38.796117+00:00

SHA-256: 34acf1e833f4a03b66ff1fa27c6081533f2120d22931b613d04ef9255886429b

S111 — GM/T 0014-2012: Digital certificate authentication system cryptography protocol specification (Chinese scan)

State Cryptography Administration of China; Standards Press of China

Document date: 2012-11-22 | Chinese | pdf

Provenance: Primary Chinese standard reproduced by the guanzhi/GM-Standards mirror; not a publisher-hosted or translated edition

Edition: GM/T 0014-2012 | Initial issue: 2012-11-22 | Effective: 2012-11-22 | Printing: 2013-01 | Extent: 58 PDF pages

Chinese national-language standard scan hosted by guanzhi/GM-Standards on GitHub, pinned to commit 402e57ed1c4002e3262978061b4f490b5e9ffc65. Cover identifies GM/T 0014-2012 and prints issue/effective dates 2012-11-22. Host filenames and mirror commit dates are not issue or approval dates. Final imprint identifies the first edition and first printing as January 2013, distinct from the 2012 standard issue date.

https://raw.githubusercontent.com/guanzhi/GM-Standards/402e57ed1c4002e3262978061b4f490b5e9ffc65/GMT%E5%AF%86%E7%A0%81%E8%A1%8C%E6%A0%87/GMT%200014-2012%20%E6%95%B0%E5%AD%97%E8%AF%81%E4%B9%A6%E8%AE%A4%E8%AF%81%E7%B3%BB%E7%BB%9F%E5%AF%86%E7%A0%81%E5%8D%8F%E8%AE%AE%E8%A7%84%E8%8C%83.pdf

Preserved: sources/originals/S111-gmt0014-mirror.pdf | 30,400,068 bytes | 58 pages

Retrieved UTC: 2026-10-20T15:38:38.798362+00:00

SHA-256: 2bb1aa39225d13d036d1cee761a4da12b5a49e0a31e296cddba83037c362ae1a

S112 — GM/T 0015-2012: Digital certificate format based on SM2 algorithm (Chinese scan)

State Cryptography Administration of China; Standards Press of China

Document date: 2012-11-22 | Chinese | pdf

Provenance: Primary Chinese standard reproduced by the guanzhi/GM-Standards mirror; not a publisher-hosted or translated edition

Edition: GM/T 0015-2012 | Initial issue: 2012-11-22 | Effective: 2012-11-22 | Printing: 2013-01 | Extent: 61 PDF pages

Chinese national-language standard scan hosted by guanzhi/GM-Standards on GitHub, pinned to commit 402e57ed1c4002e3262978061b4f490b5e9ffc65. Cover identifies GM/T 0015-2012 and prints issue/effective dates 2012-11-22. Host filenames and mirror commit dates are not issue or approval dates. Final imprint identifies the first edition and first printing as January 2013, distinct from the 2012 standard issue date.

https://raw.githubusercontent.com/guanzhi/GM-Standards/402e57ed1c4002e3262978061b4f490b5e9ffc65/GMT%E5%AF%86%E7%A0%81%E8%A1%8C%E6%A0%87/GMT%200015-2012%20%E5%9F%BA%E4%BA%8ESM2%E5%AF%86%E7%A0%81%E7%AE%97%E6%B3%95%E7%9A%84%E6%95%B0%E5%AD%97%E8%AF%81%E4%B9%A6%E6%A0%BC%E5%BC%8F.pdf

Preserved: sources/originals/S112-gmt0015-mirror.pdf | 35,429,684 bytes | 61 pages

Retrieved UTC: 2026-10-20T15:38:39.639274+00:00

SHA-256: d5e57425300547265403911813 3ec921060c8cc500648fc7ee859e8c27fed8fa

S113 — GM/T 0017-2012: Smart token cryptography application interface data format specification (Chinese scan)

State Cryptography Administration of China; Standards Press of China

Document date: 2012-11-22 | Chinese | pdf

Provenance: Primary Chinese standard reproduced by the guanzhi/GM-Standards mirror; not a publisher-hosted or translated edition

Edition: GM/T 0017-2012 | Initial issue: 2012-11-22 | Effective: 2012-11-22 | Extent: 155 PDF pages

Chinese national-language standard scan hosted by guanzhi/GM-Standards on GitHub, pinned to commit 402e57ed1c4002e3262978061b4f490b5e9ffc65. Cover identifies GM/T 0017-2012 and prints issue/effective dates 2012-11-22. Host filenames and mirror commit dates are not issue or approval dates.

https://raw.githubusercontent.com/guanzhi/GM-Standards/402e57ed1c4002e3262978061b4f490b5e9ffc65/GMT%E5%AF%86%E7%A0%81%E8%A1%8C%E6%A0%87/GMT%200017-2012%20%E6%99%BA%E8%83%BD%E5%AF%86%E7%A0%81%E9%92%A5%E5%8C%99%E5%AF%86%E7%A0%81%E5%BA%94%E7%94%A8%E6%8E%A5%E5%8F%A3%E6%95%B0%E6%8D%AE%E6%A0%BC%E5%BC%8F%E8%A7%84%E8%8C%83.PDF

Preserved: sources/originals/S113-gmt0017-mirror.pdf | 4,335,518 bytes | 155 pages

Retrieved UTC: 2026-10-20T15:38:39.644895+00:00

SHA-256: 53ec505191d603ebf95c60978404d25c60cd53b9672ac45096606897c65a3dce

S114 — GM/T 0024-2014: SSL VPN specification (Chinese scan)

State Cryptography Administration of China; Standards Press of China

Document date: 2014-02-13 | Chinese | pdf

Provenance: Primary Chinese standard reproduced by the guanzhi/GM-Standards mirror; not a publisher-hosted or translated edition

Edition: GM/T 0024-2014 | Initial issue: 2014-02-13 | Effective: 2014-02-13 | Extent: 36 PDF pages

Chinese national-language standard scan hosted by guanzhi/GM-Standards on GitHub, pinned to commit 402e57ed1c4002e3262978061b4f490b5e9ffc65. Cover identifies GM/T 0024-2014 and prints issue/effective dates 2014-02-13. Host filenames and mirror commit dates are not issue or approval dates.

https://raw.githubusercontent.com/guanzhi/GM-Standards/402e57ed1c4002e3262978061b4f490b5e9ffc65/GMT%E5%AF%86%E7%A0%81%E8%A1%8C%E6%A0%87/GMT%200024-2014%20SSL%20VPN%20%E6%8A%80%E6%9C%AF%E8%A7%84%E8%8C%83.PDF

Preserved: sources/originals/S114-gmt0024-mirror.pdf | 4,302,806 bytes | 36 pages

Retrieved UTC: 2026-10-20T15:38:40.552273+00:00

SHA-256: 20787a423e00dcaa4935f78e628b35234cb5a588679ba4e3122d4ae0d59a51d2

S115 — RFC 5528: Camellia Counter Mode and Camellia Counter with CBC-MAC Mode Algorithms

RFC Editor; named document authors

Document date: 2009-04 | English | text

Provenance: Original publisher

Edition: RFC 5528 | RFC category: Informational | RFC stream: IETF | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 22 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC5528. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc5528.txt

Preserved: sources/originals/S115-rfc5528.txt | 56,134 bytes

Retrieved UTC: 2026-10-20T15:37:46.578342+00:00

SHA-256: 3477959e97dcadfdd78abfd106f3e9bd94dd4a40bdec279b77d84e89e83760b9

S116 — RFC 5529: Modes of Operation for Camellia for Use with IPsec

RFC Editor; named document authors

Document date: 2009-04 | English | text

Provenance: Original publisher

Edition: RFC 5529 | RFC category: Standards Track | RFC stream: IETF | RFC status at issue: PROPOSED STANDARD | Status in acquired index: PROPOSED STANDARD | Extent: 7 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC5529. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc5529.txt

Preserved: sources/originals/S116-rfc5529.txt | 13,030 bytes

Retrieved UTC: 2026-10-20T15:37:46.765850+00:00

SHA-256: 6a8e197a19c385161a20f113f8c0d2b26984968e6f3a9e023dfd02c9545d66d7

S117 — RFC 6367: Addition of the Camellia Cipher Suites to Transport Layer Security (TLS)

RFC Editor; named document authors

Document date: 2011-09 | English | text

Provenance: Original publisher

Edition: RFC 6367 | RFC category: Informational | RFC stream: IETF | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 8 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC6367. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc6367.txt

Preserved: sources/originals/S117-rfc6367.txt | 17,613 bytes

Retrieved UTC: 2026-10-20T15:37:46.774000+00:00

SHA-256: 7343444b83b9d7c264cf80a940665b94181011be741b80a260500d939c421ab2

S118 — RFC 2994: A Description of the MISTY1 Encryption Algorithm

RFC Editor; named document authors

Document date: 2000-11 | English | text

Provenance: Original publisher

Edition: RFC 2994 | RFC category: Informational | RFC stream: Legacy (publisher index; original header predates stream labels) | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 10 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC2994. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc2994.txt

Preserved: sources/originals/S118-rfc2994.txt | 17,803 bytes

Retrieved UTC: 2026-10-20T15:37:47.443597+00:00

SHA-256: a1ba5947ca793c55b2653f449fe19d0f972683a19c0bbb717a90ce6e98020756

S119 — RFC 7008: A Description of the KCipher-2 Encryption Algorithm

RFC Editor; named document authors

Document date: 2013-08 | English | text

Provenance: Original publisher

Edition: RFC 7008 | RFC category: Informational | RFC stream: Independent Submission | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 37 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC7008. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc7008.txt

Preserved: sources/originals/S119-rfc7008.txt | 71,051 bytes

Retrieved UTC: 2026-10-20T15:37:47.149022+00:00

SHA-256: 5a5074fb4655296fa5fa0d274191a48f87e14ac66573eb21c79c3788870d6e23

S120 — ETSI TS 135 202 V17.0.0: KASUMI specification, Release 17

ETSI / 3GPP

Document date: 2022-04 | English | pdf

Provenance: Original publisher

Edition: ETSI TS 135 202 V17.0.0 / 3GPP TS 35.202 Release 17 | Extent: 26 PDF pages

The April 2022 edition is the preserved standards wrapper, not a claim that the primitive was invented or first approved in 2022. Its annex includes an older dated sample implementation.

https://www.etsi.org/deliver/etsi_ts/135200_135299/135202/17.00.00_60/ts_135202v170000p.pdf

Preserved: sources/originals/S120-kasumi-17.pdf | 147,275 bytes | 26 pages

Retrieved UTC: 2026-10-20T15:38:41.558310+00:00

SHA-256: 73f26476db04881d7bc2395ca623aa6d8e81ce38e163fd10a1da3593f263326d

S121 — RFC 5669: The SEED Cipher Algorithm and Its Use with the Secure Real-Time Transport Protocol (SRTP)

RFC Editor; named document authors

Document date: 2010-08 | English | text

Provenance: Original publisher

Edition: RFC 5669 | RFC category: Standards Track | RFC stream: IETF | RFC status at issue: PROPOSED STANDARD | Status in acquired index: PROPOSED STANDARD | Extent: 13 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC5669. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc5669.txt

Preserved: sources/originals/S121-rfc5669.txt | 24,918 bytes

Retrieved UTC: 2026-10-20T15:37:47.216827+00:00

SHA-256: 2fc14db340ecf3aed3b80c8c4b2a11c109967586f0b0b03d4e54ab63f6c48d89

S122 — RFC 4010: Use of the SEED Encryption Algorithm in Cryptographic Message Syntax (CMS)

RFC Editor; named document authors

Document date: 2005-02 | English | text

Provenance: Original publisher

Edition: RFC 4010 | RFC category: Standards Track | RFC stream: IETF | RFC status at issue: PROPOSED STANDARD | Status in acquired index: PROPOSED STANDARD | Extent: 13 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC4010. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc4010.txt

Preserved: sources/originals/S122-rfc4010.txt | 22,403 bytes

Retrieved UTC: 2026-10-20T15:38:41.333764+00:00

SHA-256: 13e00750f938bdbd21bb938010505288908e84610aa419079584d13ac3a66545

S123 — RFC 5639: Elliptic Curve Cryptography (ECC) Brainpool Standard Curves and Curve Generation

RFC Editor; named document authors

Document date: 2010-03 | English | text

Provenance: Original publisher

Edition: RFC 5639 | RFC category: Informational | RFC stream: Independent Submission | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 27 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC5639. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc5639.txt

Preserved: sources/originals/S123-rfc5639.txt | 50,566 bytes

Retrieved UTC: 2026-10-20T15:37:46.458842+00:00

SHA-256: d19949766009ac82b69e46b09f3a08d712908381300a340d3fa3b1478f4b215e

S124 — RFC 8734: Elliptic Curve Cryptography (ECC) Brainpool Curves for Transport Layer Security (TLS) Version 1.3

RFC Editor; named document authors

Document date: 2020-02 | English | text

Provenance: Original publisher

Edition: RFC 8734 | RFC category: Informational | RFC stream: Independent Submission | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 11 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC8734. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc8734.txt

Preserved: sources/originals/S124-rfc8734.txt | 18,297 bytes

Retrieved UTC: 2026-10-20T15:37:46.496541+00:00

SHA-256: 47d4e076ec158107aceb2415a3f417eb30e034bcee99c91ab1f64656a5879075

S125 — BSI TR-03111: Elliptic Curve Cryptography, Version 2.10

German Federal Office for Information Security (BSI)

Document date: 2018-06-01 | English | pdf

Provenance: Original publisher

Edition: 2.10 | Initial issue: 2007-02-14 | Revision: 2018-06-01 | Extent: 43 PDF pages

Cover and revision history identify version 2.10 dated 2018-06-01. The URL filename contains V-2-1, which must not be silently substituted for the printed version. History dates the first public version to 2007-02-14.

https://www.bsi.bund.de/SharedDocs/Downloads/EN/BSI/Publications/TechGuidelines/TR03111/BSI-TR-03111_V-2-1_pdf.pdf?__blob=publicationFile&v=1

Preserved: sources/originals/S125-bsi-tr03111.pdf | 813,167 bytes | 43 pages

Retrieved UTC: 2026-10-20T15:37:47.528572+00:00

SHA-256: 51ee5d0fab150c42d8b446bd48dc7bb7be987278507a0bd96619b50eb127c440

S126 — RFC 5869: HMAC-based Extract-and-Expand Key Derivation Function (HKDF)

RFC Editor; named document authors

Document date: 2010-05 | English | text

Provenance: Original publisher

Edition: RFC 5869 | RFC category: Informational | RFC stream: IETF | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 14 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC5869. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc5869.txt

Preserved: sources/originals/S126-rfc5869.txt | 25,854 bytes

Retrieved UTC: 2026-10-20T15:37:47.425544+00:00

SHA-256: 7a40eb3835b35fc947eb12a2ed614db079d43b26e50dbc537c31fba16397089c

S127 — RFC 8018: PKCS #5: Password-Based Cryptography Specification Version 2.1

RFC Editor; named document authors

Document date: 2017-01 | English | text

Provenance: Original publisher

Edition: RFC 8018 | RFC category: Informational | RFC stream: IETF | RFC status at issue: INFORMATIONAL | Status in acquired index: INFORMATIONAL | Extent: 40 publisher-index pages; original RFC text

Category is transcribed from the preserved original header. Stream and publisher status fields are cross-checked against the separately preserved RFC index (S100), entry RFC8018. They establish RFC publication provenance, not national approval or implementation certification.

https://www.rfc-editor.org/rfc/rfc8018.txt

Preserved: sources/originals/S127-rfc8018.txt | 80,887 bytes

Retrieved UTC: 2026-10-20T15:37:47.221891+00:00

SHA-256: cf96b02e68216f618ea33b20b49d476edba9d70f2333597ec516629d22971cda

S128 — ANSSI cryptographic mechanisms: current guide distribution page

ANSSI / MesServicesCyber

Document date: 2026-03-20 | French | html

Provenance: Original government distribution page; raw HTML snapshot

Extent: Raw HTML snapshot; linked assets not bundled

Page says published 2026-03-20 and links a v3.00 rules guide together with a v1.0 selection guide. The latter PDF remains dated 2021-03-08. An older v2.04 PDF URL redirects here; it does not return the historical PDF.

https://messervices.cyber.gouv.fr/guides/mecanismes-cryptographiques

Preserved: sources/web/S128-anssi-current-index.html | 33,212 bytes

Retrieved UTC: 2026-10-20T15:39:18.239432+00:00

SHA-256: 0fb9d35a8a31eeeebc4d08069b1cddcd06b8c2dc1168f7afa8df5b1169e206ae

S129 — ANSSI-PG-083: Rules and recommendations for choosing and sizing cryptographic mechanisms

ANSSI

Document date: 2026-03-20 | French | pdf

Provenance: Original publisher

Edition: 3.00 | Initial issue: 2004-11-19 | Revision: 2026-03-20 | Extent: 81 PDF pages

Cover and revision table identify 2026-03-20 / v3.00. The table records v2.04 on 2020-01-01 and a first applicable version on 2004-11-19. The 2026 edition explicitly adds quantum-threat treatment. These are guide milestones, not first approval dates for every algorithm.

https://messervices.cyber.gouv.fr/documents-guides/anssi-guide-mecanismes-crypto-3.00.pdf

Preserved: sources/originals/S129-anssi-mechanisms-300.pdf | 1,365,473 bytes | 81 pages

Retrieved UTC: 2026-10-20T15:39:51.588090+00:00

SHA-256: 1baf13e8ae81bd476f09aed12885587850429a6925a182b6b8d5c76b31b288ec

S130 — ANSSI-PA-079: Guide to selecting cryptographic algorithms

ANSSI

Document date: 2021-03-08 | French | pdf

Provenance: Original publisher

Edition: 1.0 | Initial issue: 2021-03-08 | Extent: 58 PDF pages

Cover prints 8/3/2021; the revision table calls this the initial v1.0 edition. It is linked from a page dated March 2026 but remains a 2021 document. Recommendations retain their original scope and date.

https://messervices.cyber.gouv.fr/documents-guides/anssi-guide-selection_crypto-1.0.pdf

Preserved: sources/originals/S130-anssi-selection-10.pdf | 428,530 bytes | 58 pages

Retrieved UTC: 2026-10-20T15:39:51.587281+00:00

SHA-256: 5b48eb227d57be08c7d0365b39e3168be7580222f8c0cf69e044fb9265950281

S131 — Document 2: SNOW 3G Algorithm Specification

ETSI/SAGE; distributed by GSMA

Document date: 2006-09-06 | English | pdf

Provenance: Original publisher

Edition: 1.1 | Initial issue: 2006-01-10 | Revision: 2006-09-06 | Extent: 37 PDF pages

Edition and date transcribed from this document’s cover. The 2019 hosting directory does not date the specification. Companion documents have different version/date histories and are not treated as a synchronized release.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/snow3gspec.pdf

Preserved: sources/originals/S131-snow3g.pdf | 355,133 bytes | 37 pages

Retrieved UTC: 2026-10-20T15:39:51.588712+00:00

SHA-256: a4dc79f2dcf3a1d91a0c5efbae317ffc50cbf90a9bb53da0edb52b4e86b989b5

S132 — Document 1: UEA2 and UIA2 Specification

ETSI/SAGE; distributed by GSMA

Document date: 2009-03-16 | English | pdf

Provenance: Original publisher

Edition: 2.1 | Revision: 2009-03-16 | Extent: 27 PDF pages

Edition and date transcribed from this document’s cover. The 2019 hosting directory does not date the specification. Companion documents have different version/date histories and are not treated as a synchronized release.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/uea2uia2d1v21.pdf

Preserved: sources/originals/S132-uea2-uia2.pdf | 102,689 bytes | 27 pages

Retrieved UTC: 2026-10-20T15:39:52.526883+00:00

SHA-256: d2671f7821e8971e8bf4245ff50f28fa7a1ec71be29927f60ef2f436b8edf438

S133 — Document 3: UEA2/UIA2 Implementors’ Test Data

ETSI/SAGE; distributed by GSMA

Document date: 2012-10-25 | English | pdf

Provenance: Original publisher

Edition: 1.1 | Revision: 2012-10-25 | Extent: 20 PDF pages

Edition and date transcribed from this document’s cover. The 2019 hosting directory does not date the specification. Companion documents have different version/date histories and are not treated as a synchronized release.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/Doc3-UEA2-UIA2-Spec-Implementors-Test-Data.pdf

Preserved: sources/originals/S133-snow-tests.pdf | 335,256 bytes | 20 pages

Retrieved UTC: 2026-10-20T15:39:53.089544+00:00

SHA-256: fdf3281aacb8098f7cee4461851910aeff84f8c6cbdaadca95ee9a5d63d1c677

S134 — Document 5: UEA2/UIA2 Design and Evaluation Report

ETSI/SAGE; distributed by GSMA

Document date: 2006-09-06 | English | pdf

Provenance: Original publisher

Edition: 1.1 | Initial issue: 2006-02-06 | Revision: 2006-09-06 | Extent: 40 PDF pages

Edition and date transcribed from this document’s cover. The 2019 hosting directory does not date the specification. Companion documents have different version/date histories and are not treated as a synchronized release.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/uea2designevaluation.pdf

Preserved: sources/originals/S134-snow-evaluation.pdf | 506,305 bytes | 40 pages

Retrieved UTC: 2026-10-20T15:39:53.437096+00:00

SHA-256: 0c5640830b9d2f9d63f26181cf13a52400516035846d36548878b8feee4e321a

S135 — GSMA security algorithms: specifications and distribution provenance

GSMA

Document date: not printed / not verified | English | html

Provenance: Original publisher

Extent: Raw HTML snapshot; linked assets not bundled

Live distribution index. Its UEA2/UIA2 section states distribution rights and links Documents 1–5; raw HTML is not a complete offline rendering of linked files.

https://www.gsma.com/solutions-and-impact/technologies/security/security-algorithms/

Preserved: sources/web/S135-gsma-algorithm-index.html | 98,554 bytes

Retrieved UTC: 2026-10-20T15:39:18.241072+00:00

SHA-256: 316da170e7fd880ae82c7dccbb7c4c42540a6c72db69a9c9ea685f845951dff6

S136 — NEMA operating instructions / Instruction de service de la machine à chiffrer

Historical Swiss NEMA operating manual; issuing office not named on the scanned cover

Document date: not printed / not verified | German / French | pdf

Provenance: Primary historical operating manual reproduced as a Crypto Museum scan

Declassification annotation: 1992-07-09 | Extent: 18 PDF pages of scanned booklet spreads, including covers and German/French instructions

Original booklet scan hosted by Crypto Museum, copy number 717. Cover is stamped declassified 1992-07-09. No original issue date has been verified; the declassification date is not its publication, design or first approval date.

https://www.cryptomuseum.com/crypto/nema/files/nema_manual.pdf

Preserved: sources/originals/S136-nema-manual.pdf | 10,468,622 bytes | 18 pages

Retrieved UTC: 2026-10-20T15:37:47.625724+00:00

SHA-256: 303b7e2e90235d8add3ff4eab207bf4e13e8eb056f4624134aaad62dfbc8eb03

S137 — FRA’s history in brief: From Morse telegraphy to cyber defence

Swedish National Defence Radio Establishment (FRA); Fredrik Wallin

Document date: not printed / not verified | Swedish | pdf

Provenance: Original agency historical publication

Extent: 15 PDF pages containing booklet spreads and covers; printed history through page 26

Official retrospective history. No publication date is printed in the inspected cover or final page; the 2022 download-path timestamp and PDF metadata are not asserted as the original issue date.

https://fra.se/download/18.55af049f184e92956c43f20/1658314605605/FRAs-historia-i-korthet.pdf

Preserved: sources/originals/S137-fra-history.pdf | 1,660,464 bytes | 15 pages

Retrieved UTC: 2026-10-20T15:36:49.379785+00:00

SHA-256: 26c6d5c18a28d3dccb8cf353a75a855b86bb49e31427e718902c0e30ecb459a4

S138 — How Arne Beurling may have broken the G-schreiber: Carl-Gösta Borelius account

FRA; Carl-Gösta Borelius

Document date: not printed / not verified | Swedish | html

Provenance: Participant’s archival retrospective account published by the original agency; raw HTML snapshot

Extent: Raw HTML snapshot; linked assets not bundled

FRA describes the account as written in the 1980s and published here from its archive; exact composition and web-publication dates are not established. Borelius participated in G-schreiber cryptanalysis from 1941. His account reconstructs how Beurling may have worked; it is not Beurling’s contemporaneous explanation.

https://www.fra.se/omfra/frashistoria/forceringenavgskrivaren.4.55af049f184e92956c42acb.html

Preserved: sources/web/S138-fra-g-schreiber.html | 87,300 bytes

Retrieved UTC: 2026-10-20T15:36:48.879831+00:00

SHA-256: 5ca0e426a721b80caef827494be1afb4529e874750ae32559a79ebd4f726b202

S139 — 3GPP TR 55.919 V6.1.0: A5/3 and GEA3 design and evaluation report (development copy)

3GPP / ETSI SAGE; distributed by GSMA

Document date: 2002-12 | English | pdf

Provenance: Original standards-project technical report, distributed by GSMA; cover status warning retained

Edition: 3GPP TR 55.919 V6.1.0 / Release 6 | Revision: 2002-12 | Extent: 26 PDF pages

Cover identifies Release 6 / V6.1.0 (2002-12) and explicitly says the document has not been subject to approval by the Organizational Partners and shall not be implemented. Preserved as a historical design/evaluation account, not an approval or implementation instruction. The 2019 hosting directory is not the report date.

https://www.gsma.com/solutions-and-impact/technologies/security/wp-content/uploads/2019/05/designevaluationreport.pdf

Preserved: sources/originals/S139-kasumi-evaluation.pdf | 165,984 bytes | 26 pages

Retrieved UTC: 2026-10-20T15:52:09.510652+00:00

SHA-256: 7372e93973ced4088d904bec185bb78567e7529f56aaac5f60c69343f9899f97