CRYPTOLOGIC ARCHIVES

Suite A

A public-source technical and historical record

From codeword names to technical roles, interfaces and bounded inferences.

Initial collection | Research snapshot 2026-10-17

What this edition contains

10 scheme profiles; 13 dated milestones; 19 source records; an explicit distinction between documented statements, inference and unresolved questions.

The accompanying repository contains editable research, structured claims and provenance records, and preserved original documents where retrieval succeeded.

Original source notices remain in place. This report is not an official algorithm inventory or current deployment guide.

What the names describe

Suite A names a family of classified cryptographic algorithms. The historical NIST glossary describes its purpose as protecting certain restricted, mission-critical information. Source: S019, printed p.190; PDF p.195.

Public records expose several kinds of object: symmetric encryption primitives, key-establishment schemes, key-wrapping mechanisms and software-protection schemes. Manufacturer lists also include published algorithms and equipment compatibility entries.

Function	Names	What public evidence exposes
Symmetric encryption	BATON, JUNIPER, MEDLEY	Block-oriented interfaces, encoded key sizes, mode names and deployment roles.
Key establishment	FIREFLY, SPONDULIX-S	Public-key descriptions or key-agreement roles, with parameters unresolved.
Key protection	ACCORDION	Versioned wrapping roles in a key-management system.
Software confidentiality	JOSEKI, WATARI	Tools and requirements for encrypted software loading.
Software authenticity	KM-TG schemes, SILVER LINING	Signing, device-side validation and a prospective migration path.
Legacy secure voice	SAVILLE	Program history and implementation throughput; internal design unresolved.

The strongest deductions concern interfaces and roles. An advertised standard mode can constrain a primitive's block size. A product support list alone rarely establishes an internal design, design ancestry or cryptanalytic strength.

Reading the evidence

A manufacturer statement establishes what that manufacturer advertised. A dated specification establishes the existence of a record by that date. Neither automatically establishes deployment, an original approval date, or the internal mathematics of an algorithm.

Documented

A source-reported statement with a page, section or table locator.

Strong inference

A consequence supported by identified premises.

Conditional inference

A consequence that depends on a stated assumption.

Moderate inference

A plausible reading with competing explanations.

Unknown

A detail that the cited records do not establish.

Dates and versions

Keep event date, document date, public-release date and retrieval time separate. Fiscal years remain fiscal years. A later public catalogue can identify an older specification without proving that it was publicly available in the older year.

Preservation

Each preserved source has an original URL, resolved URL, retrieval timestamp, byte count and SHA-256 in data/sources.json. Mirrors and transcriptions are labeled. Hashes identify local bytes, not the truth or authenticity of the document. Failed retrievals remain visible.

Dated milestones

These are record milestones. They are not earliest-ever or original-approval claims.

Date / subject	Kind / evidence	Interpretation
late-1960s SAVILLE	development program S011 · Printed p.143; PDF p.154	NSA retrospective history dates the program launch.
1987-10-30 ACCORDION 1.3	specification S014 · Entry 41	Date of a referenced KM-TG-0001-87 record; not its public release.
1988-05 FIREFLY	public documentation S013 · p.571	Discussed in a contemporary paper by Whitfield Diffie.
1992-10-07 JOSEKI-1	specification S014 · Entry 47	Date of referenced R21-TECH-0062-92 bootstrap procedures.
after-1994-05-03 BATON	public acknowledgment S015 · Question 6	NSA responses follow the May 1994 hearings; exact response and original publication dates remain unverified.
1996-03-05 KM-TG-0002-96	specification S014 · Entry 42	Date of referenced software-signing/hashword standard.
1999-12 BATON / JUNIPER	public documentation S002 · Sections 12.22-12.23	Public mechanism descriptions in PKCS #11 v2.10; not an earliest-ever claim.
2000-08-01 ACCORDION 3.0	specification S014 · Entry 15	Date of referenced R21-TECH-13-00 specification.
2001-11-30 MEDLEY	specification S014 · Entry 14	Date of referenced R21-TECH-30-01 implementation standard.
2002-02-07 ACCORDION / MEDLEY	specification S010 · Bibliography, printed p.4	Date of referenced An ACCORDION MEDLEY document.
fiscal-2005 Sierra II platform	module certification S016 · Sierra II cryptographic subsystem paragraph	Harris reports NSA certification in its fiscal 2005; not each algorithm first approval.
2005-12-20 WATARI	specification S010 · Bibliography, printed p.5	Date of referenced R21-TECH-34-05 algorithm specification.
by-2019-06-17 SPONDULIX-S / SILVER LINING	requirements reference S010 · Table 9	Names appear in NGLD-M requirements; SILVER LINING includes prospective upgrade language.

Technical profiles

MEDLEY

A symmetric encryption primitive exposed through familiar block-cipher modes.

Documented statements

Viasat advertises MEDLEY-256 with GCM, CTR, OFB and CFB.

S005: Multiple-mission capable > KG-42 ECM

Standard GCM uses a 128-bit block cipher and does not use its inverse function.

S003: Section 5.1

The NGLD-M requirements list MEDLEY for data-at-rest and non-security software confidentiality.

S010: Table 9, printed p.42; PDF p.48

Technical inferences

Conditional — The advertised GCM profile implies a keyed 128-bit block permutation interface.

Assumption: GCM denotes the standard NIST mode.

S005: Multiple-mission capable > KG-42 ECM; S003: Section 5.1

Conditional — The advertised modes can process message encryption and decryption using only the forward block-cipher function.

Assumption: The modes follow their standard definitions; see S004 sections 6.3-6.5.

S005: Multiple-mission capable > KG-42 ECM; S003: Section 5.1; S004: Sections 6.3-6.5

Moderate — The -256 designation suggests a 256-bit key variant, but does not by itself establish entropy or attack cost.

S005: Multiple-mission capable > KG-42 ECM

Unresolved details

Round function, key schedule and relationship to AES are not established by these records.

The original 2001 mode set need not equal the later advertised mode set.

BATON

A block-oriented cipher with structured key representation and token-controlled initialization.

Documented statements

PKCS #11 encodes a BATON key value in 40 bytes and identifies 160 bits as checksum material.

S001: Section 2.9.2

Named mechanisms include ECB128, ECB96, CBC128, COUNTER, SHUFFLE and WRAP; encryption-mode IV parameters are 24 bytes and token-selected.

S001: Sections 2.9.4-2.9.9

NSA described BATON as supporting higher throughput than SKIPJACK with then-current microelectronics.

S015: Written question 6

Technical inferences

Conditional — If the checksum bits are determined by the remaining bits, this encoding contains at most 160 independent key bits: 320 minus 160.

Assumption: The checksum is deterministic from the remaining encoded key material.

S001: Section 2.9.2

Strong — The interface places encryption initialization policy inside the device.

S001: Sections 2.9.4-2.9.9

Unresolved details

The entropy bound is not a demonstrated cryptanalytic attack cost.

The 192-bit IV parameter does not establish a 192-bit block size or internal state size.

JUNIPER

A historical block-cipher interface closely resembling BATON at the API boundary.

Documented statements

JUNIPER has a 40-byte key representation containing 160 checksum bits, with ECB128, CBC128, counter, shuffle and wrapping mechanisms.

S001: Section 2.10

A public JUNIPER mechanism description appears in the December 1999 PKCS #11 standard.

S002: Section 12.23

Technical inferences

Moderate — Shared key-format and mechanism conventions support reuse of integration infrastructure.

S001: Section 2.10

Unresolved details

A common API does not establish a common round function, key schedule or design ancestry.

ACCORDION

A versioned key-protection mechanism in the key-management path.

Documented statements

ACCORDION 1.3 is assigned transfer-key protection and acceptable internal key wrapping.

S010: Table 9, printed p.42

ACCORDION 3.0 is an internal wrapping option and appears as a future KMI black-key wrapping option in the 2019 table.

S010: Table 9, printed p.42

A 2002 reference is titled NSA MEDLEY Implementation Standard: An ACCORDION MEDLEY.

S010: Bibliography, printed p.4; PDF p.10

Technical inferences

Strong — A useful abstract interface is a wrapping key plus key material producing a protected key object.

S010: Table 9, printed p.42; S010: Table 9, printed p.42

Moderate — The MEDLEY-related title is evidence of a documented relationship, whose construction remains unspecified.

S010: Bibliography, printed p.4; PDF p.10

Unresolved details

The cited roles do not expose a complete primitive or wrapping encoding.

A future requirement is not evidence that a feature shipped.

JOSEKI

Confidentiality for loadable algorithm software in a protected execution environment.

Documented statements

AIM tooling includes a JOSEKI encryptor for preparing program code and a JOSEKI decryption service.

S006: p.2, software environment and SOS services

AIM requires properly digitally signed software.

S006: p.2, Signed Software

Harris lists JOSEKI Decrypt among Sierra II capabilities.

S007: p.2, Type 1 algorithms

Technical inferences

Strong — The documented tools support protected software preparation, distribution and device-side loading.

S006: p.2, software environment and SOS services; S006: p.2, Signed Software

Strong — A decrypt-only product entry describes its role as a recipient; it does not identify the cipher as asymmetric.

S006: p.2, software environment and SOS services; S007: p.2, Type 1 algorithms

Unresolved details

Package format, key schedule and the ordering of decryption and signature checks are not specified here.

WATARI

A confidentiality mechanism for security-software delivery.

Documented statements

NGLD-M assigns WATARI to security-software confidentiality and includes it among non-security software options.

S010: Table 9, printed p.42

Technical inferences

Strong — WATARI protects the contents of software packages in this deployment model.

S010: Table 9, printed p.42

Unresolved details

A related purpose does not establish that WATARI derives from JOSEKI.

Its internal mathematical construction is not established by the role assignment.

FIREFLY / Enhanced FIREFLY

Endpoint key establishment rather than the bulk data-processing stage.

Documented statements

The KIV-19M brochure describes establishing a unique encryption key over full-duplex channels without an online third party.

S009: p.2, Operational Modes

Diffie discussed FIREFLY in 1988 and considered an exponentiation-based construction plausible from contemporary descriptions and testimony.

S013: p.571, STU-III/FIREFLY discussion

NSA history identifies FIREFLY as a public-key algorithm underpinning STU-III.

S012: Printed p.297; PDF p.40, STU-III discussion

Technical inferences

Strong — The scheme belongs in the stage that establishes shared key material for later traffic protection.

S009: p.2, Operational Modes; S012: STU-III discussion near printed p.296

Moderate — Classical exponentiation-based public-key mathematics is a historically grounded hypothesis, not a released specification.

S013: p.571, STU-III/FIREFLY discussion

Unresolved details

An exact identification with Diffie-Hellman, RSA or a particular authenticated variant is not established.

No online third party does not imply no provisioning, certificates or prior trust.

SPONDULIX-S

A named KMI key-agreement option.

Documented statements

NGLD-M lists SPONDULIX-S alongside ECDH-384 under KMI key agreement.

S010: Table 9, printed p.42

Technical inferences

Strong — It occupies a key-establishment role in KMI.

S010: Table 9, printed p.42

Unresolved details

Being listed beside ECDH-384 does not establish identical mathematics, curve parameters or strength.

First development and first approval dates have not been verified.

KM-TG signing schemes / SILVER LINING

Authorization and authenticity checks for software updates.

Documented statements

NGLD-M describes NSA-signed security-software updates and device-side validation using KM-TG schemes, with an upgrade path to SILVER LINING.

S010: Table 9, printed p.42

Technical inferences

Strong — These schemes establish whether software is accepted as authorized; confidentiality is a separate function in the same update process.

S010: Table 9, printed p.42

Unresolved details

The record does not identify SILVER LINING as RSA, elliptic-curve or hash-based signatures.

The planned transition is not a verified first operational approval date.

SAVILLE

An older secure-voice lineage with a measurable implementation cost on AIM.

Documented statements

NSA history dates the SAVILLE tactical secure-voice program to the late 1960s and associates VINSON with the family.

S011: Printed p.143; PDF p.154, tactical secure-voice discussion

Motorola advertises SAVILLE at 0.04 bits per input clock and BATON at 1.29 bits per input clock on AIM.

S006: p.1, Performance

Technical inferences

Strong — Applying the advertised rates at a hypothetical 10 MHz input clock gives 0.4 Mbps for SAVILLE and 12.9 Mbps for BATON, a 32.25-fold throughput ratio.

S006: p.1, Performance

Strong — The ratio measures implementation cost on that platform, combining algorithm, mode and implementation choices.

S006: p.1, Performance

Unresolved details

These performance figures do not identify the internal feedback structure, round count or security margin.

Detailed online reconstructions require separate evidence from an original design record.

Further names and approval records

Manufacturer records attest PADSTONE, CRAYON, KEESEE, GOODSPEED, PHALANX, SHILLELAGH, VALLOR, WALBURN, WEASEL, ACME, JACKKNIFE and Mark XII (CADMUS). Viasat lists CAROUSEL, CARDHOLDER and BELSHAZZAR alongside compatibility entries. These names are research leads rather than complete design descriptions or a uniform inventory. Sources: S006, S007, S008, S018.

The 2019 requirements bibliography also identifies MAYFLY, SAFEBOX-E, SAFEBOX-S, ALDERFLY II and SPONDULIX-E. Titles and document dates alone do not disclose their constructions or prove that similarly named variants are interchangeable. Source: S010, printed pp.4-5.

The companion docs/name-index.md records all of these additional leads, with evidence locators and limits. Motorola's original AIM leaflet additionally advertises PHALANX at 1.39 bits per input clock and KEESEE at 1.00; these are implementation measurements rather than security estimates. Source: S006, p.1.

Harris reports Sierra II certification in Harris fiscal 2005 (S016). This is a platform milestone, distinct from the development or first approval of every algorithm it can execute. Original first-approval records for the individual schemes remain a useful acquisition target.

Questions for the next edition

Find original first-approval records for individual schemes.

Verify precise publication and release dates for manufacturer leaflets.

Locate a primary design record for detailed SAVILLE reconstructions.

Determine the construction behind the 2002 An ACCORDION MEDLEY reference.

Locate public parameter or interface specifications for SPONDULIX-S and SILVER LINING.

Source catalogue

Preserved 19 of 19 source records. Current acquisition status is recorded below; failed downloads remain linked to their original URLs.

S001 · PKCS #11 Historical Mechanisms Specification v3.0

OASIS | Document date: 2020-06-15

Provenance: Original publisher

https://docs.oasis-open.org/pkcs11/pkcs11-hist/v3.0/os/pkcs11-hist-v3.0-os.pdf

Preserved: sources/originals/S001-oasis-pkcs11-historical-2020.pdf | 1,548,298 bytes | 64 pages

Retrieved (UTC): 2026-10-17T18:39:55.140223+00:00

SHA-256: d3cd42b3d17abfe068ed410967da38df97a4f14763bbf33aa10c1605ba7eb0a5

S002 · PKCS #11 v2.10: Cryptographic Token Interface Standard

RSA Laboratories | Document date: 1999-12

Provenance: Preserved copy or transcription of a primary source

https://cryptsoft.com/pkcs11doc/STANDARD/pkcs11v2-10.pdf

Preserved: sources/originals/S002-rsa-pkcs11-1999.pdf | 1,232,071 bytes | 319 pages

Retrieved (UTC): 2026-10-17T18:39:55.142002+00:00

SHA-256: cdb040770c204df77cee01273ccdd2eff0731ae3946e1dc623878aa015a07cd1

S003 · SP 800-38D: Galois/Counter Mode and GMAC

NIST | Document date: 2007-11

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38d.pdf

Preserved: sources/originals/S003-nist-gcm-2007.pdf | 271,960 bytes | 39 pages

Retrieved (UTC): 2026-10-17T18:39:55.143028+00:00

SHA-256: d99f3921ccebca049e7522426553aba071dae14ec3d5b6041e8c111a6cb57bba

S004 · SP 800-38A: Block Cipher Modes of Operation

NIST | Document date: 2001-12

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/Legacy/SP/nistspecialpublication800-38a.pdf

Preserved: sources/originals/S004-nist-modes-2001.pdf | 378,266 bytes | 66 pages

Retrieved (UTC): 2026-10-17T18:39:55.145224+00:00

SHA-256: 66821162de1e7130c5fb5eedb22140d8d6d013ec51af4550bb095c2a9481a00e

S005 · KGR-42 Ground Operating Equipment

Viasat | Document date: not verified

Live manufacturer page; an access date is not its publication date.

Provenance: Original publisher

https://www.viasat.com/products/cybersecurity/kgr-42/

Preserved: sources/web/S005-viasat-kgr42.html | 304,304 bytes

Retrieved (UTC): 2026-10-17T18:39:56.510706+00:00

SHA-256: 191bac74a8a2225ddb22272c5cde00d8b3d6e598398c2e56e92eed070b497d59

S006 · AIM: Advanced INFOSEC Machine datasheet

Motorola | Document date: 1999

Copyright 1999 appears in the footer on p.2; the exact publication day is not established.

Provenance: Preserved copy or transcription of a primary source

https://www.cryptomuseum.com/crypto/motorola/aim/files/aim_infosec.pdf

Preserved: sources/originals/S006-motorola-aim.pdf | 354,304 bytes | 2 pages

Retrieved (UTC): 2026-10-17T18:39:56.509693+00:00

SHA-256: 9bbdf82cd54155963c6c2298c1a8d541549c32f8ed15f546ab3b71c0cf5249ee

S007 · Sierra II Programmable Cryptographic ASIC, DS-296E

Harris Corporation | Document date: 2015-11

Provenance: Preserved copy or transcription of a primary source

https://www.cryptomuseum.com/crypto/harris/sierra2/files/sierra2_leaflet.pdf

Preserved: sources/originals/S007-harris-sierra2-2015.pdf | 756,098 bytes | 2 pages

Retrieved (UTC): 2026-10-17T18:39:56.511405+00:00

SHA-256: 2eca7d9229f3c4ab3575f97a241af4a6e6f23e49aa91e416b808e24c7df4b7f8

S008 · AIM II: Embeddable Programmable Security

General Dynamics | Document date: 2011

The footer bears copyright 2011 and document code D-AIM2-4-0111.

Provenance: Preserved copy or transcription of a primary source

https://www.cryptomuseum.com/crypto/gd/aim2/files/GD_AIM2_leaflet.pdf

Preserved: sources/originals/S008-gd-aim2-2011.pdf | 281,275 bytes | 2 pages

Retrieved (UTC): 2026-10-17T18:39:56.525235+00:00

SHA-256: fda056b3ff46d570a4f44a907d9676ed3f22915b20c6cea153e74140e2ba51a8

S009 · KIV-19M Link Encryptor brochure

Sypris Electronics | Document date: not verified

Manufacturer brochure preserved by a Croatian government authority; publication date not verified.

Provenance: Manufacturer brochure preserved by a government host

https://www.zsis.hr/UserDocsImages/Sigurnost/pdfs/KIV19.pdf

Preserved: sources/originals/S009-sypris-kiv19m.pdf | 1,707,003 bytes | 2 pages

Retrieved (UTC): 2026-10-17T18:39:57.244561+00:00

SHA-256: 30e6eca729e52fef36c1172f3e8882bbfc10ee53f27c80ac0d01f451b0b0e778

S010 · Next Generation Load Device - Medium: System Requirements Document v4.0

US Army procurement record | Document date: 2019-06-17

Publicly accessible procurement copy. Requirements and future options are distinguished from fielded capabilities.

Provenance: Government procurement attachment preserved by a public procurement host

https://imlive.s3.amazonaws.com/Federal%20Government/ID208225069286137570771773600243323714 98/Attachment_11_-NGLD-M_SRD_v4.0_06172019.pdf

Preserved: sources/originals/S010-ngld-m-srd-2019.pdf | 6,103,246 bytes | 255 pages

Retrieved (UTC): 2026-10-17T18:39:58.091119+00:00

SHA-256: aa16f7fff3e9a7209f28d1ff6f7f8a5b58850e51ecd5f308688ba35e1fab1abf

S011 · American Cryptology during the Cold War, Book III: Retrenchment and Reform, 1972-1980

National Security Agency | Document date: 1998

A retrospective agency history; its document date differs from the events and public release.

Provenance: Original publisher

https://www.nsa.gov/portals/75/documents/news-features/declassified-documents/cryptologic-histories/cold_war_iii.pdf

Preserved: sources/originals/S011-nsa-cold-war-book3.pdf | 36,632,126 bytes | 271 pages

Retrieved (UTC): 2026-10-17T18:39:58.374931+00:00

SHA-256: 28c938f2e43931e8f2a9e4dff64401324aadb42b1df1cf6851376e55e0b2731a

S012 · American Cryptology during the Cold War, Book IV: Cryptologic Rebirth, 1981-1989

NSA; National Archives ISCAP release | Document date: not verified

Preserves the ISCAP release version. Original publication date not verified.

Provenance: Government declassification release copy

https://www.archives.gov/files/declassification/iscap/pdf/2016-220-pt-1-release-material-completed.pdf

Preserved: sources/originals/S012-nsa-cold-war-book4-iscap.pdf | 15,311,026 bytes | 50 pages

Retrieved (UTC): 2026-10-17T18:39:58.509264+00:00

SHA-256: 386ebc11e240824917bfea6f78212e5934149ef8c72964765dce50fb225f1f13

S013 · The First Ten Years of Public-Key Cryptography

Whitfield Diffie; Proceedings of the IEEE 76(5) | Document date: 1988-05

Provenance: Preserved copy or transcription of a primary source

https://docenti.ing.unipi.it/g.dini/Teaching/sncs/lectures/readers/the.first.ten.years.of.pkcrypto.pdf

Preserved: sources/originals/S013-diffie-public-key-history-1988.pdf | 2,308,472 bytes | 18 pages

Retrieved (UTC): 2026-10-17T18:39:59.969675+00:00

SHA-256: 1ecc2b8456a49aadc2e4e347b5b6a456508df2073fde0a111ba95dbf470b5b7a

S014 · KG-3X Cryptographic Reference Library listing

US Air Force procurement catalogue; archived transcription | Document date: 2004-04-05

Catalogue dated 5 April 2004, posted by Cryptome on 15 August 2006. Entry dates describe referenced documents, not their public release. The earlier mirror URL returned HTTP 503; the original Cryptome transcription is used for acquisition.

Provenance: Cryptome transcription of a government procurement catalogue

https://cryptome.org/kg3x-library.htm

Preserved: sources/web/S014-kg3x-library-2004.html | 98,947 bytes

Retrieved (UTC): 2026-10-17T18:41:30.411233+00:00

SHA-256: 4bf4e23d2cb38e9a2cd00e437771db4c02b7cd07aae513348f6d325e59a05c89

S015 · NSA responses following the May 3, 1994 Clipper hearings

National Security Agency; preserved by EPIC | Document date: not verified

The responses follow the May 3, 1994 hearings. Exact response and original publication dates are not verified in this copy.

Provenance: Government responses preserved by EPIC

https://www2.epic.org/crypto/clipper/nsa_responses.html

Preserved: sources/web/S015-nsa-clipper-responses.html | 16,919 bytes

Retrieved (UTC): 2026-10-17T18:40:00.426583+00:00

SHA-256: ecdabd3ab7949fabbb347803843c73cfddb74c0d36a1f33d98e4b6175373e66f

S016 · Updates to Annual Report on Form 10-K, Exhibit 99

Harris Corporation; SEC EDGAR | Document date: 2007

Reports Sierra II certification in Harris fiscal 2005, rather than assigning a calendar-year date.

Provenance: Manufacturer filing preserved by SEC EDGAR

https://www.sec.gov/Archives/edgar/data/202058/000095014407010198/g08727exv99.htm

Preserved: sources/web/S016-harris-sec-exhibit-2007.html | 1,293,340 bytes

Retrieved (UTC): 2026-10-17T18:40:00.739112+00:00

SHA-256: 7dcf56fe4cb482ab1d361456f7fe60525205b3a24dfb6703d788f0eb4c765747

S017 · POET Advanced Cryptographic Module, D-POET-08-0316

General Dynamics | Document date: 2015

The brochure bears copyright 2015 and document code D-POET-08-0316. The exact publication date is not established. The current publisher URL returned HTTP 403, so the archived publisher PDF is preserved.

Provenance: Manufacturer brochure preserved by the Internet Archive (2020-01-08 capture)

https://gdmissionsystems.com/-/media/General-Dynamics/Cyber-and-Electronic-Warfare-Systems/PDF/Brochures/cyber-poet-acm-high-speed-encryptor-datasheet.ashx

Acquisition URL: https://web.archive.org/web/20200108180327id_/https://gdmissionsystems.com/-/media/General-Dynamics/Cyber-and-Electronic-Warfare-Systems/PDF/Brochures/cyber-poet-acm-high-speed-encryptor-datasheet.ashx

Preserved: sources/originals/S017-gd-poet-2015.pdf | 904,000 bytes | 2 pages

Retrieved (UTC): 2026-10-17T18:41:30.413653+00:00

SHA-256: 0ceaf63d0115e02a8ecb30d69a823b352f23b1e5c6a7693ddd3b7409cb883397

S018 · Space encryption product and algorithm comparison

Viasat | Document date: not verified

Live comparison page. Algorithm labels and equipment compatibility modes are not assumed to identify the same type of object.

Provenance: Original publisher

https://www.viasat.com/government/security/encryption/space/

Preserved: sources/web/S018-viasat-space-encryption.html | 294,352 bytes

Retrieved (UTC): 2026-10-17T18:40:01.151554+00:00

SHA-256: 58925779d37c84678bf83afeb22c899d67336924f0ba18e79f49d81e4e9b23ce

S019 · NISTIR 7298 Revision 2: Glossary of Key Information Security Terms

NIST | Document date: 2013-05

Withdrawn in 2019. Preserved as a historical definition source, not current operational policy.

Provenance: Original publisher

https://nvlpubs.nist.gov/nistpubs/ir/2013/NIST.IR.7298r2.pdf

Preserved: sources/originals/S019-nist-security-glossary-2013.pdf | 1,551,969 bytes | 223 pages

Retrieved (UTC): 2026-10-17T18:40:01.160113+00:00

SHA-256: 5b8c8fde0e534d4568f9dd4c6b9c6a36ac6539e5c4296af5a27de55c69f1a393