

Evaluation results

There are three levels of importance in pitfalls according to their impact on the ontology:

- **Critical** It is crucial to correct the pitfall. Otherwise, it could affect the ontology consistency, reasoning, applicability, etc.
- **Important** Though not critical for ontology function, it is important to correct this type of pitfall.
- **Minor** It is not really a problem, but by correcting it we will make the ontology nicer.

Pitfalls detected:

Results for P04: Creating unconnected ontology elements.

3 cases

Minor

Ontology elements (classes, object properties and datatype properties) are created isolated, with no relation to the rest of the ontology.

- This pitfall appears in the following elements:

> <http://www.w3.org/ns/prov#Activity>
 > <http://www.w3.org/ns/prov#Role>
 > <http://www.w3.org/ns/prov#Entity>

Results for P08: Missing annotations.

6 cases

Minor

This pitfall consists in creating an ontology element and failing to provide human readable annotations attached to it. Consequently, ontology elements lack annotation properties that label them (e.g. `rdfs:label`, `lemon:LexicalEntry`, `skos:prefLabel` or `skos:altLabel`) or that define them (e.g. `rdfs:comment` or `dc:description`). This pitfall is related to the guidelines provided in [5].

- The following elements have neither `rdfs:label` or `rdfs:comment` (nor `skos:definition`) defined:

> <http://www.w3.org/ns/prov#influenced>

- The following elements have neither `rdfs:comment` or `skos:definition` defined:

> <http://www.w3.org/ns/prov#Entity>
 > <http://www.w3.org/ns/prov#Role>
 > <http://www.w3.org/ns/prov#Activity>
 > <http://www.w3.org/ns/prov#Agent>
 > <http://www.w3.org/ns/prov#generated>

Results for P11: Missing domain or range in properties. 1 case

1 case

Important

Object and/or datatype properties without domain or range (or none of them) are included in the ontology.

- This pitfall appears in the following elements:

> <http://www.w3.org/ns/prov#influenced>

- **Tip:** Solving this pitfall may lead to new results for other pitfalls and suggestions. We encourage you to solve all cases when needed and see what else you can get from OOPS!

Results for P13: Inverse relationships not explicitly declared.

28 cases

Minor

This pitfall appears when any relationship (except for those that are defined as symmetric properties using `owl:SymmetricProperty`) does not have an inverse relationship (`owl:inverseOf`) defined within the ontology.

- OOPS! has the following suggestions for the relationships without inverse:

> <http://lod.jerteh.rs/alo/alo.owl#triggersIncitement> could be inverse of <http://lod.jerteh.rs/alo/alo.owl#promotesAbusiveLanguage>

- Sorry, OOPS! has no suggestions for the following relationships without inverse:

> <http://lod.jerteh.rs/alo/alo.owl#usesRhetoricalFigure>
 > <http://lod.jerteh.rs/alo/alo.owl#hasSentiment>
 > <http://www.w3.org/ns/prov#generated>
 > <http://lod.jerteh.rs/alo/alo.owl#hasAnalysis>
 > <http://lod.jerteh.rs/alo/alo.owl#annotationPerformedBy>

> <http://lloj.jerteh.rs/alo/alo.owl#containsEntry>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasAbusiveText>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasTarget>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasLexicalUnitType>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasAnnotationLevel>
 > <http://lloj.jerteh.rs/alo/alo.owl#occursInContext>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasNIFAnchor>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasIntention>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasLexicalRootIn>
 > <http://lloj.jerteh.rs/alo/alo.owl#refersToLexicalSense>
 > <http://lloj.jerteh.rs/alo/alo.owl#analysisPerformedBy>
 > <http://lloj.jerteh.rs/alo/alo.owl#refersToLexicalEntry>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasAnnotation>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasAbusivenessAnalysis>
 > <http://www.w3.org/ns/prov#influenced>
 > <http://lloj.jerteh.rs/alo/alo.owl#involvesRole>
 > <http://lloj.jerteh.rs/alo/alo.owl#belongsToTargetGroup>
 > <http://lloj.jerteh.rs/alo/alo.owl#hasAbusiveSpeech>

Results for P21: Using a miscellaneous class. 1 case

1 case Minor

This pitfall refers to the creation of a class with the only goal of classifying the instances that do not belong to any of its sibling classes (classes with which the miscellaneous problematic class shares a common direct ancestor).

- This pitfall appears in the following elements:
- > <http://lloj.jerteh.rs/alo/alo.owl#OtherTarget>

Results for P30: Equivalent classes not explicitly declared.

4 cases Important

This pitfall consists in missing the definition of equivalent classes (owl:equivalentClass) in case of duplicated concepts. When an ontology reuses terms from other ontologies, classes that have the same meaning should be defined as equivalent in order to benefit the interoperability between both ontologies.

- The following classes might be equivalent:
- > <http://lloj.jerteh.rs/alo/alo.owl#Tallness>, <http://lloj.jerteh.rs/alo/alo.owl#Height>
- > <http://lloj.jerteh.rs/alo/alo.owl#Derogation>, <http://lloj.jerteh.rs/alo/alo.owl#Disparagement>
- > <http://lloj.jerteh.rs/alo/alo.owl#Sarcasm>, <http://lloj.jerteh.rs/alo/alo.owl#Irony>
- > <http://lloj.jerteh.rs/alo/alo.owl#Opinion>, <http://lloj.jerteh.rs/alo/alo.owl#Sentiment>

Suggestions or warnings:

According to the highest importance level of pitfall found in your ontology the conformace badge suggested is "Important pitfalls" (see below). You can use the following HTML code to insert the badge within your ontology documentation:



```

<p>
<a href="http://oops.linkeddata.es">
</a>
</p>

```

References

[1] Aguado-De Cea, G., Montiel-Ponsoda, E., Poveda-Villalón, M., and Giraldo-Pasmin, O.X. (2015).

[2] Noy, N. F., McGuinness, D. L., et al. (2001).

[3] Gómez-Pérez, A. (1999).

[5] Vrandecic, D. (2010).

[6] Gómez-Pérez, A. (2004).

[7] Rector, A., Drummond, N., Horridge, M., Rogers, J., Knublauch, H., Stevens, R., Wang, H., and Wroe, C. (2004).

[8] Hogan, A., Harth, A., Passant, A., Decker, S., and Polleres, A. (2010).

[9] Archer, P., Goedertier, S., and Loutas, N. (2012).

[10] Bernes-Lee Tim. (2006).

[11] Heath, T. and Bizer, C. (2011).

[12] Vatan, B. (2012).

Enter your ontology to scan:

```
<?xml version="1.0"?>
<rdf:RDF xmlns="http://lloj.jerteh.rs/alo/alo.owl#"
  xml:base="http://lloj.jerteh.rs/alo/alo.owl"
  xmlns:alo="http://lloj.jerteh.rs/alo/alo.owl#"
  xmlns:nif="http://persistence.uni-leipzig.org/nlp2rdf/ontologies/nif-core#"
  xmlns:owl="http://www.w3.org/2002/07/owl#"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#"
  xmlns:xml="http://www.w3.org/XML/1998/namespace"
```

☐ Uncheck this checkbox if you don't want us to keep a copy of your ontology.

Scan

[Advanced evaluation](#)

How to cite OOPS!

Poveda-Villalón, María, Asunción Gómez-Pérez, and Mari Carmen Suárez-Figueroa. "OOPS!(Ontology Pitfall Scanner!): An on-line tool for ontology evaluation." *International Journal on Semantic Web and Information Systems (IJSWIS)* 10.2 (2014): 7-34.

BibTex:

```
@article{poveda2014oops,
  title={{OOPS! (Ontology Pitfall Scanner!): An On-line Tool for Ontology Evaluation}},
  author={Poveda-Villal{\`o}n, Mar{\`i}a and G{\`o}mez-P{\`e}rez, Asunci{\`o}n and Su{\`a}rez-Figueroa, Mari Carmen},
  journal={International Journal on Semantic Web and Information Systems (IJSWIS)},
  volume={10},
  number={2},
  pages={7--34},
  year={2014},
  publisher={IGI Global}
}
```



[Pitfall Catalogue](#)

[Service](#)

[Feedback](#)

[About Us](#)