FaultSense AI — TelecomNetworkFaultIntel

20 Sample Test Queries

Deep Analysis & Evaluation Metrics Testing · Based on telecom_incidents.csv (9,827 rows)

How to use: Copy any query below and paste it into the FaultSense AI search box. Click **Deep Analysis** to run the full LangGraph pipeline, then switch to the **Evaluation** tab to see Faithfulness, Answer Relevancy, and Context Precision scores. The **Guardrail** panel will show all 3 validation checks on every query.

01 Synchronization / Timing

Expected: All 3 guardrail checks PASS · High context precision · Faithfulness: High

Nokia eNodeB synchronization failure causing timing degradation and S1 interface instability

02 Synchronization / Timing

Expected: All 3 guardrail checks PASS · High context precision · Faithfulness: High

Ericsson 4G LTE base station timing reference lost causing CQI and RSRQ degradation in London

03 5G Core — UPF / PFCP

Expected: All 3 guardrail checks PASS · Medium–High context precision · Tests PFCP retrieval

UPF not responding to PFCP heartbeat requests — SMF logs repeated association request timeouts

04 5G Core — Network Slice

Expected: All 3 guardrail checks PASS · Medium context precision · Slice config retrieval

5G NR slice configuration error in NSSF database causing S-NSSAI not found and service unavailability in Mumbai

05 4G LTE — Handover Failure

Expected: All 3 guardrail checks PASS · High context precision · Answer relevancy: High

LTE handover succeeds but UE immediately drops on target cell — Huawei eNodeB RRC release after handover

06 5G NR — Beam Failure

Expected: All 3 guardrail checks PASS · Medium context precision · Beam failure scenarios

Beam failure recovery procedures failing for high-speed UE at 80 kmph in 5G NR millimeter wave deployment

07 **Microwave Backhaul — Link Loss**

Expected: All 3 guardrail checks PASS · High context precision · Backhaul incidents

Ericsson microwave ODU Ethernet session terminated causing backhaul connectivity loss and site isolation in Singapore

08 **Microwave Backhaul — Hardware**

Expected: All 3 guardrail checks PASS · High context precision · HW fault retrieval

Nokia microwave ODU hardware fault degrading RSL and ACM modulation causing packet loss on backhaul link

09 **IP Core — BGP / OSPF Crash**

Expected: All 3 guardrail checks PASS · High context precision · Cisco BGP incidents

Cisco core router process crash in BGP OSPF stack causing IP backbone link instability and unexpected flow drops in Nairobi

10 **MPLS Core — Virtualisation**

Expected: All 3 guardrail checks PASS · Medium context precision · Juniper MPLS incidents

Juniper MPLS core network slicing virtualisation performance degradation causing increased latency in Tokyo

11 **Fiber Transport — FEC Errors**

Expected: All 3 guardrail checks PASS · High context precision · Fiber transport faults

High FEC error rate on fiber transport link causing LTE throughput degradation and bearer loss in Kolkata

12 **4G LTE — Backhaul Degradation**

Expected: All 3 guardrail checks PASS · High context precision · S1 interface incidents

Ericsson eNodeB backhaul degradation on S1 interface impacting EPS bearers and LTE signal quality in London

13 **Cloud RAN — Weather Impact**

Expected: All 3 guardrail checks PASS · Medium context precision · FWA CPE incidents

Nokia Cloud RAN fixed wireless access CPE showing 40 percent throughput reduction during heavy rain and stormy conditions

14 **Cloud RAN — Virtualisation**

Expected: All 3 guardrail checks PASS · Medium context precision · vRAN resource incidents

Cloud RAN virtualisation resource contention causing radio unit processing delay and increased user plane latency

15 **Critical Outage — Long Duration**

Expected: All 3 guardrail checks PASS · Medium context precision · Multi-site critical incidents

Critical network outage lasting more than 4 hours affecting multiple Ericsson base stations across Sydney

16 **Multi-vendor — Regional Failure**

Expected: All 3 guardrail checks PASS · Medium context precision · Cross-vendor incidents

Simultaneous high-severity incidents affecting Huawei and Nokia sites across Asia Pacific causing widespread service degradation

17 **Configuration Error — BGP**

Expected: All 3 guardrail checks PASS · Medium context precision · Config fault retrieval

Cisco BGP routing configuration error causing routing loop and IP flow drops on core backbone in Nairobi

18 **Configuration Error — eNodeB**

Expected: All 3 guardrail checks PASS · High context precision · Ericsson config mismatch

Ericsson eNodeB parameter configuration mismatch causing handover failure and increased call drop rate in Melbourne

19 **Hardware — Power Supply Failure**

Expected: All 3 guardrail checks PASS · High context precision · AAU power incidents

Power supply failure on Huawei AAU causing radio unit shutdown and 5G NR coverage outage in Delhi

20 **Broad Cross-Technology (Stress Test)**

Expected: All 3 guardrail checks PASS · Lower context precision expected · Tests broad retrieval quality

Recurring CRITICAL and HIGH severity incidents across 5G NR and 4G LTE causing service outage and revenue impact — recommend systemic resolution