

```

%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;
scuts_path = 'e:\SHARE\Fe\Data\analysis\07_fit_with_multicut_allJ\sel_cuts';
Cutfitfile = fullfile(scuts_path, 'NG_FFCutsFits.mat');

if ~exist('NG_FFCutsFits', 'var')
    ld = load(Cutfitfile);
    NG_FFCutsFits = ld.fit_src_struct;
end

```

```

fn = fieldnames(NG_FFCutsFits);
nf = 11

```

```

nf =
11

```

```

%for i = 11:numel(fn)
%selectCuts = fn{nf};
selectCuts = 'Ei800_off200NGmaxFF'

```

```

selectCuts =
'Ei800_off200NGmaxFF'

```

```

if contains(selectCuts, 'msk')
    error('Can not fit field: %s', selectCuts);
end
if contains(selectCuts, 'all_fit_par')
    error('Can not fit field: %s', selectCuts);
end

fprintf('Processing cuts: %s \n', selectCuts);

```

```

Processing cuts: Ei800_off200NGmaxFF

```

```

cuts_list = NG_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end
if contains(selectCuts, 'Ei200')
    mi = maps_instrument(200, 600, 'S');
end
if contains(selectCuts, 'Ei400')
    mi = maps_instrument(401, 600, 'S');
end
if contains(selectCuts, 'Ei800')
    mi = maps_instrument(786, 600, 'S');
end
sample=IX_sample(true, [1,0,0], [0,1,0], 'cuboid', [0.04,0.03,0.02]);
for j=1:numel(cuts_list)
    cuts_list{j} = cuts_list{j}.set_instrument(mi);
end

```

```

cuts_list{j} = cuts_list{j}.set_sample(sample);
plot(cuts_list{j}); lz 0 1; keep_figure;
end
dir_name = "NG";

dE_step = 2; %original energy transfer step data were binned to. No point in going
finer
half_dE = 5; % half width of data binning

en_mm = cuts_list{1}.data.img_range(:,4);
en_mm(1) = max(30,en_mm(1));
%en_mm(1) = 100;
en_mm(2) = 380;
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);

cut_dimensions = 1;
NG_FFCutsFits.(selectCuts) = cuts_list;


NG_FFCutsFits = fit_multicutsFF_along_direction(...
    NG_FFCutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);

```

```

*****
**** En = 83±5 going to 373
*****


```




```

*****
**** En = 93±5 going to 373
*****

```




Fe_ei800_align_sym3.sqw
 $\xi \in [2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 8
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 103±5 going to 373

Fe_ei800_align_sym3.sqw
 3 ± 0.11 ; $J_0 = 34 \pm 2$; $J_1 = 0 \pm 0$; $\gamma = 72.8081$
 $\xi \in [2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 9
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 $\xi \in [2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 9
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 113±5 going to 373

Fe_ei800_align_sym3.sqw
 1 ± 0.11 ; $J_0 = 33 \pm 2.1$; $J_1 = 0 \pm 0$; $\gamma = 51.9803$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 10
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 10
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** $E_n = 123 \pm 5$ going to 373

Fe_ei800_align_sym3.sqw
 1 ± 0.17 ; $J_0 = 38 \pm 3.4$; $J_1 = 0 \pm 0$; $\gamma = 88.4307$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 11
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 11
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



**** En = 133±5 going to 373


Fe_ei800_align_sym3.sqw

$I \pm 0.074$; $J_0 = 33 \pm 1.2$; $J_1 = 0 \pm 0$; $\gamma = 58.831 \pm 0.1$ in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 12
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw


$I \pm 0.074$; $J_0 = 33 \pm 1.2$; $J_1 = 0 \pm 0$; $\gamma = 58.831 \pm 0.1$ in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 12
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 143±5 going to 373

Fe_ei800_align_sym3.sqw

$I \pm 0.06$; $J_0 = 34 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 26.2786 \pm 0.1$ in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 13
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 13
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 153±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.045 ; $J_0 = 33 \pm 1$; $J_1 = 0 \pm 0$; $\gamma = 25.1465$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 14
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 14
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 163±5 going to 373

Fe_ei800_align_sym3.sqw
 3 ± 0.061 ; $J_0 = 35 \pm 1.1$; $J_1 = 0 \pm 0$; $\gamma = 38.7156$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 15
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 15
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** $E_n = 173 \pm 5$ going to 373

Fe_ei800_align_sym3.sqw
 ± 0.068 ; $J_0 = 35 \pm 0.87$; $J_1 = 0 \pm 0$; $\gamma = 48.3806$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 16
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 16
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



**** En = 183±5 going to 373


Fe_ei800_align_sym3.sqw

±0.076; J0= 34± 1; J1= 0± 0; gamma=60.2222
 0.1 in [2+ξ, -ξ, 0] , -0.1 ≤ η ≤ 0.1 in [2, 0, -η] , 17
 ζ=-0.02:0.04:0.54 in [2+ζ, ζ, 0]



Fe_ei800_align_sym3.sqw


0.1 in [2+ξ, -ξ, 0] , -0.1 ≤ η ≤ 0.1 in [2, 0, -η] , 17
 ζ=-0.02:0.04:0.54 in [2+ζ, ζ, 0]




**** En = 193±5 going to 373

Fe_ei800_align_sym3.sqw

8±0.84; J0= 38± 2.7; J1= 0± 0; gamma=101.11±
 0.1 in [2+ξ, -ξ, 0] , -0.1 ≤ η ≤ 0.1 in [2, 0, -η] , 18
 ζ=-0.02:0.04:0.54 in [2+ζ, ζ, 0]




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 18
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 203±5 going to 373

Fe_ei800_align_sym3.sqw
 3 ± 0.3 ; $J_0 = 35 \pm 1.1$; $J_1 = 0 \pm 0$; $\gamma = 55.7956 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 19
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 19
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 213±5 going to 373

Fe_ei800_align_sym3.sqw
 5 ± 0.18 ; $J_0 = 37 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 103.1 \pm 4$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 20
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 20
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** $E_n = 223 \pm 5$ going to 373

Fe_ei800_align_sym3.sqw
 ± 0.078 ; $J_0 = 35 \pm 0.88$; $J_1 = 0 \pm 0$; $\gamma = 60.2155$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 21
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 21
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 233±5 going to 373

Fe_ei800_align_sym3.sqw

±0.084; J0= 35± 1.1; J1= 0± 0; gamma=44.7788

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 22


$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 22

$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 243±5 going to 373

Fe_ei800_align_sym3.sqw


1± 0.1; J0= 37±0.75; J1= 0± 0; gamma=74.873±

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 23

$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 23
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 253 ± 5 going to 373

Fe_ei800_align_sym3.sqw
 8 ± 0.43 ; $J_0 = 38 \pm 1.4$; $J_1 = 0 \pm 0$; $\gamma = 70.905 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 24
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 24
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 263 ± 5 going to 373

Fe_ei800_align_sym3.sqw
 4 ± 11 ; $J_0 = 31 \pm 36$; $J_1 = 0 \pm 0$; $\gamma = 305.3$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 25
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 25
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** $E_n = 273 \pm 5$ going to 373

Fe_ei800_align_sym3.sqw
 ± 0.053 ; $J_0 = 36 \pm 1.9$; $J_1 = 0 \pm 0$; $\gamma = 82.1382$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 26
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 26
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 283±5 going to 373

Fe_ei800_align_sym3.sqw

2±0.035; J0= 39± 1.6; J1= 0± 0; gamma=72.396

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 27


$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 27

$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 293±5 going to 373

Fe_ei800_align_sym3.sqw

1± 1.9; J0= 24± 13; J1= 0± 0; gamma=131.509


0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 28

$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw


0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 2ξ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



**** En = 303±5 going to 373


Fe_ei800_align_sym3.sqw

.8± 1.5; J0= 22± 7.5; J1= 0± 0; gamma=147.534
0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 2ξ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 2ξ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 313±5 going to 373

Fe_ei800_align_sym3.sqw
 5 ± 13 ; $J_0 = 12 \pm 25$; $J_1 = 0 \pm 0$; $\gamma = 126.03^\circ$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 30°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 30°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 323 ± 5 going to 373

Fe_ei800_align_sym3.sqw
 1 ± 19 ; $J_0 = 19 \pm 13$; $J_1 = 0 \pm 0$; $\gamma = -38.47^\circ$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 31°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 31°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 333±5 going to 373

Fe_ei800_align_sym3.sqw

J0= 13± 92; J1= 0± 0; gamma=75.496

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ζ


$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw

0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ζ

$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



**** En = 343±5 going to 373


Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 7.1429


Fe_ei800_align_sym3.sqw

J0= 6.2±1.9e+02; J1= 0± 0; gamma=164.0



0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ζ

$\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$






**** En = 353 ± 5 going to 373




**** En = 363 ± 5 going to 373

Warning: WARNING: Convergence not achieved

Fe_ei800_align_sym3.sqw
 19 ± 0 ; $J_0 = 12 \pm 0$; $J_1 = 0 \pm 0$; $\gamma = 22.7$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ξ
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ξ
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$







**** $E_n = 373 \pm 5$ going to 373

Fe_ei800_align_sym3.sqw
 1.2×10^5 ; $J_0 = 23 \pm 89$; $J_1 = 0 \pm 0$; $\gamma = 3.979$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ξ
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ξ
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$






```

c1 = NG_FFCutsFits.(selectCuts);
NG_FFCutsFits.(selectCuts) = [c1{:}];


beep
beep
beep

all_fit_par = NG_FFCutsFits.([selectCuts,'_all_fit_par']);
bg_data = extract_bg_par(all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);ly 0 0.3; keep_figure;

```



```
pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure
```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure
```

```
doc = matlab.desktop.editor.getActive;
doc.save;
thisFile = 'e:\SHARE\Fe\Data\analysis\06_fit_with_AQ0\fit_cutFe_NG.mlx';
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_NG_',selectCuts,'.pdf']);
export(thisFile,targ_file);
%close all;
%end
```

```
fit_src_struct = NG_FFCutsFits;
save(Cutfitfile,"fit_src_struct",-v7.3')
```