

```

%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;
scuts_path = 'e:\SHARE\Fe\Data\analysis\07_fit_with_multicut_allJ\sel_cuts';
Cutfitfile = fullfile(scuts_path, 'GP_FFCutsFits.mat');

if ~exist('GP_FFCutsFits', 'var')
    ld = load(Cutfitfile);
    GP_FFCutsFits = ld.fit_src_struct;
end


```

```

selectCuts= 'Ei400_off200GPmaxFF';
cuts_list = GP_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end

%mi = maps_instrument(200,600,'S');
mi = maps_instrument(401,600,'S');
%mi = maps_instrument(786,600,'S');
sample=IX_sample(true,[1,0,0],[0,1,0], 'cuboid',[0.04,0.03,0.02]);
for i=1:numel(cuts_list)
    cuts_list{i} = cuts_list{i}.set_instrument(mi);
    cuts_list{i} = cuts_list{i}.set_sample(sample);
    plot(cuts_list{i}); lz 0 1; keep_figure;
end

```



```

dir_name = "GP";

dE_step = 2; %original energy transfer step data were binned to. No point in going finer
half_dE = 5; % half width of data binning

```

```

en_mm = cuts_list{1}.data.img_range(:,4);
en_mm(1) = max(30,en_mm(1));
%en_mm(1) = 100;
%en_mm(2) = 170;
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);

cut_dimensions = 1;
GP_FFCutsFits.(selectCuts) = cuts_list;

```

```

GP_FFCutsFits = fit_multicutsFF_along_direction(...
    GP_FFCutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);


```

```

*****
**** En = 44±5 going to 164
*****

```

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.29\pm0.0064$; $J_0=6.7\pm0.028$; $\gamma=4.05049\pm0.0692022$
 $.1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $39 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




```

*****
**** En = 54±5 going to 164
*****

```

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.2\pm0.0029$; $J_0=6\pm0.026$; $\gamma=3.32888\pm0.0379261$
 $.1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $49 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




```

*****
**** En = 64±5 going to 164
*****


```

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.17\pm0.0028$; $J_0= 5.7\pm0.027$; $\gamma=4.01149\pm0.0526398$
 $.1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $59 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




**** En = 74±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.15\pm0.003$; $J_0= 5.4\pm0.027$; $\gamma=5.04392\pm0.0728331$
 $.1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $69 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




**** En = 84±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.15\pm0.0028$; $J_0= 5.1\pm0.024$; $\gamma=6.02164\pm0.0835424$
 $.1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $79 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




**** En = 94±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.14\pm0.0024$; $J_0= 4.9\pm0.019$; $\gamma=7.21551\pm0.0884645$
 $0.1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $89 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




**** En = 104±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.13\pm0.0049$; $J_0= 4.7\pm0.018$; $\gamma=6.51907\pm1.03151$
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $99 \leq E$:
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




**** En = 114±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.13\pm0.0059$; $J_0= 4.5\pm0.021$; $\gamma=8.45627\pm1.41181$
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $109 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




**** En = 124±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.14\pm0.0032$; $J_0= 4.3\pm0.018$; $\gamma=12.712\pm0.2833$
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $119 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




 **** En = 134±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.17\pm0.0064$; $J_0= 4.1\pm0.017$; $\gamma=19.369\pm1.0727$
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $129 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




 **** En = 144±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.19\pm0.01$; $J_0= 4\pm0.021$; $\gamma=23.2755\pm2.45012$
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $139 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$




 **** En = 154±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.19\pm0.0096$; $J_0= 3.8\pm0.021$; $\gamma=22.7758\pm2.25134$
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $149 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$







 **** En = 164±5 going to 164

Fe_ei401_align_sym3, w2_400off110.sqw
 $S=0.16\pm0.01$; $J_0= 3.7\pm0.024$; $\gamma=22.4353\pm2.59247$
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $159 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$



Fe_ei401_align_sym3, w2_400off110.sqw
 $1 \leq \xi \leq 0.1$ in $[1-\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1+0.5\eta, 1-0.5\eta, \eta]$, $159 \leq E$
 $\zeta=-0.0025:0.005:0.3525$ in $[1-\zeta, 1+\zeta, \zeta]$





```

c1 = GP_FFCutsFits.(selectCuts);
GP_FFCutsFits.(selectCuts) = [c1{:}];

beep
beep
beep


all_fit_par = GP_FFCutsFits.Ei200_off110GPmiff_all_fit_par;

```

```

bg_data = extract_bg_par(all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure;


```



```

pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure

```



```

%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure

```

```

doc = matlab.desktop.editor.getActive;
doc.save;
thisFile = 'e:\SHARE\FE\Data\analysis\06_fit_with_AQ0\fit_cutFe_GP.mlx';
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_GP_',selectCuts,'.pdf']);
export(thisFile,targ_file);

```

```

fit_src_struct = GP_FFCutsFits;
save(Cutfitfile,"fit_src_struct",-v7.3')

```