

```
%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;
cuts_path = 'e:\SHARE\Fe\Data\analysis\07_fit_with_multicut_allJ\sel_cuts';
Cutfitfile = fullfile(cuts_path, 'GP_FFCutsFits.mat');

if ~exist('GP_FFCutsFits', 'var')
    ld = load(Cutfitfile);
    GP_FFCutsFits = ld.fit_src_struct;
end
```

```
fn = fieldnames(GP_FFCutsFits);
nf = 11
```

```
nf =
11
```

```
%for i = 11:numel(fn)
%selectCuts = fn{nf};
selectCuts = 'Ei800_off200GPmaxFF'
```

```
selectCuts =
'Ei800_off200GPmaxFF'
```

```
if contains(selectCuts, 'msk')
    error('Can not fit field: %s', selectCuts);
end
if contains(selectCuts, 'all_fit_par')
    error('Can not fit field: %s', selectCuts);
end

fprintf('Processing cuts: %s \n', selectCuts);
```

Processing cuts: Ei800_off200GPmaxFF

```
%selectCuts= 'Ei400_off200GPmaxFF';
cuts_list = GP_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end
if contains(selectCuts, 'Ei200')
    mi = maps_instrument(200, 600, 'S');
end
if contains(selectCuts, 'Ei400')
    mi = maps_instrument(401, 600, 'S');
end
if contains(selectCuts, 'Ei800')
    mi = maps_instrument(786, 600, 'S');
end
sample=IX_sample(true, [1,0,0], [0,1,0], 'cuboid', [0.04,0.03,0.02]);
for j=1:numel(cuts_list)
    cuts_list{j} = cuts_list{j}.set_instrument(mi);
    cuts_list{j} = cuts_list{j}.set_sample(sample);
    plot(cuts_list{j}); lz 0 1; keep_figure;
end
```

```
air_name = "GP";
```

```
_step = 2; %original energy transfer step data were binned to. No point in  
going finer
```

```
half_dE = 5; % half width of data binning
```

```
en_mm = cuts_list{1}.data.img_range(:,4);
```

```
en_mm(1) = max(30,en_mm(1));
```

```
%en_mm(1) = 100;
```

```
%en_mm(2) = 170;
```


```
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);
```



```
cut_dimensions = 1;
```

```
GP_FFCutsFits.(selectCuts) = cuts_list;
```


```
GP_FFCutsFits = fit_multicutsFF_along_direction(...
```

```
GP_FFCutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);
```







 **** En = 83±5 going to 363



 **** En = 93±5 going to 363







 **** En = 103±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S= 1.2 ± 0.35 ; J0= 35 ± 3.2 ; gamma= 63.8889 ± 26.2595


$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $98 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$







 **** En = 113±5 going to 363






 **** En = 123±5 going to 363






 **** En = 133±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw
 S= 1.6±0.49; J0= 38± 3.4; gamma=94.485±36.8112
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $128 \leq E \leq 138$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $128 \leq E \leq 138$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 143±5 going to 363


Fe_ei800, w2_800of200maxFF.sqw

S= 1.7±0.45; J0= 38± 2.6; gamma=93.1674±29.8281

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $138 \leq E \leq 148$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$





Fe_ei800, w2_800of200maxFF.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $138 \leq E \leq 148$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




 **** En = 153±5 going to 363


Fe_ei800, w2_800of200maxFF.sqw
 $S = 1.5 \pm 0.06$; $J_0 = 36 \pm 0.63$; $\gamma = 83.6627 \pm 1.6648$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $148 \leq E \leq 158$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$






 **** En = 163±5 going to 363






 **** En = 173±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw
 S=0.98± 0.2; J0= 36±0.89; gamma=56.1059±14.3044
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $168 \leq E \leq 173$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$





Fe_ei800, w2_800of200maxFF.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $168 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



 **** En = 183±5 going to 363


Fe_ei800, w2_800of200maxFF.sqw
 S= 1.2±0.053; J0= 37±0.56; gamma=67.5047±1.49071
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $178 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$






 **** En = 193±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw
 S=0.75±0.034; J0= 38±0.58; gamma=52.832±1.52356
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $188 \leq E \leq 198$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




Fe_ei800, w2_800of200maxFF.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $188 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




 **** En = 203±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw
 S=0.93±0.047; J0= 39±0.59; gamma=71.5366±1.73214
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $198 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $198 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 213±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S=0.83±0.033; J0= 38±0.39; gamma=52.5909±1.15226

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $208 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $208 \leq E \leq 218$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 223±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S=0.78±0.15; J0= 39±0.64; gamma=56.2434±12.1807

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $218 \leq E \leq 228$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $218 \leq E \leq 228$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 233±5 going to 363


Fe_ei800, w2_800of200maxFF.sqw

S=0.55±0.026; J0= 39±0.44; gamma=46.8708±1.41742

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $228 \leq E \leq 238$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$





Fe_ei800, w2_800of200maxFF.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $228 \leq E \leq 238$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



 **** En = 243±5 going to 363


Fe_ei800, w2_800of200maxFF.sqw
 S= 0.6± 0.1; J0= 40±0.53; gamma=53.5176±10.1208
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $238 \leq E \leq 248$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$






 **** En = 253±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw
 S=0.49±0.026; J0= 39±0.43; gamma=47.1988±1.53902
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $248 \leq E \leq 258$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $248 \leq E \leq 258$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 263±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S= 0.6±0.11; J0= 41±0.64; gamma=69.086±13.8305

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $258 \leq E \leq 268$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $258 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 273±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S= 0.6±0.11; J0= 42±0.68; gamma=84.9599±17.1465

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $268 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $268 \leq E \leq 278$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 283±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S=0.55±0.031; J0= 41±0.78; gamma=85.1614±2.44461

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $278 \leq E \leq 288$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $278 \leq E \leq 288$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 293±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S=0.54±0.11; J0= 44±0.81; gamma=95.7574±20.2255

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $288 \leq E \leq 298$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $288 \leq E \leq 298$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 303±5 going to 363

Fe_ei800, w2_800of200maxFF.sqw


S= 2.2± 1.9; J0= 38± 15; gamma=301.614±130.85

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $298 \leq E \leq 308$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $298 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 313±5 going to 363

Warning: Dataset:4 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 3.9604

Fe_ei800, w2_800of200maxFF.sqw


S= 1.5±0.93; J0= 42± 7.4; gamma=267.159±115.833

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $308 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $308 \leq E \leq 318$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 323±5 going to 363

Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9802

Fe_ei800, w2_800of200maxFF.sqw


S=0.49±0.11; J0= 47±0.94; gamma=116.483±24.5587

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $318 \leq E \leq 323$ eV
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $318 \leq E \leq 328$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 333±5 going to 363


Warning: Dataset:4 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 3.9604

Fe_ei800, w2_800of200maxFF.sqw

S= 1.1±0.69; J0= 50± 2.2; gamma=251.826±135.85


$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $328 \leq E \leq 338$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$






**** En = 343±5 going to 363

Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9802



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $338 \leq E \leq 353$ in $[2+\zeta, \zeta, \zeta]$




**** En = 353±5 going to 363

Warning: Dataset:7 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 6.9307

Fe_ei800, w2_800of200maxFF.sqw


S= 7.2± 26; J0= 32±1.4e+02; gamma=708.189±1300.91

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $348 \leq E \leq 363$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $348 \leq E \leq 358$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$




**** En = 363±5 going to 363

Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9802

Fe_ei800, w2_800of200maxFF.sqw



S= 6.2± 49; J0= 65±2.1e+02; gamma=1016.24±11070.4



$0.1 \leq \xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $358 \leq E \leq 368$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$



Fe_ei800, w2_800of200maxFF.sqw

$\xi \leq 0.1$ in $[2-\xi, \xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2-0.5\eta, -0.5\eta, \eta]$, $358 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2+\zeta, \zeta, \zeta]$







```
c1 = GP_FFCutsFits.(selectCuts);
GP_FFCutsFits.(selectCuts) = [c1{:}];

beep
beep
beep

all_fit_par = GP_FFCutsFits.([selectCuts, '_all_fit_par']);
bg_data = extract_bg_par(all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure;
```



```
pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure
```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_
figure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_
figure
```

```
doc = matlab.desktop.editor.getActive;
doc.save;
thisFile = 'e:\SHARE\Fe\Data\analysis\06_fit_with_AQ0\fit_cutFe_GP.mlx';
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_GP_',selectCuts,'.pdf']);
export(thisFile,targ_file);
%close all;
```



```
fit_src_struct = GP_FFCutsFits;  
save(Cutfitfile, "fit_src_struct", '-v7.3')
```