

```
%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;
scuts_path = 'e:\SHARE\FE\Data\analysis\07_fit_with_multicut_allJ\sel_cuts';
Cutfitfile = fullfile(scuts_path, 'NG_FFCutsFits.mat');
```

```
if ~exist('NG_FFCutsFits', 'var')
    ld = load(Cutfitfile);
    NG_FFCutsFits = ld.fit_src_struct;
end
```

```
fn = fieldnames(NG_FFCutsFits);
nf = 11
```

```
nf =
11
```

```
%for i = 11:numel(fn)
%selectCuts = fn{nf};
selectCuts = 'Ei800_off110NGmaxFF'
```

```
selectCuts =
'Ei800_off110NGmaxFF'
```

```
if contains(selectCuts, 'msk')
    error('Can not fit field: %s', selectCuts);
end
if contains(selectCuts, 'all_fit_par')
    error('Can not fit field: %s', selectCuts);
end


fprintf('Processing cuts: %s \n', selectCuts);
```

```
Processing cuts: Ei800_off110NGmaxFF
```

```
%selectCuts= 'Ei400_off200GPmaxFF';
cuts_list = NG_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end
if contains(selectCuts, 'Ei200')
    mi = maps_instrument(200, 600, 'S');
end
if contains(selectCuts, 'Ei400')
    mi = maps_instrument(401, 600, 'S');
end
if contains(selectCuts, 'Ei800')
    mi = maps_instrument(786, 600, 'S');
end
sample=IX_sample(true, [1,0,0], [0,1,0], 'cuboid', [0.04,0.03,0.02]);
for j=1:numel(cuts_list)
```

```
cuts_list{j} = cuts_list{j}.set_instrument(mi);
cuts_list{j} = cuts_list{j}.set_sample(sample);
plot(cuts_list{j}); lz 0 1; keep_figure;
```

end



```
dir_name = "NG";

dE_step = 2; %original energy transfer step data were binned to. No point in going
finer
half_dE = 5; % half width of data binning


en_mm = cuts_list{1}.data.img_range(:,4);
en_mm(1) = max(30,en_mm(1));
%en_mm(1) = 100;
%en_mm(2) = 170;
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);

cut_dimensions = 1;
NG_FFCutsFits.(selectCuts) = cuts_list;

NG_FFCutsFits = fit_multicutsFF_along_direction(...
    NG_FFCutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);
```


```
*****
**** En = 73±5 going to 313
*****
```

Fe_ei800_align_sym3.sqw
 $\xi \leq 0.1$ in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 68
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 83 ± 5 going to 313

Fe_ei800_align_sym3.sqw
 0.9 ± 0.043 ; $J_0 = 33 \pm 1.2$; $J_1 = 0 \pm 0$; $\gamma = 36.7287 \pm 1.1$
 $\xi \leq 0.1$ in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 78
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 $\xi \leq 0.1$ in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 78
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



 **** En = 93 ± 5 going to 313


Fe_ei800_align_sym3.sqw

1.81 ± 0.035 ; $J_0 = 33 \pm 1.1$; $J_1 = 0 \pm 0$; $\gamma = 40.2499 \pm 1.0$
 $\xi \leq 0.1$ in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 88
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw


$\xi \leq 0.1$ in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 88
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 103 ± 5 going to 313

Fe_ei800_align_sym3.sqw

1.4 ± 0.063 ; $J_0 = 35 \pm 0.96$; $J_1 = 0 \pm 0$; $\gamma = 81.1351 \pm 1.0$
 $\xi \leq 0.1$ in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 98
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 98
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 113±5 going to 313

Fe_ei800_align_sym3.sqw
 1.1 ± 0.062 ; $J_0 = 36 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 60.1157 \pm 1.1$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 108
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 108
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



 **** En = 123±5 going to 313


Fe_ei800_align_sym3.sqw

1.6 ± 0.53 ; $J_0 = 40 \pm 4.1$; $J_1 = 0 \pm 0$; $\gamma = 99.4403 \pm 42$.
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 118
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw


≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 118
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




**** En = 133 ± 5 going to 313

Fe_ei800_align_sym3.sqw

1.2 ± 0.093 ; $J_0 = 36 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 71.7453 \pm 2$.
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 128
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 128
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




**** En = 143±5 going to 313

Fe_ei800_align_sym3.sqw
 1.3 ± 0.076 ; $J_0 = 37 \pm 0.92$; $J_1 = 0 \pm 0$; $\gamma = 84.1322 \pm 1.1$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 138
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 138
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



**** En = 153±5 going to 313


Fe_ei800_align_sym3.sqw

1.81 ± 0.039 ; $J_0 = 36 \pm 0.8$; $J_1 = 0 \pm 0$; $\gamma = 53.0022 \pm 1.0$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 148
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw


≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 148
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 163±5 going to 313

Fe_ei800_align_sym3.sqw

1.65 ± 0.029 ; $J_0 = 35 \pm 0.7$; $J_1 = 0 \pm 0$; $\gamma = 36.3276 \pm 1.0$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 158
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 158
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




**** En = 173±5 going to 313

Fe_ei800_align_sym3.sqw
 1.3 ± 0.08 ; $J_0 = 40 \pm 0.87$; $J_1 = 0 \pm 0$; $\gamma = 97.1149 \pm 2.3$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 168
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 168
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



**** En = 183±5 going to 313


Fe_ei800_align_sym3.sqw

1.63 ± 0.043 ; $J_0 = 35 \pm 0.85$; $J_1 = 0 \pm 0$; $\gamma = 42.4176 \pm 1.1$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 178
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw


≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 178
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 193 ± 5 going to 313

Fe_ei800_align_sym3.sqw

1.1 ± 0.058 ; $J_0 = 37 \pm 0.57$; $J_1 = 0 \pm 0$; $\gamma = 78.3564 \pm 1.1$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 188
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 188
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 203±5 going to 313

Fe_ei800_align_sym3.sqw
 1.93 ± 0.049 ; $J_0 = 36 \pm 0.57$; $J_1 = 0 \pm 0$; $\gamma = 67.8658 \pm 2$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 198
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 198
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



 **** En = 213±5 going to 313


Fe_ei800_align_sym3.sqw

1.76 ± 0.031 ; $J_0 = 36 \pm 0.48$; $J_1 = 0 \pm 0$; $\gamma = 53.6984 \pm 1.1$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 208
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw


≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 208
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 223 ± 5 going to 313

Fe_ei800_align_sym3.sqw

1.77 ± 0.032 ; $J_0 = 35 \pm 0.47$; $J_1 = 0 \pm 0$; $\gamma = 55.7491 \pm 1.1$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 218
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 218
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




**** En = 233±5 going to 313

Fe_ei800_align_sym3.sqw
 0.82 ± 0.046 ; $J_0 = 35 \pm 0.66$; $J_1 = 0 \pm 0$; $\gamma = 74.973 \pm 2.2$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 228
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 228
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



**** En = 243±5 going to 313


Fe_ei800_align_sym3.sqw

0.76 ± 0.13 ; $J_0 = 36 \pm 0.55$; $J_1 = 0 \pm 0$; $\gamma = 69.1106 \pm 13$.
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 238
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw


≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 238
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




**** En = 253 ± 5 going to 313

Fe_ei800_align_sym3.sqw

1.45 ± 0.035 ; $J_0 = 36 \pm 0.65$; $J_1 = 0 \pm 0$; $\gamma = 50.5339 \pm 1$.
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 248
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 248
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 263±5 going to 313

Fe_ei800_align_sym3.sqw
 1.24 ± 0.025 ; $J_0 = 36 \pm 0.92$; $J_1 = 0 \pm 0$; $\gamma = 32.3197 \pm 2$.
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 258
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 258
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



 **** En = 273±5 going to 313


Fe_ei800_align_sym3.sqw

0.63 ± 0.17 ; $J_0 = 37 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 93.8202 \pm 7.0$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 268
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw


≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 268
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




**** En = 283 ± 5 going to 313

Fe_ei800_align_sym3.sqw

0.14 ± 0.29 ; $J_0 = 39 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 29.0788 \pm 6.6$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 278
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 278
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 293±5 going to 313

Fe_ei800_align_sym3.sqw
 0.11 ± 2.5 ; $J_0 = 37 \pm 27$; $J_1 = 0 \pm 0$; $\gamma = 54.4984 \pm 72$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 288
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 288
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




 **** En = 303±5 going to 313

Fe_ei800_align_sym3.sqw
 ± 0.015 ; $J_0 = 40 \pm 0.0054$; $J_1 = 0 \pm 0$; $\gamma = 0.0194672 \pm 0.0000000$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 298
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$




Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 298
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$







 **** En = 313 $\pm$ 5 going to 313

Fe_ei800_align_sym3.sqw
 28 ± 0.61 ; $J_0 = 40 \pm 0.25$; $J_1 = 0 \pm 0$; $\gamma = -0.0338069 \pm 0.0000000$
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 308
 $\zeta = -0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$



Fe_ei800_align_sym3.sqw
 ≤ 0.1 in $[1+\xi, 1-\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1, -\eta]$, 308
 $\zeta=-0.015:0.03:0.525$ in $[1+\zeta, 1+\zeta, 0]$






```

c1 = NG_FFCutsFits.(selectCuts);
NG_FFCutsFits.(selectCuts) = [c1{:}];

beep
beep
beep

all_fit_par = NG_FFCutsFits.([selectCuts, '_all_fit_par']);
bg_data = extract_bg_par(all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure;


```



```

pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure

```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_fig
ure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_fig
ure
```

```
doc = matlab.desktop.editor.getActive;
doc.save;
thisFile = 'e:\SHARE\Fe\Data\analysis\06_fit_with_AQ0\fit_cutFe_NG.mlx';
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_NG_',selectCuts,'.pdf']);
export(thisFile,targ_file);
%close all;
%end
```

```
fit_src_struct = NG_FFCutsFits;
save(Cutfitfile,"fit_src_struct",-v7.3')
```