

```
%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;

% retrieve selected cuts used for further fitting
[GH_FFCutsFits,CutFitFileGH] =
recover_selected_cuts('GH_FFCutsFits','e:\SHARE\Fe\Data\analysis\07_fit_with_multicu
t_all\sel_cuts');
```

```
fn = fieldnames(GH_FFCutsFits);
%nf = 11
%for nf = 2:numel(fn)
%selectCuts = fn{nf};
selectCuts = 'Ei400_off200GHmaxFF';
if ismember(selectCuts(1:3),{'msk','dat'})||...
    contains(selectCuts,'all_fit_par')
    %continue
    error('Can not fit field: %s',selectCuts);
end

fprintf('*****\n');
```

```
*****
```

```
fprintf('Processing cuts: %s \n', selectCuts);
```

```
Processing cuts: Ei400_off200GHmaxFF
```


```
fprintf('*****\n');
```

```
*****
```

```
cuts_list = GH_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end
if contains(selectCuts,'Ei200')
    min_Ei = 30;
    mi = maps_instrument(200,600,'S');
end
if contains(selectCuts,'Ei400')
    min_Ei = 40;
    mi = maps_instrument(401,600,'S');
end
if contains(selectCuts,'Ei800')
    min_Ei = 70;
    mi = maps_instrument(786,600,'S');
end
sample=IX_sample(true,[1,0,0],[0,1,0],'cuboid',[0.04,0.03,0.02]);
for j=1:numel(cuts_list)
```

```
cuts_list{j} = cuts_list{j}.set_instrument(mi);
cuts_list{j} = cuts_list{j}.set_sample(sample);
plot(cuts_list{j}); lz 0 1; keep_figure;
```

end



```
dir_name = "GH";

dE_step = 2; %original energy transfer step data were binned to. No point in going
finer
half_dE = 5; % half width of data binning


en_mm = cuts_list{1}.data.img_range(:,4);
en_mm(1) = max(min_Ei,en_mm(1));
%en_mm(1) = 100;
%en_mm(2) = 170;
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);

cut_dimensions = 1;
GH_FFCutsFits.(selectCuts) = cuts_list;

GH_FFCutsFits = fit_multicutsFF_along_direction(...
    GH_FFCutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);
```

```
*****
**** En = 45±5 going to 245
*****
```


Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $40 \leq E \leq 5$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 55±5 going to 245

Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 3.9216

Fe_ei401_align_sym3.sqw
 $S = 1.1 \pm 0.56$; $J_0 = 25 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 1.81368 \pm 0.924756$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $50 \leq E \leq 6$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $50 \leq E \leq 6$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$



**** En = 65±5 going to 245


Fe_ei401_align_sym3.sqw

S=0.31±0.72; J0= 25± 6.6; J1= 0± 0; gamma=1.05837±2.73319
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $60 \leq E \leq 7$
 $\zeta=-0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$



Fe_ei401_align_sym3.sqw

$-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $60 \leq E \leq 7$
 $\zeta=-0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 75±5 going to 245


Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9608

Fe_ei401_align_sym3.sqw

S= 1.2± 0.2; J0= 30± 2.8; J1= 0± 0; gamma=35.6505±6.60359
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $70 \leq E \leq 8$
 $\zeta=-0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $70 \leq E \leq 80$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 85±5 going to 245

Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 3.9216

Fe_ei401_align_sym3.sqw
 $S = 1.6 \pm 0.24$; $J_0 = 35 \pm 2.8$; $J_1 = 0 \pm 0$; $\gamma = 57.1273 \pm 7.42136$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $80 \leq E \leq 90$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $80 \leq E \leq 90$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 95±5 going to 245

Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9608

Fe_ei401_align_sym3.sqw
 $S = 2.9 \pm 1.7$; $J_0 = 32 \pm 8.3$; $J_1 = 0 \pm 0$; $\gamma = 107.086 \pm 87.8796$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $90 \leq E \leq 110$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $90 \leq E \leq 110$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




 **** En = 105±5 going to 245

Fe_ei401_align_sym3.sqw
 $S = 1.9 \pm 0.6$; $J_0 = 28 \pm 2.9$; $J_1 = 0 \pm 0$; $\gamma = 59.3072 \pm 26.7648$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $100 \leq E \leq 110$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $100 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 115±5 going to 245

Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9608

Fe_ei401_align_sym3.sqw
 $S = 2 \pm 1.5$; $J_0 = 31 \pm 10$; $J_1 = 0 \pm 0$; $\gamma = 130.408 \pm 141.083$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $110 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $110 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 125±5 going to 245

Fe_ei401_align_sym3.sqw
S= 17±3.7e+02; J0=2e+02±4.3e+03; J1= 0± 0; gamma=3994.01±1735
-0.1 ≤ ξ ≤ 0.1 in [-ξ, 2, 0] , -0.1 ≤ η ≤ 0.1 in [0, 2, η] , 120 ≤ E ≤ 1
ζ=-0.01:0.02:1.01 in [0, 2+ζ, 0]




Fe_ei401_align_sym3.sqw
-0.1 ≤ ξ ≤ 0.1 in [-ξ, 2, 0] , -0.1 ≤ η ≤ 0.1 in [0, 2, η] , 120 ≤ E ≤ 1
ζ=-0.01:0.02:1.01 in [0, 2+ζ, 0]




**** En = 135±5 going to 245

Fe_ei401_align_sym3.sqw
S= 5.3± 43; J0=1e+02±7.4e+02; J1= 0± 0; gamma=1026.32±15701.
-0.1 ≤ ξ ≤ 0.1 in [-ξ, 2, 0] , -0.1 ≤ η ≤ 0.1 in [0, 2, η] , 130 ≤ E ≤ 1
ζ=-0.01:0.02:1.01 in [0, 2+ζ, 0]




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $130 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 145±5 going to 245

Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9608

Fe_ei401_align_sym3.sqw
 $S = 2 \pm 0.7$; $J_0 = 41 \pm 6.7$; $J_1 = 0 \pm 0$; $\gamma = 122.535 \pm 67.8351$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $140 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $140 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 155±5 going to 245

Fe_ei401_align_sym3.sqw
 $S = 1.6 \pm 0.2$; $J_0 = 36 \pm 2.3$; $J_1 = 0 \pm 0$; $\gamma = 62.4643 \pm 4.01005$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $150 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $150 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




 **** En = 165±5 going to 245

Fe_ei401_align_sym3.sqw
 $S = 1.5 \pm 0.14$; $J_0 = 36 \pm 1.8$; $J_1 = 0 \pm 0$; $\gamma = 60.3854 \pm 3.87629$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $160 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $160 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 175±5 going to 245

Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 3.9216

Fe_ei401_align_sym3.sqw
 $S = 2.4 \pm 0.88$; $J_0 = 35 \pm 3.6$; $J_1 = 0 \pm 0$; $\gamma = 125.881 \pm 58.9073$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $170 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $170 \leq E \leq 1$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$



**** En = 185±5 going to 245


Fe_ei401_align_sym3.sqw

S= 1.7±0.33; J0= 38± 1.8; J1= 0± 0; gamma=80.7838±22.4094
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $180 \leq E \leq 1$
 $\zeta=-0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$



Fe_ei401_align_sym3.sqw

$-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $180 \leq E \leq 1$
 $\zeta=-0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 195±5 going to 245


Warning: Dataset:4 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 7.8431

Fe_ei401_align_sym3.sqw

S= 1.3± 0.1; J0= 32±0.87; J1= 0± 0; gamma=50.7787±3.72767
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $190 \leq E \leq 2$
 $\zeta=-0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $190 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 205±5 going to 245

Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 3.9216

Fe_ei401_align_sym3.sqw
 $S = 1.9 \pm 0.28$; $J_0 = 33 \pm 1.1$; $J_1 = 0 \pm 0$; $\gamma = 81.9003 \pm 17.4359$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $200 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $200 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 215±5 going to 245

Warning: Dataset:5 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 9.8039

Fe_ei401_align_sym3.sqw
 $S = 3.8 \pm 1.2$; $J_0 = 41 \pm 4.9$; $J_1 = 0 \pm 0$; $\gamma = 203.01 \pm 92.8636$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $210 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $210 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




 **** En = 225±5 going to 245

Warning: Dataset:4 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 7.8431

Fe_ei401_align_sym3.sqw
 $S = 1.9 \pm 0.28$; $J_0 = 32 \pm 0.79$; $J_1 = 0 \pm 0$; $\gamma = 88.8625 \pm 15.3252$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $220 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $220 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




**** En = 235±5 going to 245

Warning: Dataset:3 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 5.8824

Fe_ei401_align_sym3.sqw
 $S = 1.6 \pm 0.3$; $J_0 = 33 \pm 0.92$; $J_1 = 0 \pm 0$; $\gamma = 82.9136 \pm 18.6632$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $230 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$




Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $230 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$





**** En = 245±5 going to 245



Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9608

Fe_ei401_align_sym3.sqw
 $S = 1.8 \pm 0.27$; $J_0 = 34 \pm 0.98$; $J_1 = 0 \pm 0$; $\gamma = 98.2589 \pm 18.8053$
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $240 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$



Fe_ei401_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[-\xi, 2, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[0, 2, \eta]$, $240 \leq E \leq 2$
 $\zeta = -0.01:0.02:1.01$ in $[0, 2+\zeta, 0]$






```

c1 = GH_FFCutsFits.(selectCuts);
GH_FFCutsFits.(selectCuts) = [c1{:}];


beep
beep
beep

all_fit_par = GH_FFCutsFits.([selectCuts, '_all_fit_par']);
bg_data = extract_bg_par(all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure;

```



```
pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure
```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure
```

```
doc = matlab.desktop.editor.getActive;
doc.save;
thisFile = 'e:\SHARE\Fe\Data\analysis\06_fit_with_AQ0\fit_cutFe_GH.m';
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_GH_',selectCuts,'.pdf']);
export(thisFile,targ_file);
```

```
fit_src_struct = GH_FFCutsFits;
save(CutFitFileGH,"fit_src_struct",-v7.3');
close all;
```

%end