

```
%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;

% retrieve selected cuts used for further fitting
[GH_FFCutsFits,CutFitFileGH] =
recover_selected_cuts('GH_FFCutsFits','e:\SHARE\FE\Data\analysis\07_fit_with_multicu
t_all\sel_cuts');
```

```
fn = fieldnames(GH_FFCutsFits);
%nf = 11
%for nf = 2:numel(fn)
%selectCuts = fn{nf};
selectCuts = 'Ei800_off200GHminFF';
if ismember(selectCuts(1:3),{'msk','dat'})||...
    contains(selectCuts,'all_fit_par')
    %continue
    error('Can not fit field: %s',selectCuts);
end

fprintf('*****\n');
```

```
*****
```

```
fprintf('Processing cuts: %s \n', selectCuts);
```

```
Processing cuts: Ei800_off200GHmidFF
```


```
fprintf('*****\n');
```

```
*****
```

```
cuts_list = GH_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end
if contains(selectCuts,'Ei200')
    min_Ei = 30;
    mi = maps_instrument(200,600,'S');
end
if contains(selectCuts,'Ei400')
    min_Ei = 40;
    mi = maps_instrument(401,600,'S');
end
if contains(selectCuts,'Ei800')
    min_Ei = 70;
    mi = maps_instrument(786,600,'S');
end
sample=IX_sample(true,[1,0,0],[0,1,0],'cuboid',[0.04,0.03,0.02]);
for j=1:numel(cuts_list)
```

```
cuts_list{j} = cuts_list{j}.set_instrument(mi);
cuts_list{j} = cuts_list{j}.set_sample(sample);
plot(cuts_list{j}); lz 0 1; keep_figure;
```

end



```
dir_name = "GH";

dE_step = 2; %original energy transfer step data were binned to. No point in going
finer
half_dE = 5; % half width of data binning


en_mm = cuts_list{1}.data.img_range(:,4);
en_mm(1) = max(min_Ei,en_mm(1));
%en_mm(1) = 100;
%en_mm(2) = 170;
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);

cut_dimensions = 1;
GH_FFcutsFits.(selectCuts) = cuts_list;

GH_FFcutsFits = fit_multicutsFF_along_direction(...
    GH_FFcutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);
```


```
*****
**** En = 75±5 going to 325
*****
```

Fe_ei800, w2_800dir010off200.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $70 \leq E \leq 100$ keV
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 85±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S= 1.4 \pm 0.16$; $J_0= 28 \pm 3.2$; $J_1= 0 \pm 0$; $\gamma=94.4039 \pm 7.29502$
 $-0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $80 \leq E \leq 100$ keV
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $80 \leq E \leq 100$ keV
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 95±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S=0.54\pm0.047$; $J_0= 28\pm 1.9$; $J_1= 0\pm 0$; $\gamma=8.66846\pm1.01679$
 $-0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $90 \leq E \leq 1$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $90 \leq E \leq 1$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




 **** En = 105±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S= 1\pm0.58$; $J_0= 36\pm 8.3$; $J_1= 0\pm 0$; $\gamma=71.7072\pm70.6158$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $100 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $100 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 115±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S=0.85\pm0.38$; $J_0= 30\pm 3.9$; $J_1= 0\pm 0$; $\gamma=49.6932\pm42.1168$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $110 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $110 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 125±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S=0.78\pm0.081$; $J_0= 35\pm 2.9$; $J_1= 0\pm 0$; $\gamma=54.0352\pm5.45857$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $120 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $120 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




 **** En = 135±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S=0.91\pm0.57$; $J_0= 36\pm 6.9$; $J_1= 0\pm 0$; $\gamma=67.7656\pm72.0121$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $130 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $130 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 145±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S=0.54\pm0.052$; $J_0= 34\pm 2.3$; $J_1= 0\pm 0$; $\gamma=40.0499\pm4.09206$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $140 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $140 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 155±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S = 2.1 \pm 0.27$; $J_0 = 62 \pm 4.9$; $J_1 = 0 \pm 0$; $\gamma = 384.849 \pm 29.3507$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $150 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $150 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




 **** En = 165 ± 5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S = 6.9 \pm 40$; $J_0 = 1e+02 \pm 5.3e+02$; $J_1 = 0 \pm 0$; $\gamma = 1417.27 \pm 14996$.
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $160 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $160 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 175±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S= 11 \pm 1.1$; $J0=1.8e+02 \pm 8.6$; $J1= 0 \pm 0$; $\gamma=3813.85 \pm 197.59$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $170 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $170 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 185±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $33 \pm 2.4 \times 10^3$; $J_0 = 4.2 \times 10^2 \pm 3 \times 10^4$; $J_1 = 0 \pm 0$; $\gamma = 25766.4 \pm 3.7317$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $180 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $180 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




 **** En = 195 ± 5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S = 21 \pm 1.3$; $J_0 = 3 \times 10^2 \pm 7.9$; $J_1 = 0 \pm 0$; $\gamma = 13904.6 \pm 410.267$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $190 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $190 \leq E \leq 190$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 205±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S = 11 \pm 1$; $J0 = 1.4e+02 \pm 4.1$; $J1 = 0 \pm 0$; $\gamma = 2791.08 \pm 124.916$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $200 \leq E \leq 200$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $200 \leq E \leq 200$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$



**** En = 215±5 going to 325


Fe_ei800, w2_800dir010off200.sqw

S= 5.5± 19; J0= 92±2.6e+02; J1= 0± 0; gamma=1123.38±6637.15
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $210 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$



Fe_ei800, w2_800dir010off200.sqw


$0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $210 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 225±5 going to 325

Fe_ei800, w2_800dir010off200.sqw

S=0.91±0.31; J0= 33± 2.1; J1= 0± 0; gamma=74.7125±39.6947
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $220 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $220 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 235±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S=0.88\pm0.07$; $J_0= 33\pm 1.1$; $J_1= 0\pm 0$; $\gamma=66.3369\pm4.14828$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $230 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $230 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$



**** En = 245±5 going to 325


Fe_ei800, w2_800dir010off200.sqw

S= 1.2 ± 0.4 ; J0= 38 ± 3.4 ; J1= 0 ± 0 ; gamma= 130.824 ± 58.5687
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $240 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$



Fe_ei800, w2_800dir010off200.sqw


$0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $240 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 255 ± 5 going to 325

Fe_ei800, w2_800dir010off200.sqw

S= 0.98 ± 0.069 ; J0= 36 ± 0.97 ; J1= 0 ± 0 ; gamma= 100.404 ± 5.04284
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $250 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $250 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 265±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S = 1.4 \pm 0.093$; $J_0 = 40 \pm 0.68$; $J_1 = 0 \pm 0$; $\gamma = 179.068 \pm 7.19868$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $260 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $260 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$



**** En = 275±5 going to 325


Fe_ei800, w2_800dir010off200.sqw

S= 1.4 ± 0.35 ; J0= 41 ± 3.4 ; J1= 0 ± 0 ; gamma= 192.529 ± 60.4882
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $270 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$



Fe_ei800, w2_800dir010off200.sqw


$0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $270 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 285 ± 5 going to 325

Fe_ei800, w2_800dir010off200.sqw

S= 1 ± 0.26 ; J0= 40 ± 2.9 ; J1= 0 ± 0 ; gamma= 172.082 ± 53.9737
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $280 \leq E \leq$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $280 \leq E \leq 325$ in $[2, \zeta, 0]$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 295±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 $S = 1.1 \pm 0.087$; $J_0 = 41 \pm 0.9$; $J_1 = 0 \pm 0$; $\gamma = 218.702 \pm 8.41508$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $290 \leq E \leq 325$ in $[2, \zeta, 0]$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $290 \leq E \leq 325$ in $[2, \zeta, 0]$
 $\zeta = -0.02:0.04:1.02$ in $[2, \zeta, 0]$



**** En = 305±5 going to 325


Fe_ei800, w2_800dir010off200.sqw

S=0.94±0.061; J0= 39±0.65; J1= 0± 0; gamma=163.754±6.55282
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $300 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$



Fe_ei800, w2_800dir010off200.sqw


$0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $300 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




**** En = 315±5 going to 325

Fe_ei800, w2_800dir010off200.sqw

S= 1±0.19; J0= 40± 2; J1= 0± 0; gamma=169.752±36.3273
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $310 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$




Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $310 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$







 **** En = 325±5 going to 325

Fe_ei800, w2_800dir010off200.sqw
 S= 1.1± 0.2; J0= 40±0.85; J1= 0± 0; gamma=204.878±24.9673
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $320 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$



Fe_ei800, w2_800dir010off200.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, \eta]$, $320 \leq E \leq$
 $\zeta=-0.02:0.04:1.02$ in $[2, \zeta, 0]$





```

c1 = GH_FFCutsFits.(selectCuts);
GH_FFCutsFits.(selectCuts) = [c1{:}];

beep
beep
beep


all_fit_par = GH_FFCutsFits.([selectCuts, '_all_fit_par']);

```

```

bg_data = extract_bg_par(all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure;


```



```

pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure

```



```

%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure

```

```

doc = matlab.desktop.editor.getActive;
doc.save;
thisFile = 'e:\SHARE\Fe\Data\analysis\06_fit_with_AQ0\fit_cutFe_GH.m';
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_GH_',selectCuts,'.pdf']);
export(thisFile,targ_file);

```

```
fit_src_struct = GH_FFCutsFits;  
save(CutFitFileGH,"fit_src_struct",-v7.3');  
close all;  
%end
```