

```
%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;

% retrieve selected cuts used for further fitting
[GP_FFCutsFits,CutFitFileGP] =
recover_selected_cuts('GP_FFCutsFits','e:\SHARE\FE\Data\analysis\07_fit_with_multicu
t_allJ\sel_cuts');
```

```
fn = fieldnames(GP_FFCutsFits);
%nf = 11
%for nf = 2:numel(fn)
%selectCuts = fn{nf};
selectCuts = 'Ei800_off200GPminFF';
```


```
selectCuts =
'Ei800_off200GPminFF'
```

```
if ismember(selectCuts(1:3),{'msk','dat'})||...
    contains(selectCuts,'all_fit_par')
    %continue
    error('Can not fit field: %s',selectCuts);
end
```

```
fprintf('Processing cuts: %s \n', selectCuts);
```

```
Processing cuts: Ei800_off200GPminFF
```

```
%selectCuts= 'Ei400_off200GPmaxFF';
cuts_list = GP_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end
if contains(selectCuts,'Ei200')
    mi = maps_instrument(200,600,'S');
end
if contains(selectCuts,'Ei400')
    mi = maps_instrument(401,600,'S');
end
if contains(selectCuts,'Ei800')
    mi = maps_instrument(786,600,'S');
end
sample=IX_sample(true,[1,0,0],[0,1,0],'cuboid',[0.04,0.03,0.02]);
for j=1:numel(cuts_list)
    cuts_list{j} = cuts_list{j}.set_instrument(mi);
    cuts_list{j} = cuts_list{j}.set_sample(sample);
    plot(cuts_list{j}); lz 0 1; keep_figure;
end
```




```
dir_name = "GP";



dE_step = 2; %original energy transfer step data were binned to. No point in going finer
half_dE = 5; % half width of data binning

en_mm = cuts_list{1}.data.img_range(:,4);
en_mm(1) = max(30,en_mm(1));
%en_mm(1) = 100;
%en_mm(2) = 170;
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);

cut_dimensions = 1;
GP_FFCutsFits.(selectCuts) = cuts_list;


GP_FFCutsFits = fit_multicutsFF_along_direction(...
    GP_FFCutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);
```






 **** En = 83±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $78 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 93±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.74\pm0.022$; $J_0=33\pm0.61$; $J_1=0\pm0$; $\gamma=28.6685\pm0.8532$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $88 \leq E \leq 88$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $88 \leq E \leq 88$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 103±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=1.1\pm0.032$; $J_0=37\pm0.7$; $J_1=0\pm0$; $\gamma=54.1741\pm1.33717$
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $98 \leq E \leq 98$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $0.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $98 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 113±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.97 \pm 0.03$; $J_0 = 37 \pm 0.62$; $J_1 = 0 \pm 0$; $\gamma = 54.8823 \pm 1.35879$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $108 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $108 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 123±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S = 1.5 \pm 0.049$; $J_0 = 40 \pm 0.54$; $J_1 = 0 \pm 0$; $\gamma = 86.304 \pm 1.64742$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $118 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $118 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 133±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S = 0.75 \pm 0.14$; $J_0 = 35 \pm 1.4$; $J_1 = 0 \pm 0$; $\gamma = 43.1561 \pm 11.4598$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $128 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $128 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 143±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.73 \pm 0.021$; $J_0 = 34 \pm 0.37$; $J_1 = 0 \pm 0$; $\gamma = 42.0677 \pm 0.907378$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $138 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $138 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 153±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.75\pm0.021$; $J_0= 35\pm0.34$; $J_1= 0\pm 0$; $\gamma=39.2145\pm0.835738$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $148 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $148 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 163±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S= 0.8\pm0.021$; $J_0= 36\pm0.27$; $J_1= 0\pm 0$; $\gamma=43.9873\pm0.778375$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $158 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $158 \leq E \leq 168$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 173±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.88 \pm 0.12$; $J_0= 38 \pm 0.98$; $J_1= 0 \pm 0$; $\gamma=56.6943 \pm 8.72014$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $168 \leq E \leq 178$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $168 \leq E \leq 178$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 183±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.82\pm0.094$; $J_0= 38\pm0.83$; $J_1= 0\pm 0$; $\gamma=55.3696\pm7.33374$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $178 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $178 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 193±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.74\pm0.026$; $J_0= 38\pm0.21$; $J_1= 0\pm 0$; $\gamma=51.3373\pm0.959596$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $188 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $188 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 203±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.79 \pm 0.082$; $J_0=39 \pm 0.75$; $J_1=0 \pm 0$; $\gamma=61.4656 \pm 7.01555$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $198 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $198 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 213±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.74\pm0.073$; $J_0= 39\pm0.73$; $J_1= 0\pm 0$; $\gamma=64.5342\pm7.0366$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $208 \leq E \leq 218$ eV
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $S=0.74\pm0.073$; $J_0= 39\pm0.73$; $J_1= 0\pm 0$; $\gamma=64.5342\pm7.0366$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $208 \leq E \leq 218$ eV
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 223±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.68\pm0.02$; $J_0= 39\pm0.13$; $J_1= 0\pm 0$; $\gamma=59.3672\pm0.879405$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $218 \leq E \leq 228$ eV
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $218 \leq E \leq 228$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 233±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.67 \pm 0.022$; $J_0=39 \pm 0.16$; $J_1=0 \pm 0$; $\gamma=67.6729 \pm 1.12083$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $228 \leq E \leq 238$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $228 \leq E \leq 238$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 243±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.71\pm0.023$; $J_0=40\pm0.19$; $J_1=0\pm0$; $\gamma=74.1991\pm1.34614$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $238 \leq E \leq 248$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $238 \leq E \leq 248$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




 **** En = 253±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.69\pm0.048$; $J_0=41\pm0.46$; $J_1=0\pm0$; $\gamma=74.1285\pm6.50816$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $248 \leq E \leq 258$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $248 \leq E \leq 258$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 263±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S = 0.8 \pm 0.028$; $J0 = 42 \pm 0.27$; $J1 = 0 \pm 0$; $\gamma = 94.7416 \pm 2.38633$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $258 \leq E \leq 268$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $258 \leq E \leq 273$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




**** En = 273±5 going to 283

Fe_ei800, w2_800MinFF.sqw
 $S=0.75\pm0.068$; $J_0= 43\pm0.58$; $J_1= 0\pm 0$; $\gamma=106.593\pm12.0538$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $268 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$




Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $268 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$






 **** En = 283±5 going to 283


Warning: Dataset:2 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.9802

Fe_ei800, w2_800MinFF.sqw
 $S=0.84\pm0.098$; $J_0= 43\pm0.76$; $J_1= 0\pm 0$; $\gamma=131.922\pm18.3562$
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $278 \leq E \leq$
 $\zeta=-0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$



Fe_ei800, w2_800MinFF.sqw
 $.1 \leq \xi \leq 0.1$ in $[2-\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2+0.5\eta, -0.5\eta, \eta]$, $278 \leq E \leq$
 $\zeta = -0.0025:0.005:0.5025$ in $[2-\zeta, \zeta, \zeta]$






```

c1 = GP_FFCutsFits.(selectCuts);
GP_FFCutsFits.(selectCuts) = [c1{:}];

beep
beep
beep

all_fit_par = GP_FFCutsFits.([selectCuts, '_all_fit_par']);
bg_data = extract_bg_par(all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure;


```



```

pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure

```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_fig
ure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_fig
ure
```

```
doc = matlab.desktop.editor.getActive;
doc.save;
thisFile = 'e:\SHARE\Fe\Data\analysis\06_fit_with_AQ0\fit_cutFe_GP.mlx';
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_GP_',selectCuts,'.pdf']);
export(thisFile,targ_file);
%close all;

fit_src_struct = GP_FFCutsFits;
save(CutFitFileGP,"fit_src_struct",-v7.3')
```

Unrecognized function or variable 'CutFitFileGP'.

```
%end
```