

```
%root_path = fileparts(mfilename("fullpath"));
%root_path = pwd;

% retrieve selected cuts used for further fitting
NG_FFCutsFits = recover_selected_cuts('NG_FFCutsFits');
```

```
fn = fieldnames(NG_FFCutsFits);
nf = 11
```

```
nf =
11
```

```
%for i = 11:numel(fn)
%selectCuts = fn{nf};
selectCuts = 'Ei800_off200NGmaxFF'
```

```
selectCuts =
'Ei800_off200NGmaxFF'
```

```
if ismember(selectCuts(1:3),{'msk','dat'})||...
    contains(selectCuts,'all_fit_par')
    %continue
    error('Can not fit field: %s',selectCuts);
end
```

```
fprintf('Processing cuts: %s \n', selectCuts);
```

```
Processing cuts: Ei800_off200NGmaxFF
```

```
cuts_list = NG_FFCutsFits.(selectCuts);
if ~iscell(cuts_list)
    cuts_list = {cuts_list};
end
if contains(selectCuts,'Ei200')
    mi = maps_instrument(200,600,'S');
end
if contains(selectCuts,'Ei400')
    mi = maps_instrument(401,600,'S');
end
if contains(selectCuts,'Ei800')
    mi = maps_instrument(786,600,'S');
end
sample=IX_sample(true,[1,0,0],[0,1,0],'cuboid',[0.04,0.03,0.02]);
for j=1:numel(cuts_list)
    cuts_list{j} = cuts_list{j}.set_instrument(mi);
    cuts_list{j} = cuts_list{j}.set_sample(sample);
    plot(cuts_list{j}); lz 0 1; keep_figure;
end
dir_name = "NG";
```

```

dE_step = 2; %original energy transfer step data were binned to. No point in going
finer
half_dE = 5; % half width of data binning

en_mm = cuts_list{1}.data.img_range(:,4);
en_mm(1) = max(30,en_mm(1));
%en_mm(1) = 100;
en_mm(2) = 380;
cut_en = en_mm(1)+half_dE:2*half_dE:(en_mm(2)-half_dE);


cut_dimensions = 1;
NG_FFCutsFits.(selectCuts) = cuts_list;

NG_FFCutsFits = fit_multicutsFF_along_direction(...
    NG_FFCutsFits,selectCuts,cut_dimensions,cut_en,dE_step,half_dE,true);

```


*** En = 83±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 7
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




*** En = 93±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.053 ; $J_0 = 29 \pm 1.4$; $J_1 = 0 \pm 0$; $\gamma = 17.4157$
 ± 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 8
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 $\xi = 0.1$ in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 8
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 103±5 going to 373

Fe_ei800_align_sym3.sqw
 3 ± 0.11 ; $J_0 = 34 \pm 2$; $J_1 = 0 \pm 0$; $\gamma = 72.8081$
 $\xi = 0.1$ in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 98
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 $\xi = 0.1$ in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 98
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 113±5 going to 373

Fe_ei800_align_sym3.sqw
 1 ± 0.11 ; $J_0 = 33 \pm 2.1$; $J_1 = 0 \pm 0$; $\gamma = 51.9803$
 $\xi = 0.1$ in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 10
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 10
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 123±5 going to 373

Fe_ei800_align_sym3.sqw
 $I \pm 0.17$; $J_0 = 38 \pm 3.4$; $J_1 = 0 \pm 0$; $\gamma = 88.4307 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 11
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 11
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 133±5 going to 373

Fe_ei800_align_sym3.sqw
 $I \pm 0.074$; $J_0 = 33 \pm 1.2$; $J_1 = 0 \pm 0$; $\gamma = 58.831 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 12
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 12
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 143±5 going to 373

Fe_ei800_align_sym3.sqw
 $\eta \pm 0.06$; $J_0 = 34 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 26.2786$;
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 13
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 13
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 153±5 going to 373

Fe_ei800_align_sym3.sqw
 $\eta \pm 0.045$; $J_0 = 33 \pm 1$; $J_1 = 0 \pm 0$; $\gamma = 25.1465$;
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 14
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 14
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 163±5 going to 373

Fe_ei800_align_sym3.sqw
 3 ± 0.061 ; $J_0 = 35 \pm 1.1$; $J_1 = 0 \pm 0$; $\gamma = 38.7158$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 15
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 15
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 173±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.068 ; $J_0 = 35 \pm 0.87$; $J_1 = 0 \pm 0$; $\gamma = 48.3806$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 16
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 16
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 183±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.076 ; $J_0 = 34 \pm 1$; $J_1 = 0 \pm 0$; $\gamma = 60.2222$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 17
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 17
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 193±5 going to 373

Fe_ei800_align_sym3.sqw
 8 ± 0.84 ; $J_0 = 38 \pm 2.7$; $J_1 = 0 \pm 0$; $\gamma = 101.11 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 18
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 18
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 203±5 going to 373

Fe_ei800_align_sym3.sqw
 3 ± 0.3 ; $J_0 = 35 \pm 1.1$; $J_1 = 0 \pm 0$; $\gamma = 55.7956 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 19
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 19
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 213±5 going to 373

Fe_ei800_align_sym3.sqw
 5.5 ± 0.18 ; $J_0 = 37 \pm 1.3$; $J_1 = 0 \pm 0$; $\gamma = 103.1 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 20
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 20
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 223±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.078 ; $J_0 = 35 \pm 0.88$; $J_1 = 0 \pm 0$; $\gamma = 60.2155$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 21
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 21
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 233±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.084 ; $J_0 = 35 \pm 1.1$; $J_1 = 0 \pm 0$; $\gamma = 44.7788$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 22
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 22
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 243±5 going to 373

Fe_ei800_align_sym3.sqw
 1 ± 0.1 ; $J_0 = 37 \pm 0.75$; $J_1 = 0 \pm 0$; $\gamma = 74.873 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 23
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 23
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 253±5 going to 373

Fe_ei800_align_sym3.sqw
 8 ± 0.43 ; $J_0 = 38 \pm 1.4$; $J_1 = 0 \pm 0$; $\gamma = 70.905 \pm$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 24
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 24
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 263±5 going to 373

Fe_ei800_align_sym3.sqw
 4 ± 11 ; $J_0 = 31 \pm 36$; $J_1 = 0 \pm 0$; $\gamma = 305.38$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 25
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 25
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 273±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 0.053 ; $J_0 = 36 \pm 1.9$; $J_1 = 0 \pm 0$; $\gamma = 82.1382$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 26
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 26
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 283±5 going to 373

Fe_ei800_align_sym3.sqw
 2 ± 0.035 ; $J_0 = 39 \pm 1.6$; $J_1 = 0 \pm 0$; $\gamma = 72.396$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 27
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 27
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 293±5 going to 373

Fe_ei800_align_sym3.sqw
 1 ± 1.9 ; $J_0 = 24 \pm 13$; $J_1 = 0 \pm 0$; $\gamma = 131.509$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 28
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 2θ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 303±5 going to 373

Fe_ei800_align_sym3.sqw
 8 ± 1.5 ; $J_0 = 22 \pm 7.5$; $J_1 = 0 \pm 0$; $\gamma = 147.534$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 2θ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 29
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




 **** En = 313±5 going to 373

Fe_ei800_align_sym3.sqw
 5 ± 13 ; $J_0 = 12 \pm 25$; $J_1 = 0 \pm 0$; $\gamma = 126.035$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 30
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 30
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 323±5 going to 373

Fe_ei800_align_sym3.sqw
 ± 19 ; $J_0 = 19 \pm 13$; $J_1 = 0 \pm 0$; $\gamma = -38.472^\circ$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 31
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 31
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 333±5 going to 373

Fe_ei800_align_sym3.sqw
 2.1×10^2 ; $J_0 = 13 \pm 92$; $J_1 = 0 \pm 0$; $\gamma = 75.49^\circ$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 32
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ζ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 343±5 going to 373

Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 7.1429

Fe_ei800_align_sym3.sqw
 1.5e+02; J0= 6.2±1.9e+02; J1= 0± 0; gamma=164.1
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ζ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ζ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 353±5 going to 373

Fe_ei800_align_sym3.sqw
 3 ± 7.2 ; $J_0 = 15 \pm 14$; $J_1 = 0 \pm 0$; $\gamma = -152.03^\circ$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$




**** En = 363 ± 5 going to 373

Warning: WARNING: Convergence not achieved

Fe_ei800_align_sym3.sqw
 19 ± 0 ; $J_0 = 12 \pm 0$; $J_1 = 0 \pm 0$; $\gamma = 22.7^\circ$
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$








Fe_ei800_align_sym3.sqw
 0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3°
 $\zeta = -0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$



**** En = 373 ± 5 going to 373

Fe_ei800_align_sym3.sqw
:1.2e+05; J0= 23± 89; J1= 0± 0; gamma=3.979
0.1 in $[2+\xi, -\xi, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[2, 0, -\eta]$, 3ζ
 $\zeta=-0.02:0.04:0.54$ in $[2+\zeta, \zeta, 0]$






```

c1 = NG_FFCutsFits.(selectCuts);
NG_FFCutsFits.(selectCuts) = [c1{:}];

beep
beep
beep

all_fit_par = NG_FFCutsFits.([selectCuts, '_all_fit_par']);
bg_data = extract_bg_par(all_fit_par, [1,2]);
% original slope parameters
pd(bg_data(1));lx(all_fit_par(1).en,all_fit_par(end).en);ly 0 0.3; keep_figure;


```



```

pd(bg_data(2));lx(all_fit_par(1).en,all_fit_par(end).en);keep_figure

```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure;  
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_figure
```

```
doc = matlab.desktop.editor.getActive;  
doc.save;  
thisFile = 'e:\SHARE\Fe\Data\analysis\06_fit_with_AQ0\fit_cutFe_NG.mlx';  
targ_file = fullfile(fileparts(thisFile),['fit_cutFe_NG_',selectCuts,'.pdf']);  
export(thisFile,targ_file);  
%close all;  
%end
```

```
fit_src_struct = NG_FFCutsFits;  
save(CutFitFileNG,"fit_src_struct",-v7.3')
```