

```

root_path = fileparts(mfilename("fullpath"));
data_path = fullfile(root_path, 'sym4D_cutsAndFits');

if ~exist('cuts2fit200', 'var')
    ld = load(fullfile(data_path, 'multicuts_fit_dataGH_ei200meV.mat'));
    cuts2fit200 = ld.cuts2fit200;
end
used_ds = containers.Map()

```

```
used_ds =
```

```
Map with properties:
```

```

    Count: 0
   KeyType: char
  ValueType: any

```

```

sel_info = struct('cuts', [], 'en_range', [], 'fname', '', 'bg_par', []);
%
sel_info.cuts = cuts2fit200.cuts_dir001FFfit(1);
sel_info.en_range = 30:10:110;
sel_info.fname='EnFit_Ei200ref001off110_2D_constFFCut';
sel_info.bg_par= {};
used_ds('Ei200Br110dir001')=sel_info;
%
sel_info.cuts = cuts2fit200.cuts_dir001FFfit(2);
sel_info.en_range = 30:10:130;
sel_info.fname='EnFit_Ei200ref001off200_2D_constFFCut';
sel_info.bg_par= {};
used_ds('Ei200Br200dir001')=sel_info;
%
sel_info.cuts = {cuts2fit200.cut200_sel};
sel_info.en_range = 40:10:140;
sel_info.fname='EnFit_Ei200Br200dir010_2peaks_2D';
sel_info.bg_par= {};
used_ds('Ei200Br200dir010_2peaks')=sel_info;
%
sel_info.cuts = {cut(cuts2fit200.cut200_sel, [0, 0.02, 1], [])};

```

```

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 4690699 pixels -- processing data... -----> retained 4604422 pixels
-----
Number of points in input object: 8259853
  Fraction of object selected:    56.79% (= 4690699 points) ; Access speed:    1.47GB/sec
  Fraction of object retained:    55.74% (= 4604422 points)

**** Total time in cut(sqw)   :    0.6sec Including:
    Data access time fraction: 33.1%; Transf. time frac.: 41.2%; Resulting pix preparation: 25.7%
-----

```

```

sel_info.en_range = 40:10:140;
sel_info.fname='EnFit_Ei200Br200dir010_1peak_2D';
sel_info.bg_par= {};
used_ds('Ei200Br200dir010_1peak')=sel_info;
%
sel_info.cuts = {cut(cuts2fit200.cut110_sel, [0, 0.02, 2], [])};

```

```

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 9054566 pixels -- processing data... -----> retained 8994792 pixels
-----
Number of points in input object: 10741088
  Fraction of object selected:      84.30% (= 9054566 points) ; Access speed:      1.42GB/sec
  Fraction of object retained:     83.74% (= 8994792 points)

**** Total time in cut(sqw)      :      1.3sec Including:
    Data access time fraction: 32.6%; Transf. time frac.: 49.8%; Resulting pix preparation: 17.6%
-----

```

```

sel_info.en_range = 30:10:110;
sel_info.fname='EnFit_Ei200Br110dir010_2D';
sel_info.bg_par= {};
used_ds('Ei200Br110dir010')=sel_info;

```

```

%cuts_list = cuts2fit200.cutsS_list();
%cuts_list = {cuts2fit200.cut200_200sel};
%cuts_list = {cuts2fit200.cut110_sel};

```

```

select= 'Ei200Br110dir001';
sel_info = used_ds(select);

```

```

cuts_list = sel_info.cuts

```

```


cuts_list = 1x1 cell array
    {1x1 sqw}

```

```

mi = maps_instrument(200,600,'S');
sample=IX_sample(true,[1,0,0],[0,1,0],'cuboid',[0.04,0.03,0.02]);
for i=1:numel(cuts_list)
    cuts_list{i} = cuts_list{i}.set_instrument(mi);
    cuts_list{i} = cuts_list{i}.set_sample(sample);
    plot(cuts_list{i}); lz 0 1; keep_figure;
end

```



```

dir_name = "GH";

dE_step = 2; %original energy transfer step data were binned to. No point in
going finer
half_dE = 5; % half width of data binning
%cut_en = 30:10:120;
%cut_en = 40:10:150;
%cut_en = 145;
cut_en = sel_info.en_range;


bg_par = sel_info.bg_par;
cuts_list{end+1} = bg_par;
fbase_name = sel_info.fname;



```

```

[fit_res_200fix_bg,res_name] = fit_multicuts_along_direction(...
    cuts_list,fbase_name,dir_name,cut_en,dE_step,half_dE,true);

```






```
*****
**** En = 30±5
*****
*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested
*** Step 1 of 1; Read data for 146267 pixels -- processing data... -----> included 121685 pixels
-----
Number of points in input object: 146267
  Fraction of object selected: 100.00% (= 146267 points) ; Access speed: 2.02GB/sec
  Fraction of object retained: 83.19% (= 121685 points)

**** Total time in cut(sqw) : 0.0sec Including:
  Data access time fraction: 44.0%; Transf. time frac.: 51.2%; Resulting pix preparation: 0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 146267 pixels -- processing data... -----> retained 121685 pixels
-----
Number of points in input object: 146267
  Fraction of object selected: 100.00% (= 146267 points) ; Access speed: 1.87GB/sec
  Fraction of object retained: 83.19% (= 121685 points)

**** Total time in cut(sqw) : 0.0sec Including:
```

Fe_ei200_align_sym3.sqw
 $S=0.74\pm0.02$; $J_0=24\pm0.22$; $\gamma=4.46724\pm0.11494$
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $25 \leq E \leq 35$
 $\zeta=-0.005:0.02:0.615$ in $[1, 1, \zeta]$




*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
 *** Step 1 of 1; Read data for 146267 pixels -- processing data... -----> retained 121685 pixels

Number of points in input object: 146267
 Fraction of object selected: 100.00% (= 146267 points) ; Access speed: 1.86GB/sec
 Fraction of object retained: 83.19% (= 121685 points)

**** Total time in cut(sqw) : 0.0sec Including:
 Data access time fraction: 25.3%; Transf. time frac.: 56.4%; Resulting pix preparation: 18.3%

Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $25 \leq E \leq 35$
 $\zeta=-0.005:0.02:0.615$ in $[1, 1, \zeta]$



 **** En = 40±5

 *** Cutting in memory sqw object; returning result in memory; No resulting pixels requested
 *** Step 1 of 1; Read data for 203366 pixels -- processing data... -----> included 171127 pixels

Number of points in input object: 203366
 Fraction of object selected: 100.00% (= 203366 points) ; Access speed: 2.00GB/sec
 Fraction of object retained: 84.15% (= 171127 points)


```

**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 45.5%; Transf. time frac.: 50.8%; Resulting pix preparation:  0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  203366 pixels -- processing data... -----> retained  171127 pixels
-----
Number of points in input object: 203366
      Fraction of object selected:  100.00% (=   203366 points) ; Access speed:      1.83GB/sec
      Fraction of object retained:   84.15% (=   171127 points)


**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 28.3%; Transf. time frac.: 53.1%; Resulting pix preparation: 18.5%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  203366 pixels -- processing data... -----> retained  171127 pixels
-----
Number of points in input object: 203366
      Fraction of object selected:  100.00% (=   203366 points) ; Access speed:      1.93GB/sec
      Fraction of object retained:   84.15% (=   171127 points)

**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 24.6%; Transf. time frac.: 55.4%; Resulting pix preparation: 20.0%
-----

```



Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $35 \leq E \leq 45$
 $\zeta = -0.005:0.02:0.615$ in $[1, 1, \zeta]$



**** En = 50±5

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 242044 pixels -- processing data... -----> included 201624 pixels

Number of points in input object: 242044

Fraction of object selected: 100.00% (= 242044 points) ; Access speed: 1.76GB/sec

Fraction of object retained: 83.30% (= 201624 points)

**** Total time in cut(sqw) : 0.0sec Including:

Data access time fraction: 51.9%; Transf. time frac.: 45.1%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 242044 pixels -- processing data... -----> retained 201624 pixels

Number of points in input object: 242044

Fraction of object selected: 100.00% (= 242044 points) ; Access speed: 2.03GB/sec

Fraction of object retained: 83.30% (= 201624 points)

**** Total time in cut(sqw) : 0.0sec Including:

Data access time fraction: 26.9%; Transf. time frac.: 54.4%; Resulting pix preparation: 18.7%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 242044 pixels -- processing data... -----> retained 201624 pixels

Number of points in input object: 242044

Fraction of object selected: 100.00% (= 242044 points) ; Access speed: 1.92GB/sec

Fraction of object retained: 83.30% (= 201624 points)

**** Total time in cut(sqw) : 0.0sec Including:


Data access time fraction: 28.0%; Transf. time frac.: 52.5%; Resulting pix preparation: 19.5%

Fe_ei200_align_sym3.sqw

S=0.84±0.017; J0= 25±0.19; gamma=15.2464±0.294015

-0.1 ≤ ξ ≤ 0.1 in [1+ξ, 1, 0] , -0.1 ≤ η ≤ 0.1 in [1, 1+η, 0] , 45 ≤ E ≤ 55


ζ=-0.005:0.02:0.615 in [1, 1, ζ]



Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1+ξ, 1, 0] , -0.1 ≤ η ≤ 0.1 in [1, 1+η, 0] , 45 ≤ E ≤ 55

ζ=-0.005:0.02:0.615 in [1, 1, ζ]



**** En = 60±5

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 278306 pixels -- processing data... -----> included 231744 pixels

Number of points in input object: 278306

Fraction of object selected: 100.00% (= 278306 points) ; Access speed: 2.01GB/sec

Fraction of object retained: 83.27% (= 231744 points)

**** Total time in cut(sqw) : 0.0sec Including:

Data access time fraction: 46.9%; Transf. time frac.: 50.2%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 278306 pixels -- processing data... -----> retained 231744 pixels

Number of points in input object: 278306

Fraction of object selected: 100.00% (= 278306 points) ; Access speed: 2.04GB/sec

Fraction of object retained: 83.27% (= 231744 points)

**** Total time in cut(sqw) : 0.0sec Including:


Data access time fraction: 25.1%; Transf. time frac.: 57.9%; Resulting pix preparation: 16.9%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
 *** Step 1 of 1; Read data for 278306 pixels -- processing data... -----> retained 231744 pixels


Number of points in input object: 278306
 Fraction of object selected: 100.00% (= 278306 points) ; Access speed: 1.98GB/sec
 Fraction of object retained: 83.27% (= 231744 points)

**** Total time in cut(sqw) : 0.0sec Including:
 Data access time fraction: 29.5%; Transf. time frac.: 50.3%; Resulting pix preparation: 20.2%

Fe_ei200_align_sym3.sqw
 $S=0.78\pm0.015$; $J_0=26\pm0.23$; $\gamma=18.2917\pm0.333658$
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $55 \leq E \leq 65$
 $\zeta=-0.005:0.02:0.615$ in $[1, 1, \zeta]$



Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $55 \leq E \leq 65$
 $\zeta=-0.005:0.02:0.615$ in $[1, 1, \zeta]$



**** $E_n = 70\pm5$

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested
 *** Step 1 of 1; Read data for 327034 pixels -- processing data... -----> included 272366 pixels

Number of points in input object: 327034
 Fraction of object selected: 100.00% (= 327034 points) ; Access speed: 2.02GB/sec
 Fraction of object retained: 83.28% (= 272366 points)


```

**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 49.6%; Transf. time frac.: 47.9%; Resulting pix preparation:  0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  327034 pixels -- processing data... -----> retained  272366 pixels
-----
Number of points in input object: 327034
      Fraction of object selected:  100.00% (=  327034 points) ; Access speed:      2.06GB/sec
      Fraction of object retained:   83.28% (=  272366 points)


**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 28.4%; Transf. time frac.: 53.1%; Resulting pix preparation: 18.5%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  327034 pixels -- processing data... -----> retained  272366 pixels
-----
Number of points in input object: 327034
      Fraction of object selected:  100.00% (=  327034 points) ; Access speed:      2.06GB/sec
      Fraction of object retained:   83.28% (=  272366 points)

**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 27.4%; Transf. time frac.: 54.7%; Resulting pix preparation: 17.9%
-----

```



Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $65 \leq E \leq 75$
 $\zeta = -0.005:0.02:0.615$ in $[1, 1, \zeta]$



**** En = 80±5

Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 0.53763

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 384270 pixels -- processing data... -----> included 319605 pixels

Number of points in input object: 384270

Fraction of object selected: 100.00% (= 384270 points) ; Access speed: 2.09GB/sec

Fraction of object retained: 83.17% (= 319605 points)

**** Total time in cut(sqw) : 0.0sec Including:

Data access time fraction: 50.1%; Transf. time frac.: 47.6%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 384269 pixels -- processing data... -----> retained 319604 pixels

Number of points in input object: 384269

Fraction of object selected: 100.00% (= 384269 points) ; Access speed: 2.05GB/sec

Fraction of object retained: 83.17% (= 319604 points)

**** Total time in cut(sqw) : 0.0sec Including:


Data access time fraction: 28.4%; Transf. time frac.: 53.5%; Resulting pix preparation: 18.1%

Fe_ei200_align_sym3.sqw

S= 0.9±0.038; J0= 27±0.42; gamma=33.6541±2.33881

-0.1 ≤ ξ ≤ 0.1 in [1+ξ, 1, 0] , -0.1 ≤ η ≤ 0.1 in [1, 1+η, 0] , 75 ≤ E ≤ 85

ζ=-0.005:0.02:0.615 in [1, 1, ζ]



*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
 *** Step 1 of 1; Read data for 384270 pixels -- processing data... -----> retained 319605 pixels

Number of points in input object: 384270

Fraction of object selected: 100.00% (= 384270 points) ; Access speed: 2.07GB/sec

Fraction of object retained: 83.17% (= 319605 points)


**** Total time in cut(sqw) : 0.0sec Including:

Data access time fraction: 30.3%; Transf. time frac.: 50.0%; Resulting pix preparation: 19.7%

Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1+ξ, 1, 0] , -0.1 ≤ η ≤ 0.1 in [1, 1+η, 0] , 75 ≤ E ≤ 85

ζ=-0.005:0.02:0.615 in [1, 1, ζ]



**** En = 90±5

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 497303 pixels -- processing data... -----> included 411409 pixels

Number of points in input object: 497303

Fraction of object selected: 100.00% (= 497303 points) ; Access speed: 2.13GB/sec

Fraction of object retained: 82.73% (= 411409 points)

**** Total time in cut(sqw) : 0.0sec Including:


```

Data access time fraction: 51.0%; Transf. time frac.: 47.1%; Resulting pix preparation: 0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 497303 pixels -- processing data... -----> retained 411409 pixels
-----
Number of points in input object: 497303
Fraction of object selected: 100.00% (= 497303 points) ; Access speed: 2.09GB/sec
Fraction of object retained: 82.73% (= 411409 points)


**** Total time in cut(sqw) : 0.1sec Including:
Data access time fraction: 29.7%; Transf. time frac.: 52.0%; Resulting pix preparation: 18.3%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 497303 pixels -- processing data... -----> retained 411409 pixels
-----
Number of points in input object: 497303
Fraction of object selected: 100.00% (= 497303 points) ; Access speed: 2.06GB/sec
Fraction of object retained: 82.73% (= 411409 points)

**** Total time in cut(sqw) : 0.1sec Including:
Data access time fraction: 29.8%; Transf. time frac.: 52.3%; Resulting pix preparation: 17.9%
-----

```



Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $85 \leq E \leq 95$
 $\zeta = -0.005:0.02:0.615$ in $[1, 1, \zeta]$



**** En = 100±5

Warning: Dataset:4 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 2.1505

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 823027 pixels -- processing data... -----> included 699998 pixels

Number of points in input object: 823027

Fraction of object selected: 100.00% (= 823027 points) ; Access speed: 2.01GB/sec

Fraction of object retained: 85.05% (= 699998 points)

**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 47.3%; Transf. time frac.: 49.5%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 822445 pixels -- processing data... -----> retained 699416 pixels

Number of points in input object: 822445

Fraction of object selected: 100.00% (= 822445 points) ; Access speed: 1.78GB/sec

Fraction of object retained: 85.04% (= 699416 points)


**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 33.1%; Transf. time frac.: 49.1%; Resulting pix preparation: 17.8%

Fe_ei200_align_sym3.sqw

S=0.97±0.051; J0= 31±0.58; gamma=58.629±4.92678

-0.1 ≤ ξ ≤ 0.1 in [1+ξ, 1, 0] , -0.1 ≤ η ≤ 0.1 in [1, 1+η, 0] , 95 ≤ E ≤ 10:
ζ=-0.005:0.02:0.615 in [1, 1, ζ]



*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 823027 pixels -- processing data... -----> retained 699998 pixels

Number of points in input object: 823027

Fraction of object selected: 100.00% (= 823027 points) ; Access speed: 1.69GB/sec


Fraction of object retained: 85.05% (= 699998 points)

**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 30.8%; Transf. time frac.: 51.9%; Resulting pix preparation: 17.3%

Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1+ξ, 1, 0] , -0.1 ≤ η ≤ 0.1 in [1, 1+η, 0] , 95 ≤ E ≤ 10:
ζ=-0.005:0.02:0.615 in [1, 1, ζ]



**** En = 110±5

Warning: Dataset:20 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 10.7527

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 408881 pixels -- processing data... -----> included 328316 pixels

Number of points in input object: 408881

Fraction of object selected: 100.00% (= 408881 points) ; Access speed: 2.04GB/sec

Fraction of object retained: 80.30% (= 328316 points)


```

**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 55.6%; Transf. time frac.: 42.2%; Resulting pix preparation:  0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  408276 pixels -- processing data... -----> retained   327711 pixels
-----
Number of points in input object: 408276
      Fraction of object selected:  100.00% (=   408276 points) ; Access speed:      2.10GB/sec
      Fraction of object retained:   80.27% (=   327711 points)

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 24.5%; Transf. time frac.: 47.0%; Resulting pix preparation: 28.5%
-----

```

Fe_ei200_align_sym3.sqw
 $S=0.89\pm0.068$; $J0= 31\pm0.73$; $\gamma=60.7918\pm6.18234$
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $105 \leq E \leq 11$
 $\zeta=-0.005:0.02:0.615$ in $[1, 1, \zeta]$





```



*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  408881 pixels -- processing data... -----> retained   328316 pixels
-----
Number of points in input object: 408881
      Fraction of object selected:  100.00% (=   408881 points) ; Access speed:      2.07GB/sec
      Fraction of object retained:   80.30% (=   328316 points)



**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 29.5%; Transf. time frac.: 52.0%; Resulting pix preparation: 18.4%
-----



```




Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1+\xi, 1, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 1+\eta, 0]$, $105 \leq E \leq 11$
 $\zeta = -0.005:0.02:0.615$ in $[1, 1, \zeta]$













Warning: An error occurred while drawing the scene: SceneModel error in command compositeCommand: TypeError: Cannot read properties of undefined (reading 'deferred')
 at <https://127.0.0.1:31515/toolbox/matlab/uitools/figurelibjs/release/bundle.mwBundle.gbtfigure-lib.js?mre=https>

beep
beep
beep

```
bg_data = extract_bg_par(fit_res_200fix_bg.all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_f
figure;
```



```
pd(bg_data(2));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_f
figure
```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_
figure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_
figure
```

```
fit_resEi200 = fit_res_200fix_bg;
save(res_name,"fit_resEi200")
```