

```

root_path = fileparts(mfilename("fullpath"));
data_path = fullfile(root_path, 'sym4D_cutsAndFits');

if ~exist('cuts2fit200', 'var')
    ld = load(fullfile(data_path, 'multicuts_fit_dataGH_ei200meV.mat'));
    cuts2fit200 = ld.cuts2fit200;
end
used_ds = containers.Map()

```

```
used_ds =
```

```
Map with properties:
```

```

    Count: 0
   KeyType: char
  ValueType: any

```

```

sel_info = struct('cuts', [], 'en_range', [], 'fname', '', 'bg_par', []);
%
sel_info.cuts = cuts2fit200.cuts_dir001FFfit(1);
sel_info.en_range = 30:10:110;
sel_info.fname='EnFit_Ei200ref001off110_2D_constFFCut';
sel_info.bg_par= {};
used_ds('Ei200Br110dir001')=sel_info;
%
sel_info.cuts = cuts2fit200.cuts_dir001FFfit(2);
sel_info.en_range = 30:10:130;
sel_info.fname='EnFit_Ei200ref001off200_2D_constFFCut';
sel_info.bg_par= {};
used_ds('Ei200Br200dir001')=sel_info;
%
sel_info.cuts = {cuts2fit200.cut200_sel};
sel_info.en_range = 40:10:140;
sel_info.fname='EnFit_Ei200Br200dir010_2peaks_2D';
sel_info.bg_par= {};
used_ds('Ei200Br200dir010_2peaks')=sel_info;
%
sel_info.cuts = {cut(cuts2fit200.cut200_sel, [0, 0.02, 1], [])};

```

```

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 4690699 pixels -- processing data... -----> retained 4604422 pixels
-----
Number of points in input object: 8259853
  Fraction of object selected:    56.79% (= 4690699 points) ; Access speed:    1.47GB/sec
  Fraction of object retained:    55.74% (= 4604422 points)

**** Total time in cut(sqw)   :    0.6sec Including:
    Data access time fraction: 33.1%; Transf. time frac.: 41.2%; Resulting pix preparation: 25.7%
-----

```

```

sel_info.en_range = 40:10:140;
sel_info.fname='EnFit_Ei200Br200dir010_1peak_2D';
sel_info.bg_par= {};
used_ds('Ei200Br200dir010_1peak')=sel_info;
%
sel_info.cuts = {cut(cuts2fit200.cut110_sel, [0, 0.02, 2], [])};

```

```

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 9054566 pixels -- processing data... -----> retained 8994792 pixels
-----
Number of points in input object: 10741088
  Fraction of object selected: 84.30% (= 9054566 points) ; Access speed: 1.42GB/sec
  Fraction of object retained: 83.74% (= 8994792 points)

**** Total time in cut(sqw) : 1.3sec Including:
    Data access time fraction: 32.6%; Transf. time frac.: 49.8%; Resulting pix preparation: 17.6%
-----

```

```

sel_info.en_range = 30:10:110;
sel_info.fname='EnFit_Ei200Br110dir010_2D';
sel_info.bg_par= {};
used_ds('Ei200Br110dir010')=sel_info;

```

```

%cuts_list = cuts2fit200.cutsS_list();
%cuts_list = {cuts2fit200.cut200_200sel};
%cuts_list = {cuts2fit200.cut110_sel};

```

```

select= 'Ei200Br110dir010';
sel_info = used_ds(select);

```

```

cuts_list = sel_info.cuts

```

```


cuts_list = 1x1 cell array
    {1x1 sqw}

```

```

mi = maps_instrument(200,600,'S');
sample=IX_sample(true,[1,0,0],[0,1,0],'cuboid',[0.04,0.03,0.02]);
for i=1:numel(cuts_list)
    cuts_list{i} = cuts_list{i}.set_instrument(mi);
    cuts_list{i} = cuts_list{i}.set_sample(sample);
    plot(cuts_list{i}); lz 0 1; keep_figure;
end

```



```

dir_name = "GH";

dE_step = 2; %original energy transfer step data were binned to. No point in
going finer
half_dE = 10; % half width of data binning
%cut_en = 30:10:120;
%cut_en = 40:10:150;
%cut_en = 145;
cut_en = sel_info.en_range;

bg_par = sel_info.bg_par;
cuts_list{end+1} = bg_par;
fbase_name = sel_info.fname;

```

```

[fit_res_200fix_bg,res_name] = fit_multicuts_along_direction(...
    cuts_list,fbase_name,dir_name,cut_en,dE_step,half_dE,true);

```

```

*****
**** En = 30±5
*****
*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested
*** Step 1 of 1; Read data for 226234 pixels -- processing data... -----> included 186942 pixels
-----
Number of points in input object: 226234
  Fraction of object selected: 100.00% (= 226234 points) ; Access speed: 1.96GB/sec
  Fraction of object retained: 82.63% (= 186942 points)

**** Total time in cut(sqw) : 0.0sec Including:
  Data access time fraction: 42.1%; Transf. time frac.: 53.7%; Resulting pix preparation: 0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 226234 pixels -- processing data... -----> retained 186942 pixels
-----
Number of points in input object: 226234
  Fraction of object selected: 100.00% (= 226234 points) ; Access speed: 1.88GB/sec
  Fraction of object retained: 82.63% (= 186942 points)


**** Total time in cut(sqw) : 0.0sec Including:
  Data access time fraction: 24.3%; Transf. time frac.: 54.3%; Resulting pix preparation: 20.5%
-----

```

Fe_ei200_align_sym3.sqw

S=0.99±0.027; J0= 24±0.19; gamma=5.25981±0.198895

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 25 ≤ E ≤ 35
ζ=-0.01:0.02:2.01 in [1, ζ, 0]




*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 226234 pixels -- processing data... -----> retained 186942 pixels

Number of points in input object: 226234
Fraction of object selected: 100.00% (= 226234 points) ; Access speed: 1.98GB/sec
Fraction of object retained: 82.63% (= 186942 points)

**** Total time in cut(sqw) : 0.0sec Including:
Data access time fraction: 24.9%; Transf. time frac.: 58.0%; Resulting pix preparation: 17.2%

Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 25 ≤ E ≤ 35
ζ=-0.01:0.02:2.01 in [1, ζ, 0]



**** En = 40±5

Warning: Dataset:1 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 0.16502
*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested
*** Step 1 of 1; Read data for 306064 pixels -- processing data... -----> included 243118 pixels

Number of points in input object: 306064
Fraction of object selected: 100.00% (= 306064 points) ; Access speed: 2.05GB/sec
Fraction of object retained: 79.43% (= 243118 points)


```

**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 46.2%; Transf. time frac.: 51.2%; Resulting pix preparation:  0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  306032 pixels -- processing data... -----> retained  243086 pixels
-----
Number of points in input object: 306032
      Fraction of object selected: 100.00% (=  306032 points) ; Access speed:      1.99GB/sec
      Fraction of object retained:  79.43% (=  243086 points)


**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 29.3%; Transf. time frac.: 48.2%; Resulting pix preparation: 22.4%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  306064 pixels -- processing data... -----> retained  243118 pixels
-----
Number of points in input object: 306064
      Fraction of object selected: 100.00% (=  306064 points) ; Access speed:      1.97GB/sec
      Fraction of object retained:  79.43% (=  243118 points)

**** Total time in cut(sqw)   :      0.0sec Including:
      Data access time fraction: 28.6%; Transf. time frac.: 51.7%; Resulting pix preparation: 19.6%
-----

```



Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 0, \eta]$, $35 \leq E \leq 45$
 $\zeta = -0.01:0.02:2.01$ in $[1, \zeta, 0]$



**** En = 50±5

Warning: Dataset:4 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 0.66007

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 682972 pixels -- processing data... -----> included 584314 pixels

Number of points in input object: 682972

Fraction of object selected: 100.00% (= 682972 points) ; Access speed: 1.63GB/sec

Fraction of object retained: 85.55% (= 584314 points)

**** Total time in cut(sqw) : 0.0sec Including:

Data access time fraction: 60.3%; Transf. time frac.: 38.2%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 682696 pixels -- processing data... -----> retained 584074 pixels

Number of points in input object: 682696

Fraction of object selected: 100.00% (= 682696 points) ; Access speed: 2.14GB/sec

Fraction of object retained: 85.55% (= 584074 points)


**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 29.5%; Transf. time frac.: 51.0%; Resulting pix preparation: 19.4%

Fe_ei200_align_sym3.sqw

S=0.85±0.031; J0= 24± 0.3; gamma=13.2477±1.05538

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 45 ≤ E ≤ 55
ζ=-0.01:0.02:2.01 in [1, ζ, 0]



*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 682972 pixels -- processing data... -----> retained 584314 pixels

Number of points in input object: 682972

Fraction of object selected: 100.00% (= 682972 points) ; Access speed: 2.09GB/sec


Fraction of object retained: 85.55% (= 584314 points)

**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 29.2%; Transf. time frac.: 50.7%; Resulting pix preparation: 20.1%

Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 45 ≤ E ≤ 55
ζ=-0.01:0.02:2.01 in [1, ζ, 0]



**** En = 60±5

Warning: Dataset:8 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 1.3201

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 967832 pixels -- processing data... -----> included 803270 pixels

Number of points in input object: 967832

Fraction of object selected: 100.00% (= 967832 points) ; Access speed: 2.11GB/sec

Fraction of object retained: 83.00% (= 803270 points)


```

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 56.6%; Transf. time frac.: 42.3%; Resulting pix preparation:  0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  966768 pixels -- processing data... -----> retained   802480 pixels
-----
Number of points in input object: 966768
      Fraction of object selected:  100.00% (=   966768 points) ; Access speed:      2.12GB/sec
      Fraction of object retained:   83.01% (=   802480 points)

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 31.4%; Transf. time frac.: 49.0%; Resulting pix preparation: 19.6%
-----

```

Fe_ei200_align_sym3.sqw
 $S=0.97\pm0.035$; $J0= 25\pm0.33$; $\gamma=22.8914\pm1.50648$
 $-0.1 \leq \xi \leq 0.1$ in $[1-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 0, \eta]$, $55 \leq E \leq 65$
 $\zeta=-0.01:0.02:2.01$ in $[1, \zeta, 0]$




```

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  967832 pixels -- processing data... -----> retained   803270 pixels
-----
Number of points in input object: 967832
      Fraction of object selected:  100.00% (=   967832 points) ; Access speed:      2.09GB/sec
      Fraction of object retained:   83.00% (=   803270 points)

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 31.9%; Transf. time frac.: 49.1%; Resulting pix preparation: 19.0%
-----

```


Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 0, \eta]$, $55 \leq E \leq 65$
 $\zeta = -0.01:0.02:2.01$ in $[1, \zeta, 0]$



**** En = 70±5

Warning: Dataset:17 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 2.8053

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 1372110 pixels -- processing data... -----> included 1144954 pixels

Number of points in input object: 1372110

Fraction of object selected: 100.00% (= 1372110 points) ; Access speed: 1.47GB/sec

Fraction of object retained: 83.44% (= 1144954 points)

**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 67.2%; Transf. time frac.: 32.1%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 1368172 pixels -- processing data... -----> retained 1141640 pixels

Number of points in input object: 1368172

Fraction of object selected: 100.00% (= 1368172 points) ; Access speed: 1.69GB/sec

Fraction of object retained: 83.44% (= 1141640 points)


**** Total time in cut(sqw) : 0.2sec Including:

Data access time fraction: 33.4%; Transf. time frac.: 45.0%; Resulting pix preparation: 21.6%

Fe_ei200_align_sym3.sqw

S= 1.1±0.045; J0= 27±0.46; gamma=37.2015±2.62678

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 65 ≤ E ≤ 75
ζ=-0.01:0.02:2.01 in [1, ζ, 0]



*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 1372110 pixels -- processing data... -----> retained 1144954 pixels

Number of points in input object: 1372110

Fraction of object selected: 100.00% (= 1372110 points) ; Access speed: 1.39GB/sec


Fraction of object retained: 83.44% (= 1144954 points)

**** Total time in cut(sqw) : 0.2sec Including:

Data access time fraction: 35.5%; Transf. time frac.: 42.9%; Resulting pix preparation: 21.6%

Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 65 ≤ E ≤ 75
ζ=-0.01:0.02:2.01 in [1, ζ, 0]



**** En = 80±5

Warning: Dataset:40 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 6.6007

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 1569860 pixels -- processing data... -----> included 1321598 pixels

Number of points in input object: 1569860

Fraction of object selected: 100.00% (= 1569860 points) ; Access speed: 2.06GB/sec


Fraction of object retained: 84.19% (= 1321598 points)

```

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 62.4%; Transf. time frac.: 36.7%; Resulting pix preparation:  0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 1557856 pixels -- processing data... -----> retained 1311492 pixels
-----
Number of points in input object: 1557856
      Fraction of object selected: 100.00% (= 1557856 points) ; Access speed:      1.99GB/sec
      Fraction of object retained:  84.19% (= 1311492 points)

**** Total time in cut(sqw)   :      0.2sec Including:
      Data access time fraction: 32.5%; Transf. time frac.: 48.9%; Resulting pix preparation: 18.5%
-----

```




```

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 1569860 pixels -- processing data... -----> retained 1321598 pixels
-----
Number of points in input object: 1569860
      Fraction of object selected: 100.00% (= 1569860 points) ; Access speed:      1.89GB/sec
      Fraction of object retained:  84.19% (= 1321598 points)

**** Total time in cut(sqw)   :      0.2sec Including:
      Data access time fraction: 33.1%; Transf. time frac.: 43.9%; Resulting pix preparation: 23.1%
-----

```

Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 0, \eta]$, $75 \leq E \leq 85$
 $\zeta = -0.01:0.02:2.01$ in $[1, \zeta, 0]$



**** En = 90±5

Warning: Dataset:64 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 10.5611

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 1214864 pixels -- processing data... -----> included 1004924 pixels

Number of points in input object: 1214864

Fraction of object selected: 100.00% (= 1214864 points) ; Access speed: 2.02GB/sec

Fraction of object retained: 82.72% (= 1004924 points)

**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 54.4%; Transf. time frac.: 44.8%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 1194644 pixels -- processing data... -----> retained 988044 pixels

Number of points in input object: 1194644

Fraction of object selected: 100.00% (= 1194644 points) ; Access speed: 2.04GB/sec

Fraction of object retained: 82.71% (= 988044 points)


**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 33.1%; Transf. time frac.: 47.9%; Resulting pix preparation: 19.0%

Fe_ei200_align_sym3.sqw

S=0.94±0.031; J0= 29±0.28; gamma=41.7137±1.97521

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 85 ≤ E ≤ 95
ζ=-0.01:0.02:2.01 in [1, ζ, 0]



*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for 1214864 pixels -- processing data... -----> retained 1004924 pixels

Number of points in input object: 1214864

Fraction of object selected: 100.00% (= 1214864 points) ; Access speed: 1.52GB/sec


Fraction of object retained: 82.72% (= 1004924 points)

**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 40.4%; Transf. time frac.: 42.3%; Resulting pix preparation: 17.4%

Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1-ξ, 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 85 ≤ E ≤ 95
ζ=-0.01:0.02:2.01 in [1, ζ, 0]



**** En = 100±5

Warning: Dataset:52 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 8.5809

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 987204 pixels -- processing data... -----> included 820958 pixels

Number of points in input object: 987204

Fraction of object selected: 100.00% (= 987204 points) ; Access speed: 1.81GB/sec


Fraction of object retained: 83.16% (= 820958 points)

```

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 59.3%; Transf. time frac.: 39.7%; Resulting pix preparation:  0.0%
-----
*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  968158 pixels -- processing data... -----> retained   805454 pixels
-----
Number of points in input object: 968158
      Fraction of object selected:  100.00% (=   968158 points) ; Access speed:      2.09GB/sec
      Fraction of object retained:   83.19% (=   805454 points)

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 32.1%; Transf. time frac.: 48.4%; Resulting pix preparation: 19.5%
-----

```




```

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
*** Step 1 of 1; Read data for  987204 pixels -- processing data... -----> retained   820958 pixels
-----
Number of points in input object: 987204
      Fraction of object selected:  100.00% (=   987204 points) ; Access speed:      2.10GB/sec
      Fraction of object retained:   83.16% (=   820958 points)

**** Total time in cut(sqw)   :      0.1sec Including:
      Data access time fraction: 30.1%; Transf. time frac.: 52.3%; Resulting pix preparation: 17.5%
-----

```

Fe_ei200_align_sym3.sqw
 $-0.1 \leq \xi \leq 0.1$ in $[1-\xi, 0, 0]$, $-0.1 \leq \eta \leq 0.1$ in $[1, 0, \eta]$, $95 \leq E \leq 105$
 $\zeta = -0.01:0.02:2.01$ in $[1, \zeta, 0]$



**** En = 110±5

Warning: Dataset:52 points with zero, negative or undefined (infinite or NaN) error bars have been removed from fit, which is 8.5809

*** Cutting in memory sqw object; returning result in memory; No resulting pixels requested

*** Step 1 of 1; Read data for 874082 pixels -- processing data... -----> included 728548 pixels

Number of points in input object: 874082

Fraction of object selected: 100.00% (= 874082 points) ; Access speed: 2.17GB/sec

Fraction of object retained: 83.35% (= 728548 points)

**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 53.8%; Transf. time frac.: 44.7%; Resulting pix preparation: 0.0%

*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept

*** Step 1 of 1; Read data for 852336 pixels -- processing data... -----> retained 710180 pixels

Number of points in input object: 852336

Fraction of object selected: 100.00% (= 852336 points) ; Access speed: 2.12GB/sec

Fraction of object retained: 83.32% (= 710180 points)


**** Total time in cut(sqw) : 0.1sec Including:

Data access time fraction: 30.2%; Transf. time frac.: 51.3%; Resulting pix preparation: 18.5%

Fe_ei200_align_sym3.sqw

S=0.91±0.051; J0= 32±0.53; gamma=60.8387±4.77004

-0.1 ≤ ξ ≤ 0.1 in [1- ξ , 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 105 ≤ E ≤ 115
 ζ =-0.01:0.02:2.01 in [1, ζ , 0]




*** Cutting in memory sqw object; returning result in memory; retuning pixels - kept
 *** Step 1 of 1; Read data for 874082 pixels -- processing data... -----> retained 728548 pixels



 Number of points in input object: 874082
 Fraction of object selected: 100.00% (= 874082 points) ; Access speed: 2.14GB/sec
 Fraction of object retained: 83.35% (= 728548 points)



**** Total time in cut(sqw) : 0.1sec Including:
 Data access time fraction: 29.8%; Transf. time frac.: 52.2%; Resulting pix preparation: 17.9%



Fe_ei200_align_sym3.sqw

-0.1 ≤ ξ ≤ 0.1 in [1- ξ , 0, 0] , -0.1 ≤ η ≤ 0.1 in [1, 0, η] , 105 ≤ E ≤ 115
 ζ =-0.01:0.02:2.01 in [1, ζ , 0]











```
beep
beep
beep
```

```
bg_data = extract_bg_par(fit_res_200fix_bg.all_fit_par,[1,2]);
% original slope parameters
pd(bg_data(1));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_f
figure;
```



```
pd(bg_data(2));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_f
figure
```



```
%pd(bg_data(3));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_
figure;
%pd(bg_data(4));lx(fit_res.peak_fit_par(1).en,fit_res.peak_fit_par(end).en);keep_
figure
```

```
fit_resEi200 = fit_res_200fix_bg;
save(res_name,"fit_resEi200")
```