

Devops – Exercise 9

```
PS D:\vivek\7th_Sem\devops\exercise9> docker ps -a --filter "name=jenkins"
CONTAINER ID   IMAGE                COMMAND                  CREATED       STATUS       PORTS
                NAMES
a131aef1e5a9   jenkins-with-docker   "/usr/bin/tini -- /u…"   6 hours ago   Up 6 hours   0.0.0.0:8080->8080/tcp, [::]:8080->8080/tcp, 0.0.0.0:50000->50000/tcp, [::]:500
00->50000/tcp   jenkins
PS D:\vivek\7th_Sem\devops\exercise9> @'
>> from flask import Flask
>>
>> app = Flask(__name__)
>>
>> @app.route("/")
>> def home():
>>     return "Hello, Jenkins Multi-Stage Pipeline!"
>>
>> if __name__ == "__main__":
>>     app.run(host="0.0.0.0", port=5000, debug=False)
>> '@ | Set-Content -Path "app.py" -Encoding utf8
PS D:\vivek\7th_Sem\devops\exercise9> @'
>> Flask==2.1.2
>> Werkzeug==2.3.8
>> '@ | Set-Content -Path "requirements.txt" -Encoding ascii
PS D:\vivek\7th_Sem\devops\exercise9> @'
>> import unittest
>> from app import app
>>
>> class TestApp(unittest.TestCase):
>>     def test_home(self):
>>         tester = app.test_client()
>>         response = tester.get("/")
>>
>>         print(response.data.decode("utf-8"))
>>
>>         self.assertEqual(response.status_code, 200)
>>         self.assertEqual(
>>             response.data.decode("utf-8"),
>>             "Hello, Jenkins Multi-Stage Pipeline!"
>>         )
>>
>> if __name__ == "__main__":
>>     unittest.main()
>> '@ | Set-Content -Path "test_app.py" -Encoding utf8
```

```
PS D:\vivek\7th_Sem\devops\exercise9> docker ps -a --filter "name=jenkins"
CONTAINER ID   IMAGE                COMMAND                  CREATED       STATUS       PORTS
                NAMES
a131aef1e5a9   jenkins-with-docker   "/usr/bin/tini -- /u…"   6 hours ago   Up 6 hours   0.0.0.0:8080->8080/tcp, [::]:8080->8080/tcp, 0.0.0.0:50000->50000/tcp, [::]:500
00->50000/tcp   jenkins
PS D:\vivek\7th_Sem\devops\exercise9> docker exec -it -u root jenkins bash
root@a131aef1e5a9:/# apt-get update
Get:1 http://deb.debian.org/debian trixie InRelease [140 kB]
Get:2 http://deb.debian.org/debian trixie-updates InRelease [47.3 kB]
Get:3 http://deb.debian.org/debian-security trixie-security InRelease [43.4 kB]
Get:4 http://deb.debian.org/debian trixie/main amd64 Packages [9678 kB]
Get:5 http://deb.debian.org/debian trixie-updates/main amd64 Packages [4412 B]
Get:6 http://deb.debian.org/debian-security trixie-security/main amd64 Packages [269 kB]
Fetched 10.2 MB in 2s (6081 kB/s)
Reading package lists... Done
root@a131aef1e5a9:/# apt-get install -y python3 python3-pip python3-venv
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
python3 is already the newest version (3.13.5-1).
python3 set to manually installed.
The following additional packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu build-essential bzip2 cpp cpp-14 cpp-14-x86-64-linux-gnu cpp-x86-64-linux-gnu dpkg-dev fakeroot g++ g++-14
  g++-14-x86-64-linux-gnu g++-x86-64-linux-gnu gcc gcc-14 gcc-14-x86-64-linux-gnu gcc-x86-64-linux-gnu javascript-common libalgorithm-diff-perl
  libalgorithm-diff-xs-perl libalgorithm-merge-perl libasan8 libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcrypt-dev libctf-nobfd0 libctf0 libdpkg-perl
  libexpat1 libexpat1-dev libfakeroot libfile-fcntllock-perl libgcc-14-dev libgomp1 libgprofng0 libhwasan0 libisl23 libitm1 libjs-jquery libjs-sphinxdoc
  libjs-underscore liblocale-gettext-perl liblsan0 libmpc3 libmpfr6 libpython3-dev libpython3.13 libpython3.13-dev libquadmath0 libsframe1 libstdc++-14-dev libtsan2
  libubsan1 linux-libc-dev make manpages manpages-dev patch python3-dev python3-packaging python3-pip-whl python3-setuptools-whl python3-wheel python3.13-dev
  python3.13-venv rpcsvc-proto sq zlib1g-dev
Suggested packages:
  binutils-doc gprofng-gui binutils-gold bzip2-doc cpp-doc gcc-14-locales cpp-14-doc debian-keyring debian-tag2upload-keyring g++-multilib g++-14-multilib gcc-14-doc
```




Jenkins / Python-Multistage-Pipeline / #4
Status
Changes
Console Output
Delete build '#4'
Git Build Data
Pipeline Overview
Edit build information
Restart from Stage
Replay
Pipeline Steps
Workspaces
Previous Build
Console
Download
Copy
View as plain text
Started by user Vivek
Obtained exercise9/Jenkinsfile from git https://github.com/abvivek28/devops.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/Python-Multistage-Pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/Python-Multistage-Pipeline/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/abvivek28/devops.git # timeout=10
Fetching upstream changes from https://github.com/abvivek28/devops.git
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/abvivek28/devops.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision b53658de16b1b699d5184305bfcb5d00b5fba10a (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f b53658de16b1b699d5184305bfcb5d00b5fba10a # timeout=10
Commit message: "Edits to Exercise 9"
> git rev-list --no-walk a0019a401a82b609240982a224105a9018705ca8 # timeout=10
[Pipeline] }
[Pipeline] // stage
https://github.com/abvivek28/devops.git