API DOC-CVE

GET http://localhost:5000

http://localhost:5000/cves/CVE-2025-5545

StartFragmentThis API returns the **total number of CVE records** stored in the database.EndFragment

StartFragment

Example Response:

```
Plain Text

{
    "total_records": 350
}
```

EndFragment

GET http://localhost:5000/cves/list

http://localhost:5000/cves/list

StartFragment

GET /cves/list

Description:

This API fetches a paginated list of CVEs. You can filter results using query parameters like year, cvss_score, and cve_id.

Query Parameters:

Parameter	Туре	Description	Example
page	int	Page number (default: 1)	(1)
per_page	int	Records per page (default: 10)	20
sort_by	string	Sort field (published_date or	published_date

		last_modified_da	
sort_order	string	Sort order (asc or desc) (default:	asc
year	string	Filter by year of CVE publication	(2023)
cvss_score	float	Filter by CVSS base score	7.5
cve_id	string	Fetch a specific CVE	CVE-2023-12345

Example Request:

EndFragment

GET http://localhost:5000/cves/CVE-1999-0297

http://localhost:5000/cves/CVE-1999-0297

StartFragmentThis API fetches detailed information about a specific CVE using its ID.EndFragment

StartFragment

Path Parameter:

Parameter	Туре	Description	Example
cve_id	string	The unique CVE identifier	CVE-2023-12345

EndFragment

StartFragment

StartFragment

Example Response:

```
Plain Text

{
    "id": "CVE-2023-12345",
    "description": "cve@mitre.org",
    "published_date": "2023-10-15",
    "last_modified_date": "2024-02-01",
    "status": "Published",
    "cvss_metrics": {
        "severity": "HIGH",
        "base_score": 8.2,
        "vector_string": "AV:N/AC:L/Au:N/C:P/I:P/A:P",
        "exploitability score": 3.9.
```

EndFragment

GET http://localhost:5000/cves/CVE-2025-5545

http://localhost:5000/cves/CVE-2025-5545

StartFragment

```
| 404 |
| "CVE not found" |
| The requested CVE ID does not exist |
```

EndFragment