

Team ID	NM2025TMID00718
Project Name	Supply Leftover Food to Poor
Team Members	Abinesh M(812822205003) Jai Surya N(812822205027) Karthikraja S(812822205031) Jeeva K(812822205030)

5. Performance Testing Phase — Supply Leftover Food to Poor

5.1 Introduction

Performance testing validates the platform's responsiveness and stability during peak donation hours (e.g., post-event meal times).

5.2 Objectives

Measure response times, identify bottlenecks, ensure stability under concurrent users, and validate routing/scheduling performance.

5.3 Types of Tests

Load Testing: Normal donor/NGO traffic.

Stress Testing: Peak loads during large events.

Scalability Testing: Ability to handle more cities/NGOs.

Endurance Testing: Continuous operation during busy days.

5.4 Tools & Environment

Tools: Apache JMeter, Postman. Environment: Node.js/Django backend, MySQL/Postgres DB, simulated clients, mapping API mocks, SMS gateway test sandbox.

5.5 Metrics & (Sample) Results

Average Response Time: ~1.2–1.8 seconds under normal load.

Peak Load Capacity: Stable with ~300 concurrent users in test environment (donors + NGO dashboards).

CPU Utilization: Below 75% during tests.

Memory Usage: Stable over 8-hour endurance tests.

Error Rate: <1% during varied scenarios.

> Note: These are baseline figures expected in the test environment. Real-world numbers will depend on hosting and SMS/map provider latencies.

5.6 Observations & Optimization

Database-heavy operations (searching open donations by geolocation) are the main bottlenecks — mitigate with spatial indexes and caching.

Use async notifications and background workers for SMS/push to keep UI responsive.

Consider in-memory queue (e.g., Redis) for scheduling tasks during peak surges.

5.7 Conclusion

The testing indicates the platform is fit-for-purpose for NGO workflows with further tuning (indexing, caching, scaled workers) before broad production rollout.