

▼ Abyan Ardiatama

24060120140161

Praktikum 4 ML

Hierarchial Clustering

```
import numpy as np
import pandas as pd
from scipy import ndimage
from scipy.cluster import hierarchy
from scipy.spatial import distance_matrix
from matplotlib import pyplot as plt
from sklearn import manifold, datasets
from sklearn.cluster import AgglomerativeClustering
from sklearn.datasets import make_blobs
%matplotlib inline
```

```
df = pd.read_csv('cars_clus.csv')
```

```
print(df.head(10))
```

	manufact	model	sales	resale	type	price	engine_s	horsepow	wheelbas	\
0	Acura	Integra	16.919	16.36	0	21.5	1.8	140	101.2	
1	Acura	TL	39.384	19.875	0	28.4	3.2	225	108.1	
2	Acura	CL	14.114	18.225	0	\$null\$	3.2	225	106.9	
3	Acura	RL	8.588	29.725	0	42	3.5	210	114.6	
4	Audi	A4	20.397	22.255	0	23.99	1.8	150	102.6	
5	Audi	A6	18.78	23.555	0	33.95	2.8	200	108.7	
6	Audi	A8	1.38	39	0	62	4.2	310	113	
7	BMW	323i	19.747	\$null\$	0	26.99	2.5	170	107.3	
8	BMW	328i	9.231	28.675	0	33.4	2.8	193	107.3	
9	BMW	528i	17.527	36.125	0	38.9	2.8	193	111.4	

	width	length	curb_wgt	fuel_cap	mpg	lnsales	partition
0	67.3	172.4	2.639	13.2	28	2.828	0
1	70.3	192.9	3.517	17.2	25	3.673	0
2	70.6	192	3.47	17.2	26	2.647	0
3	71.4	196.6	3.85	18	22	2.15	0
4	68.2	178	2.998	16.4	27	3.015	0
5	76.1	192	3.561	18.5	22	2.933	0
6	74	198.2	3.902	23.7	21	0.322	0
7	68.4	176	3.179	16.6	26.1	2.983	0
8	68.5	176	3.197	16.6	24	2.223	0
9	70.9	188	3.472	18.5	24.8	2.864	0

```
print("Shape of dataset:", df.shape)
# Check if there is any missing value
df.isnull().sum()
```

```
Shape of dataset: (159, 16)
```

```
manufact      2
model         0
sales         0
resale        0
type          0
price         0
engine_s      0
horsepow      0
wheelbas      0
width         0
length        0
curb_wgt      0
fuel_cap      0
mpg           0
lnsales       0
partition     0
dtype: int64
```

```
# Data Cleaning, convert to numerical, if can't drop the data
df[['sales','resale','type','price','engine_s','horsepow','wheelbas','width','length','curb_wgt','fuel_cap','mpg','lr
df = df.dropna()
df = df.reset_index(drop=True)
print("Shape of dataset after cleaning: ", df.shape)
# Check if there is any missing value
df.isnull().sum()
```

```
Shape of dataset after cleaning: (117, 16)
```


```
manufact      0
model         0
sales         0
resale        0
type          0
price         0
engine_s      0
horsepow      0
wheelbas      0
width         0
length        0
curb_wgt      0
fuel_cap      0
mpg           0
lnsales       0
partition     0
dtype: int64
```

## ▼ Tugas 1

### Agglomerative Clustering Single Linkage dan Average Linkage Dataset cars\_clustering

```
X1,y1=make_blobs(n_samples=50,centers=[[4,4],[-2,-1],[1,1],[10,4]], cluster_std=0.9)  
plt.scatter(X1[:,0],X1[:,1], marker='o')
```

<matplotlib.collections.PathCollection at 0x7f13a670d5d0>



```

agglom=AgglomerativeClustering(n_clusters=4,linkage='single')
agglom.fit(X1,y1)

    AgglomerativeClustering(linkage='single', n_clusters=4)

#Create Figure of size 6 inches and 4 inches
plt.figure(figsize=(6,4))

#These 2 lines of code are used to scale the data points down
#or else the data points will be scattered very far apart

#Create amnimum and maximum range of X1
x_min,x_max=np.min(X1,axis=0), np.max(X1,axis=0)

#get the average distance for X1
X1 = (X1-x_min) / (x_max -x_min)


#This loop displays all of the datapoints
for i in range(X1.shape[0]):
    #Replace the data points with their respective cluster value
    #(ex.0) and is color coded with a colormap (plt.cm.spectral)
    plt.text(X1[i, 0], X1[i, 1], str(y1[i]),
            color=plt.cm.nipy_spectral(agglom.labels_[i] / 10.),
            fontdict={'weight':'bold','size':9})

#Remove the x ticks, y ticks, x and y axis
plt.xticks([])
plt.yticks([])
plt.axis('off')

#Display the plot of the original data before clustering

```

```
plt.scatter(X1[:, 0], X1[:, 1], marker='.')
#Display the plot
plt.show()
```



```
#Plotting the dendrogram
dist_matrix = distance_matrix(X1,X1)
print(dist_matrix)
```

```
[[0.          0.78488268 0.7111902  ... 0.8742576  0.66734213 0.28272611]
 [0.78488268 0.          0.12622287  ... 0.19008702 0.14032591 1.00832661]
 [0.7111902  0.12622287 0.          ... 0.31278807 0.04886506 0.91410664]
 ...
 [0.8742576  0.19008702 0.31278807  ... 0.          0.31308196 1.12385339]
 [0.66734213 0.14032591 0.04886506  ... 0.31308196 0.          0.87685795]
 [0.28272611 1.00832661 0.91410664  ... 1.12385339 0.87685795 0.          ]]
```


```
#Use linkage class from the hierarchy
Z = hierarchy.linkage(dist_matrix,'complete')
X = hierarchy.linkage(dist_matrix,'single')
Y = hierarchy.linkage(dist_matrix,'average')
```

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:2: ClusterWarning: scipy.cluster: The symmetric nor

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:3: ClusterWarning: scipy.cluster: The symmetric nor  
This is separate from the ipykernel package so we can avoid doing imports until


/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:4: ClusterWarning: scipy.cluster: The symmetric nor  
after removing the cwd from sys.path.

```
dendro:=hierarchy.dendrogram(Z)
```






```
dendro = hierarchy.dendrogram(X)
```



```
dendro = hierarchy.dendrogram(Y)
```



## ▼ Tugas 2

Agglomerative Clustering menggunakan scipy dan scikit-learn Single Linkage dan Average Linkage Dataset cars\_clustering

```
# Feature selection
featureset = df[['engine_s', 'horsepow', 'wheelbas', 'width', 'length', 'curb_wgt', 'fuel_cap', 'mpg']]
featureset.head()
```

```
#Normalization
```

```
from sklearn.preprocessing import MinMaxScaler
x = featureset.values #return numpy array
min_max_scaler = MinMaxScaler()
feature_mtx = min_max_scaler.fit_transform(x)
feature_mtx [0:5]
```

```
array([[0.11428571, 0.21518987, 0.18655098, 0.28143713, 0.30625832,
        0.2310559 , 0.13364055, 0.43333333],
       [0.31428571, 0.43037975, 0.3362256 , 0.46107784, 0.5792277 ,
        0.50372671, 0.31797235, 0.33333333],
       [0.35714286, 0.39240506, 0.47722343, 0.52694611, 0.62849534,
        0.60714286, 0.35483871, 0.23333333],
       [0.11428571, 0.24050633, 0.21691974, 0.33532934, 0.38082557,
        0.34254658, 0.28110599, 0.4       ],
       [0.25714286, 0.36708861, 0.34924078, 0.80838323, 0.56724368,
        0.5173913 , 0.37788018, 0.23333333]])
```

```
#Clustering with scipy
import scipy
leng = feature_mtx.shape[0]
D = scipy.zeros([leng,leng])
for i in range(leng):
    for j in range(leng):
        D[i,j] = scipy.spatial.distance.euclidean(feature_mtx[i],feature_mtx[j])
```

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:4: DeprecationWarning: scipy.zeros is deprecated after removing the cwd from sys.path.
```

```
#Single Linkage, Average Linkage, and Complete Linkage
import pylab
import scipy.cluster.hierarchy
Z = hierarchy.linkage(D, 'complete')
X = hierarchy.linkage(D, 'single')
Y = hierarchy.linkage(D, 'average')
```

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:4: ClusterWarning: scipy.cluster: The symmetric nor
after removing the cwd from sys.path.
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:5: ClusterWarning: scipy.cluster: The symmetric nor
.....
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:6: ClusterWarning: scipy.cluster: The symmetric nor
```

```

from scipy.cluster.hierarchy import fcluster
max_d = 3
clusters = fcluster(Z,max_d,criterion='distance')
clusters

array([ 1,  5,  5,  6,  5,  4,  6,  5,  5,  5,  5,  5,  4,  4,  5,  1,  6,
        5,  5,  5,  4,  2, 11,  6,  6,  5,  6,  5,  1,  6,  6, 10,  9,  8,
        9,  3,  5,  1,  7,  6,  5,  3,  5,  3,  8,  7,  9,  2,  6,  6,  5,
        4,  2,  1,  6,  5,  2,  7,  5,  5,  5,  4,  4,  3,  2,  6,  6,  5,
        7,  4,  7,  6,  6,  5,  3,  5,  5,  6,  5,  4,  4,  1,  6,  5,  5,
        5,  6,  4,  5,  4,  1,  6,  5,  6,  6,  5,  5,  5,  7,  7,  7,  2,
        2,  1,  2,  6,  5,  1,  1,  1,  7,  8,  1,  1,  6,  1,  1],
      dtype=int32)

```

```

from scipy.cluster.hierarchy import fcluster
k=5
clusters = fcluster(Z, k, criterion='maxclust')
clusters

array([1, 3, 3, 3, 3, 2, 3, 3, 3, 3, 3, 3, 2, 2, 3, 1, 3, 3, 3, 3, 2, 1,
       5, 3, 3, 3, 3, 3, 1, 3, 3, 4, 4, 4, 4, 2, 3, 1, 3, 3, 3, 2, 3, 2,
       4, 3, 4, 1, 3, 3, 3, 2, 1, 1, 3, 3, 1, 3, 3, 3, 3, 2, 2, 2, 1, 3,
       3, 3, 3, 2, 3, 3, 3, 3, 2, 3, 3, 3, 3, 2, 2, 1, 3, 3, 3, 3, 3, 2,
       3, 2, 1, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 1, 1, 1, 1, 3, 3, 1, 1, 1,
       3, 4, 1, 1, 3, 1, 1], dtype=int32)

#Plotting Dendrogram
fig=plt.figure(figsize=(18,50))
def llf(id):
    return '%s %s %s' % (df['manufact'][id],df['model'][id], int(float(df['type

```


```


#Plotting Complete Linkage


```

... creating complete linkage -


```
dendro = hierarchy.dendrogram(Z, leaf_label_func=llf, leaf_rotation=0, leaf_for
```













## #Plotting Single Linkage


```
fig = pylab.figure(figsize=(18,50))
```

```
dendro = hierarchy.dendrogram(X, leaf_label_func=llf, leaf_rotation=0, leaf_font_size=12, orientation='right')
```











```
#Plotting Average Linkage
```

```
fig = pylab.figure(figsize=(18,50))
```


```
dendro = hierarchy.dendrogram(Y, leaf_label_func=llf, leaf_rotation=0, leaf_for
```












## ▼ Tugas 3

Agglomerative Cluster menggunakan scikit-learn dan scipy dengan single linkage, average linkage, dan complete linkage menggunakan dataset iris

```
# Import iris dataset
from sklearn.datasets import load_iris
iris = load_iris()

# Convert to df
df = pd.DataFrame(iris.data, columns=iris.feature_names)
df['target'] = iris.target
```

```
df.head()
```

	sepal length (cm)	sepal width (cm)	petal length (cm)	petal width (cm)	target	
0	5.1	3.5	1.4	0.2	0	
1	4.9	3.0	1.4	0.2	0	
2	4.7	3.2	1.3	0.2	0	
3	4.6	3.1	1.5	0.2	0	
4	5.0	3.6	1.4	0.2	0	

```
#Normalization
```

```
from sklearn.preprocessing import MinMaxScaler
```

```
x = df.values
```

```
min_max_scaler = MinMaxScaler()
```

```
feature_mtx = min_max_scaler.fit_transform(x)
```

```
feature_mtx [0:5]
```

```
array([[0.22222222, 0.625      , 0.06779661, 0.04166667, 0.        ],
       [0.16666667, 0.41666667, 0.06779661, 0.04166667, 0.        ],
       [0.11111111, 0.5        , 0.05084746, 0.04166667, 0.        ],
       [0.08333333, 0.45833333, 0.08474576, 0.04166667, 0.        ],
       [0.19444444, 0.66666667, 0.06779661, 0.04166667, 0.        ]])
```

```
#Clustering with scipy
import scipy
leng = feature_mtx.shape[0]
D = scipy.zeros([leng,leng])
for i in range(leng):
    for j in range(leng):
        D[i,j] = scipy.spatial.distance.euclidean(feature_mtx[i],feature_mtx[j])
```

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:4: DeprecationWarning: scipy.zeros is deprecated after removing the cwd from sys.path.

```
#Single Linkage, Average Linkage, and Complete Linkage
```

```
import pylab
import scipy.cluster.hierarchy
Z = hierarchy.linkage(D, 'complete')
X = hierarchy.linkage(D, 'single')
Y = hierarchy.linkage(D, 'average')
```

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:4: ClusterWarning: scipy.cluster: The symmetric nor after removing the cwd from sys.path.

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:5: ClusterWarning: scipy.cluster: The symmetric nor  
 """

/usr/local/lib/python3.7/dist-packages/ipykernel\_launcher.py:6: ClusterWarning: scipy.cluster: The symmetric nor


```
def llf(id):
    return "[%s]" % ( iris.target_names[df['target'][id]] )
```


```
#Plotting Complete Linkage
```


```
fig = pylab.figure(figsize=(18,50))
```


```
dendro = hierarchy.dendrogram(Z, leaf_label_func=llf, leaf_rotation=0, leaf_fontsize=10)
```

```
dendro = hierarchical.dendrogram(Z, * leaf_label_func=leaf_label_func, * leaf_rotation=0, * leaf_for
```













```
#Plotting Single Linkage
```


```
fig = pylab.figure(figsize=(18,50))
```


```
dendro = hierarchy.dendrogram(X, leaf_label_func=llf, leaf_rotation=0, leaf_font_size=12, orientation='right')
```




[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]  
[virginica]











#Plotting Average Linkage


```
fig = pylab.figure(figsize=(18,50))
```

```
dendro = hierarchy.dendrogram(Y, leaf_label_func=llf, leaf_rotation=0, leaf_for
```


[virginica]














Colab paid products - [Cancel contracts here](#)

✓ 2s completed at 07:54

