Tables (14)

Name	Type	Schema
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
auth_user		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
auth_user_groups		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
auth_user_user_permissions		CREATE TABLE "auth_user_user_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL

Name	Type	Schema
		REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "action_time" datetime NOT NULL, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0))
id	integer	"id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
main_bed		CREATE TABLE "main_bed" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "bed_number" varchar(50) NOT NULL, "occupied" bool NOT NULL)
id	integer	"id" integer NOT NULL
bed_number	varchar(50)	"bed_number" varchar(50) NOT NULL
occupied	bool	"occupied" bool NOT NULL
main_doctor		CREATE TABLE "main_doctor" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
main_patient		CREATE TABLE "main_patient" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name"

Name	Type	Schema
		varchar(50) NOT NULL, "phone_num" varchar(15) NOT NULL, "address" text NOT NULL, "prior_ailments" text NOT NULL, "bed_num_id" integer NOT NULL REFERENCES "main_bed" ("id") DEFERRABLE INITIALLY DEFERRED, "dob" date NULL, "status" varchar(50) NOT NULL, "patient_relative_contact" varchar(15) NULL, "patient_relative_name" varchar(50) NULL, "symptoms" varchar(183) NULL, "doctors_notes" text NULL, "doctor_id" integer NULL REFERENCES "main_doctor" ("id") DEFERRABLE INITIALLY DEFERRED, "doctors_visiting_time" varchar(50) NULL)
id	integer	"id" integer NOT NULL
name	varchar(50)	"name" varchar(50) NOT NULL
phone_num	varchar(15)	"phone_num" varchar(15) NOT NULL
address	text	"address" text NOT NULL
prior_ailments	text	"prior_ailments" text NOT NULL
bed_num_id	integer	"bed_num_id" integer NOT NULL
dob	date	"dob" date
status	varchar(50)	"status" varchar(50) NOT NULL
patient_relative_contact	varchar(15)	"patient_relative_contact" varchar(15)
patient_relative_name	varchar(50)	"patient_relative_name" varchar(50)
symptoms	varchar(183)	"symptoms" varchar(183)
doctors_notes	text	"doctors_notes" text
doctor_id	integer	"doctor_id" integer
doctors_visiting_time	varchar(50)	"doctors_visiting_time" varchar(50)
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (17)

Name	Type	Schema
auth_group_permissions_ group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_permissions_ group_id_permission_id_0 cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_un iq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_ permission_id_84c5c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_content_ type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_content_ type_id_codename_01ab3 75a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"

Name	Type	Schema
codename		"codename"
auth_user_groups_group_id_97559544		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
auth_user_groups_user_id_6a12ed8b		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
auth_user_groups_user_id_group_id_94350c0c_uniq		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
auth_user_user_permissions_permission_id_1fbb5f2c		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
auth_user_user_permissions_user_id_a95ead1b		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
auth_user_user_permissions_user_id_permission_id_14a6b632_uniq		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eba6		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire_date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
main_patient_bed_num_id_2204c8f8		CREATE INDEX "main_patient_bed_num_id_2204c8f8" ON "main_patient" ("bed_num_id")
bed_num_id		"bed_num_id"
main_patient_doctor_id_e0580a93		CREATE INDEX "main_patient_doctor_id_e0580a93" ON "main_patient" ("doctor_id")
doctor_id		"doctor_id"

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema