

exadata-oswatcher Package Is Missing After Image Upgrade (Doc ID 2580976.1)

In this Document

[Symptoms](#)[Cause](#)[Solution](#)[References](#)

APPLIES TO:

Oracle Exadata Storage Server Software - Version 19.2.4.0.0 and later
Information in this document applies to any platform.

SYMPTOMS

Exadata image has been upgraded.

The exadata-oswatcher package is not installed:

```
[root@ncc1701a ~]# rpm -qa |grep exadata-oswatcher
[root@ncc1701a ~]#
```

Running yum check fails with dependency error:

```
[root@ncc1701a ~]# yum check
exadata-sun-computenode-minimum-19.2.4.0.0.190709-1.noarch has missing requires of exadata-oswatcher >= ('0', '19.2.4.0.0.190709', '1')
Error: check all
[root@ncc1701a ~]#
```

CAUSE

During the upgrade, the user exawatch is created prior to installation of the exadata-oswatcher package. This user tries to use user ID (UID) 1010. If that UID is already in use by another user, the creation of the exawatch user fails which in turn causes the exadata-oswatcher package to not be installed. This can be confirmed in the /var/log/upgrade.log file

and in the dbnodeupdate diag file (for example dbnodeupdate.300719150240.diag):

```
Jul 30 17:13:31 ncc1701a.starfleet.ufp upgrade[8077]: useradd: UID 1010 is not unique
Jul 30 17:13:31 ncc1701a.starfleet.ufp kernel: type=1114 audit(1564506811.148:79): pid=11651 uid=0 auid=4294967295 ses=4294967295 msg='op=add-user acct="exawatch"
exe="/usr/sbin/useradd
Jul 30 17:13:31 ncc1701a.starfleet.ufp useradd[11651]: failed adding user 'exawatch', exit code: 4
Jul 30 17:13:31 ncc1701a.starfleet.ufp upgrade[8077]: error: %pre(exadata-oswatcher-19.2.4.0.0.190709-1.noarch) scriptlet failed, exit status 4
Jul 30 17:13:31 ncc1701a.starfleet.ufp upgrade[8077]: Warning: fatal %prescriptlet failure in exadata-oswatcher-19.2.4.0.0.190709-1 (exit code 2)
Jul 30 17:13:31 ncc1701a.starfleet.ufp upgrade[8077]: error: exadata-oswatcher-19.2.4.0.0.190709-1.noarch: install failed
```

This problem only affects 19.x images below version 19.2.6. This problem does not affect images below version 19.1.0.0.0.

SOLUTION

1. Add the missing exawatch user with the exawatch group without specifying the UID :

```
# /usr/sbin/useradd -r -d / -M -s /bin/false -g exawatch exawatch
```

2. Install the missing exadata-oswatcher RPM. For example:

```
# rpm -ivh exadata-oswatcher-19.2.4.0.0.190709-1.noarch.rpm
```

The correct RPM can be found in the compute node upgrade patch for the installed image version. This patch can be downloaded from the Supplemental README document for the installed image version. Refer to [Doc ID 888828.1](#) to locate the Supplemental README.

If the install succeeds then stop here. The problem is resolved.

If the install fails, go to #3.

3. Collect the following data:

- An sosreport as detailed in [Doc ID 1901729.1](#).
- All patchmgr log and trace files from the image update (patchmgr.log, patchmgr.trc, patchmgr.stdout and patchmgr.stderr).
- The /var/log/update.log file.
- The dbnodeupdate log and diag files in /var/log/cellos (dbnodeupdate.<patchRunID>.diag and dbnodeupdate.log).

4. Open a Service Request with Oracle Support and attach the data collected in #3.

REFERENCES

Didn't find what you are looking for?