

Question 5

Write a Php script to login using session variable and destroy the session variable. (Insert the records manually in the database).

connect.php:

```
<?php
    try {
        $con = mysqli_connect("localhost", "root", "", "mydbaa");
    } catch (Exception $E) {
        echo "<script>alert('Some error occured. Try again later');</script>"; //calling JS alert function from PHP
    }
?>
```

login.php:

```
<html>
<head></head>
<body>
  <form action="" method="post">
    LOGIN <!-- skip style part if you want -->
       Username
            <input type="text" name="name" required>
         Password
            <input type="password" name="pass" required>
         <input type="submit" value="Submit" name="sub">
         </form>
  <?php
```

Question 5

```
session_start();
       include("connect.php");
        if (isset($_POST["sub"])) {
           $name = $_POST["name"];
           $pass = $_POST["pass"];
           $res = mysqli\_query($con, "select * from login\_table where Username='$name' and Password='$pass'");
           $row = mysqli_fetch_assoc($res);
           if ($row != null && $row != 0) {
               $_SESSION['id'] = $row['Id'];
               $_SESSION["Uname"] = $name;
           } else {
               echo "<script>alert('Invalid user');</script>";
           if (isset($_SESSION['id'])) {
               header("location:index.php");
       }
   ?>
</body>
</html>
```

index.php:

```
<?php
session_start();
if($_SESSION["Uname"]) {

?>
     Welcome

<?php
echo ", " . $_SESSION["Uname"] . ".<br>";
?>
     Click here to <a href="logout.php">Logout</a>
<?php
} else
     echo "Please logoin first";
?>
```

logout.php:


```
<?php
session_start();
unset($_SESSION["id"]);
unset($_SESSION["Uname"]);
unset($_SESSION["Pass"]);</pre>
```

Question 5 2


```
header("location:login.php");
?>
```

Output:

login.php:



login.php error:



index.php:

Welcome, Oliver.

Click here to Logout

Question 5