

OpenShift Container Platform 4 for Operations

1. Introduction

- a. About OpenShift Kubernetes Engine
- b. Legal notice

2. Release Notes

- a. OpenShift Container Platform 4.6 release notes
- b. OpenShift Container Platform Versioning Policy

3. Architecture

- a. OpenShift Container Platform architecture
- b. Installation and update
- c. The OpenShift Container Platform control plane
- d. Understanding OpenShift Container Platform development
- e. Red Hat Enterprise Linux CoreOS (RHCOS)

4. Installing

- a. Installing on AWS
 - i. Configuring an AWS account
 - ii. Manually creating IAM for AWS
 - iii. Installing a cluster quickly on AWS
 - iv. Installing a cluster on AWS with customizations
 - v. Installing a cluster on AWS with network customizations
 - vi. Installing a cluster on AWS into an existing VPC
 - vii. Installing a private cluster on AWS
 - viii. Installing a cluster on user-provisioned infrastructure in AWS by using CloudFormation templates
 - ix. Uninstalling a cluster on AWS
- b. Installation methods for different platforms
- c. Customizing nodes
- d. Validating an installation
- e. Troubleshooting installation issues

5. Updating clusters

- a. Updating a cluster between minor versions
- b. Updating a cluster within a minor version from the web console
- c. Updating a cluster within a minor version by using the CLI

OpenShift Container Platform 4 for Operations

6. Post-installation configuration

- a. Post-installation machine configuration tasks
 - i. Understanding the Machine Config Operator
 - ii. Using MachineConfig objects to configure nodes
 - iii. Configuring MCO-related custom resources
- b. Post-installation cluster tasks
 - i. Adjust worker nodes
 - ii. Creating infrastructure machine sets
 - iii. Moving resources to infrastructure machine sets
 - iv. Creating an infrastructure node
 - v. Creating infrastructure machines
 - vi. About the cluster autoscaler
 - vii. About the machine autoscaler
 - viii. Recommended etcd practices
 - ix. Pod disruption budgets
- c. Post-installation node tasks
 - i. Deploying machine health checks
 - ii. Recommended node host practices
 - iii. Huge pages
 - iv. Taints and tolerations
 - v. Resource requests and overcommitment
 - vi. Cluster-level overcommit
 - vii. Node-level overcommit
 - viii. Project-level limits
 - ix. Freeing node resources using garbage collection
 - x. Configuring the maximum number of pods per node
- d. Post-installation network configuration
 - i. Configuring network policy with OpenShift SDN
 - ii. Setting DNS to private
 - iii. Enabling the cluster-wide proxy
 - iv. Cluster Network Operator configuration
 - v. Configuring ingress cluster traffic
 - vi. Red Hat OpenShift Service Mesh supported configurations
 - vii. Optimizing routing
- e. Post-installation storage configuration
 - i. Dynamic provisioning
 - ii. Defining a storage class
 - iii. Changing the default storage class
 - iv. Optimizing storage
 - v. Available persistent storage options
 - vi. Recommended configurable storage technology

OpenShift Container Platform 4 for Operations

- f. Preparing for users
 - i. Understanding identity provider configuration
 - ii. Using RBAC to define and apply permissions
 - iii. The kubeadmin user
 - iv. Installing Operators from OperatorHub
- g. Configuring alert notifications
 - i. Sending notifications to external systems

7. Support

- a. Getting support
- b. Gathering data about your cluster
- c. Summarizing cluster specifications
- d. Troubleshooting
 - i. Troubleshooting installations
 - ii. Verifying node health
 - iii. Troubleshooting CRI-O container runtime issues
 - iv. Troubleshooting Operator issues
 - v. Investigating pod issues
 - vi. Troubleshooting storage issues
 - vii. Investigating monitoring issues
 - viii. Diagnosing OpenShift CLI (oc) issues

8. Web console

- a. Accessing the web console
- b. Using the OpenShift Container Platform dashboard to get cluster information
- c. Configuring the web console in OpenShift Container Platform
- d. Customizing the web console in OpenShift Container Platform
- e. About the web terminal in the web console
- f. Disabling the web console in OpenShift Container Platform

9. Security

- a. Container security
 - i. Understanding container security
 - ii. Understanding host and VM security
 - iii. Hardening RHCOS
 - iv. Securing the container platform
 - v. Securing networks
 - vi. Securing attached storage
 - vii. Monitoring cluster events and logs

OpenShift Container Platform 4 for Operations

- b. Configuring certificates
 - i. Replacing the default ingress certificate
 - ii. Adding API server certificates
- c. Certificate types and descriptions
 - i. User-provided certificates for the API server
 - ii. Proxy certificates
 - iii. Service CA certificates
 - iv. Node certificates
 - v. Bootstrap certificates
 - vi. etcd certificates
 - vii. OLM certificates
 - viii. User-provided certificates for default ingress
 - ix. Ingress certificates
 - x. Monitoring and cluster logging Operator component certificates
 - xi. Control plane certificates
- d. Viewing audit logs
- b. Configuring the audit log policy
- c. Encrypting etcd data

10. Authentication and authorization

- a. Understanding authentication
- b. Configuring the internal OAuth server
- c. Understanding identity provider configuration
- d. Configuring identity providers
 - i. Configuring an HTTPBasic identity provider
 - ii. Configuring a GitHub or GitHub Enterprise identity provider
- e. Using RBAC to define and apply permissions
- f. Removing the kubeadmin user
- g. Understanding and creating service accounts
- h. Using service accounts in applications
- i. Managing security context constraints
- j. Creating and using config maps

11. Networking

- a. Accessing hosts
- b. Cluster Network Operator in OpenShift Container Platform
- c. DNS Operator in OpenShift Container Platform
- d. Ingress Operator in OpenShift Container Platform
- e. Configuring the node port service range
- f. Network policy

OpenShift Container Platform 4 for Operations

12. Storage

- a. Understanding ephemeral storage
- b. Understanding persistent storage
- c. Configuring persistent storage
 - i. Persistent storage using AWS Elastic File System
 - ii. Persistent storage using AWS Elastic Block Store
 - iii. Persistent storage using hostPath
 - iv. Persistent storage using local volumes
 - v. Persistent storage using NFS
- d. Expanding persistent volumes
- e. Dynamic provisioning

13. Operators

- a. Understanding Operators
 - i. What are Operators?
 - ii. Operator Framework glossary of common terms
 - iii. Operator Framework packaging formats
 - iv. Operator Lifecycle Manager
 - 1. Operator Lifecycle Manager concepts
 - 2. Operator Lifecycle Manager architecture
 - 3. Operator Lifecycle Manager workflow
 - 4. Operator Lifecycle Manager dependency resolution
 - 5. Operator groups
 - 6. Operator Lifecycle Manager metrics
 - v. Understanding OperatorHub
 - vi. Extending the Kubernetes API with custom resource definitions
 - vii. Managing resources from custom resource definitions
- b. User tasks
 - i. Creating applications from installed Operators
 - ii. Installing Operators in your namespace
- c. Administrator tasks
 - i. Adding Operators to a cluster
 - ii. Upgrading installed Operators
 - iii. Deleting Operators from a cluster
 - iv. Viewing Operator status
 - v. Allowing non-cluster administrators to install Operators
 - vi. Managing custom catalogs
- d. Red Hat Operators

OpenShift Container Platform 4 for Operations

14. Applications

- a. Quotas
 - i. Resource quotas per project
 - ii. Resource quotas across multiple projects
- b. Pruning objects to reclaim resources

15. Machine management

- a. Creating a machine set in AWS
- b. Manually scaling a machine set
- c. Modifying a machine set
- d. Deleting a machine
- e. Applying autoscaling to an OpenShift Container Platform cluster
- f. Creating infrastructure machine sets
- g. Deploying machine health checks

16. Working with nodes

- a. Viewing and listing the nodes in your OpenShift Container Platform cluster
- b. Working with nodes
- c. Managing nodes
- d. Managing the maximum number of pods per node
- e. Using the Node Tuning Operator
- f. Understanding node rebooting
- g. Freeing node resources using garbage collection
- h. Allocating resources for nodes in an OpenShift Container Platform cluster
- i. Machine Config Daemon metrics

17. Working with clusters

- a. Viewing system event information in an OpenShift Container Platform cluster
- b. Estimating the number of pods your OpenShift Container Platform nodes can hold
- c. Restrict resource consumption with limit ranges
- d. Configuring cluster memory to meet container memory and risk requirements
- e. Configuring your cluster to place pods on overcommitted nodes

OpenShift Container Platform 4 for Operations

18. Logging

- a. Understanding cluster logging
- b. Installing cluster logging
- c. Configuring your cluster logging deployment
- d. Viewing cluster logs
- e. Viewing cluster logs by using Kibana
- f. Forwarding logs to third party systems
- g. Collecting and storing Kubernetes events
- h. Updating cluster logging
- i. Viewing cluster dashboards
- j. Troubleshooting cluster logging
- k. Uninstalling Cluster Logging
- l. Exported fields

19. Monitoring

- a. Understanding the monitoring stack
- b. Configuring the monitoring stack
- c. Enabling monitoring for user-defined projects
- d. Managing metrics
- e. Managing alerts
- f. Reviewing monitoring dashboards
- g. Accessing third-party UIs
- h. Exposing custom application metrics for autoscaling
- i. Troubleshooting monitoring issues

20. Metering

- a. About Metering
- b. Installing metering
- c. Upgrading metering
- d. Configuring metering
- e. Reports
- f. Using Metering
- g. Examples of using metering
- h. Troubleshooting and debugging metering
- i. Uninstalling metering

OpenShift Container Platform 4 for Operations

21. Scalability and performance

- a. Recommended practices for installing large clusters
- b. Recommended host practices
- c. Recommended cluster scaling practices
- d. Using the Node Tuning Operator
- e. Using CPU Manager
- f. Using Topology Manager
- g. Scaling the Cluster Monitoring Operator
- h. Planning your environment according to object maximums
- i. Optimizing storage
- j. Optimizing routing
- k. Optimizing networking
- l. What huge pages do and how they are consumed by applications
- m. Performance Addon Operator for low latency nodes

22. Backup and restore

- a. Backing up etcd
- b. Replacing an unhealthy etcd member
- c. Shutting down the cluster gracefully
- d. Restarting the cluster gracefully
- e. Disaster recovery

23. CLI tools

- a. Getting started with the CLI
- b. Configuring the CLI
- c. Extending the CLI with plug-ins
- d. Developer CLI commands
- e. Administrator CLI commands
- f. Usage of oc and kubectl commands

OpenShift Container Platform 4 for Operations

24. Service Mesh

- a. Service Mesh Release Notes
- b. Understanding Red Hat OpenShift Service Mesh
- c. Service Mesh and Istio differences
- d. Preparing to install Red Hat OpenShift Service Mesh
- e. Installing Red Hat OpenShift Service Mesh
- f. Configuring the Red Hat OpenShift Service Mesh installation
- g. Deploying applications on Red Hat OpenShift Service Mesh
- h. Data visualization and observability
- i. Customizing security in a Service Mesh
- j. Traffic management
- k. Custom resources
- l. Removing Red Hat OpenShift Service Mesh

25. Jaeger

- a. Jaeger Release Notes
- b. Jaeger architecture
- c. Installing Jaeger
- d. Configuring and Deploying Jaeger
- e. Upgrading Jaeger
- f. Removing Jaeger

26. API reference