

# Make better posters with RMarkdown + posterdown.

## Centralização e Escalonamento de dados

Luiz Fernando Palin Droubi<sup>1</sup>,  
Norberto Hochheim<sup>1</sup>  
Carlos Augusto Zilli<sup>1</sup> Willian Zonato<sup>2</sup>

<sup>1</sup> PPGTG, UFSC  
<sup>2</sup> SPU/SC

### Introduction

This is the posterdown\_betterport template for the {posterdown} package! I was inspired by the twitter thread of Mike Morrison and wanted to apply the #betterposter concept to the reproducible (yet simple to use) functionality of the {posterdown} package (Thorne 2019). If you're not an R user don't sweat as you do NOT need to use it at all! Feel free to use only the Markdown functionality of this package :)

### Objectives

- 1. Pick a template layout.
- 2. Write/ create your poster content distraction free.
- 3. Let posterdown do its thing!

### Methods

I will show here how to include poster elements that may be useful, such as an equation using mathjax:

$$E = mc^2$$

To reference a citation you can add your .bib file to the working directory and name it in the YAML metadata or generate an automated one as done here, then you only need to reference the label value in the .bib file. For example this package is built on top of the wonderful {pagedown} package and I will cite it at the end of this sentence using this in the rmd [R-pagedown] (Xie, Lesur, and Thorne 2019).

To get a better understanding of how to include features like these please refer to the {posterdown} wiki.

Now on to the results!

### Results

Here you may have some figures to show off, bellow I have made a scatterplot with the infamous Iris dataset and I can even reference to the figure automatically like this, Figure \@ref(fig:irisfigure), Figure 1.




Figure 1: Here is a caption for the figure. This can be added by using the "fig.cap" option in the r code chunk options, see this link from the legend himself, Yihui Xie.

Maybe you want to show off some of that fancy code you spent so much time on to make that figure, well you can do that too! Just use the echo=TRUE option in the r code chunk options, Figure 2!

```
#trim whitespace
par(mar=c(2,2,0,0))
#plot boxplots
boxplot(iris$Sepal.Width~iris$Species,
        col = "#008080",
        border = "#0b4545",
        ylab = "Sepal Width (cm)",
        xlab = "Species")
```




Figure 2: Boxplots, so hot right now!

How about a neat table of data? See, Table 1:

Table 1: A table made with the knitr::kable function.

Sepal Length	Sepal Width	Petal Length	Petal Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa

Sepal Length	Sepal Width	Petal Length	Petal Width	Species
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa

### References

Thorne, Brent. 2019. Posterdown: Generate Pdf Conference Posters Using R Markdown. <https://github.com/brentthorne/posterdown>.  
Xie, Yihui, Romain Lesur, and Brent Thorne. 2019. Pagedown: Paginate the Html Output of R Markdown with Css for Print. <https://CRAN.R-project.org/package=pagedown>.

