

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for groups.blade.php

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
 From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```


 For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
 If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** The character encoding was not declared. Proceeding using `gb18030`.
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
 From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```
- Error** Element `head` is missing a required instance of child element `title`.
 From line 1, column 1; to line 1, column 23

```
@extends('layouts.app')<@sec
```


 Content model for element `head`:
 If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Bad value `{{ route('home') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 11, column 17; to line 11, column 46

```
<li><a href="{{ route('home') }}">裸泉 Hom
```

6. **Error** Bad value `{{ route('explore') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 12, column 17; to line 12, column 49

```
<li><a href="{{ route('explore') }}">裸邊 Exp
```

7. **Error** Bad value `{{ route('notifications') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 13, column 17; to line 13, column 55

```
<li><a href="{{ route('notifications') }}">裸敏 Not
```

8. **Error** Bad value `{{ route('messages.showAllConversations') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 14, column 17; to line 14, column 71

```
<li><a href="{{ route('messages.showAllConversations') }}">裸摠 Mes
```

9. **Error** Bad value `{{ route('groups.showGroups') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 16, column 17; to line 16, column 59

```
<li><a href="{{ route('groups.showGroups') }}">裸慙 Gro
```

10. **Error** Bad value `{{ route('profile.show', auth()->id()) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 20, column 13; to line 20, column 65

```
<a href="{{ route('profile.show', auth()->id()) }}">裸懷 {{
```

11. **Error** Bad value `{{ route('groups.search') }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

From line 27, column 9; to line 27, column 88

```
><=<form id="groups-search-bar" action="{{ route('groups.search') }}"
method="GET"><=<
```

12. **Error** Text not allowed in element `ul` in this context.

From line 36, column 1; to line 36, column 36

```
<ul>@forelse ($groups as $group)</ul>
```

Content model for element `ul`:Zero or more `li` and `script-supporting` elements.13. **Error** Bad value `{{ route('groups.show', $group->groupid) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 37, column 17; to line 37, column 71

```
<li><a href="{{ route('groups.show', $group->groupid) }}">{{ $g
```

14. **Error** Text not allowed in element `ul` in this context.

From line 38, column 1; to line 38, column 14

```
</a></li>@empty
```

Content model for element `ul`:Zero or more `li` and `script-supporting` elements.15. **Error** Element `p` not allowed as child of element `ul` in this context.
(Suppressing further errors from this subtree.)

From line 39, column 13; to line 39, column 15

```
<p>No gro
```

Contexts in which element `p` may be used:Where `flow content` is expected.Content model for element `ul`:Zero or more `li` and `script-supporting` elements.16. **Error** Bad value `{{ route('groups.showcreate') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

From line 42, column 9; to line 42, column 73

```
<a class="create-group" href="{{ route('groups.showcreate') }}>Create
```

17. **Error** Bad value `{{ url('css/groups.css') }}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.

From line 46, column 5; to line 46, column 62

```
<div><link href="{{ url('css/groups.css') }}" rel="stylesheet"><
```

18. **Error** Bad value `{{ asset('js/searchGroups.js') }}` for attribute `src` on element `script`: Illegal character in path segment: `{` is not allowed.

From line 47, column 5; to line 47, column 58

```
eet"><script src="{ asset('js/searchGroups.js') }}" defer></scri
```

19. **Error** End of file seen and there were open elements.

At line 50, column 1

```
dsection<<
```

20. **Error** Unclosed element `div`.

From line 5, column 1; to line 5, column 30

```
ontent')<div class="groups-container"><
```

Document checking completed.

Used the HTML parser.

Total execution time 16 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19