FORTINET
Training Institute

FORTINET
CERTIFIED
SOLUTION
SPECIALIST
Security
Operations

Security Operations Analyst

SOC Threat Hunting

FortiAnalyzer 7.4

Last Modified: 21 January 2025

Lesson Overview

Threat Hunting

Objectives

- Describe the threat hunting workflow
- Analyze threat hunting dashboards
- Analyze IOC information from compromised hosts
- Manage outbreak alerts



Threat Hunting

- Proactively search for suspicious or risky network activity that may have gone undetected
- The process usually begins with a question:
  - Are any advanced persistent threats (APTs) currently active in the network?
- The reference to tactics, techniques, and procedures (TTPs), behaviors, and indicators helps to refine your questions further
  - Frequently aligned with the MITRE ATT&CK or the Cyber Kill Chain frameworks
- You can also create an if-then statement, for example:
  - If you suspect reconnaissance activities in the network, then you should see abnormal traffic trends
- A simplified example:

Threat Hunting (Contd)

- The **Threat Hunting** dashboard takes advantage of the SIEM framework to allow for advanced correlation and analysis to hunt for threats

Incidents & Events > Threat Hunting



#	Application Name	Count	Sent (bytes)	Session D
1		13,453(80%)		
2	SMTP	2,770(16%)	1.6 MB	01s
3	tcp/555	388(2%)	19.2 KB	02s
4	DNS	105(1%)	38.9 KB	05s
5	HTTPS	88(1%)	284.1 KB	24s
6	tcp/8081	54(< 1%)	4.0 KB	19s
7	HTTP	10(< 1%)	1.1 KB	18s
8	RSH	8(< 1%)	56.2 KB	18s
9	tcp/8888	8(< 1%)	608.0 B	19s
10	tcp/8015	6(< 1%)	360.0 B	05s
11	udp/8014	4(< 1%)	1.2 MB	2d 24m 31s

SOC analytics dashboard using the SIEM database

Log Count Chart

- Use the **Log Count** chart to focus on the logs you must analyze based on a time range
- The details in the SIEM log table auto adjusts to the timeframe you select in this chart

Incidents & Events > **Threat Hunting**



Adjust the time bar to include only the desired time frame

Threat Hunting Example With FortiAnalyzer

- *Has reconnaissance been used to gather victim identity information from the mail server?*
- In this example, the analyst uses the log chart to discover an unusual number of SMTP requests
- Analysis shows that the IP address `100.64.1.20` is generating lots of queries within a short time period

Incidents & Events > Threat Hunting

2024-03-07 08:36:38 - 2024-03-07 08:41:37

#	Application Name	Count	Sent (bytes)	Session D
1		13,453(80%)		
2	SMTP	2,770(16%)	1.6 MB	01s
3	tcp/555	388(2%)	19.2 KB	02s
4	DNS	105(1%)	38.9 KB	05s
5	HTTPS	88(1%)	284.1 KB	24s
6	tcp/8081	54(< 1%)	4.0 KB	19s
7	HTTP	10(< 1%)	1.1 KB	18s
8	RSH	8(< 1%)	56.2 KB	18s
9	tcp/8888	8(< 1%)	608.0 B	19s
10	tcp/8015	6(< 1%)	360.0 B	05s
11	udp/8014	4(< 1%)	1.2 MB	2d 24m 31s

app_name="SMTP"

#	Date/Time	Data Source ID	Event Type	Event Severi	Source IP	Destination IP	Application Name
1	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
2	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
3	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
4	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
5	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
6	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
7	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
8	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
9	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
10	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP
11	08:41:37	FGVMSLTM24000455	traffic	notice	100.64.1.20	10.200.200.100	SMTP

- Further investigation determines that the queries are an external attacker gathering victim identity information
- A new incident is created, and the SOC responders can start containment and eradication steps

IOC (Compromised Hosts)

- The IOC engine detects end users with suspicious web usage compromises by checking new and historical logs against IOC signatures
- Uses FortiGuard threat intelligence to provide visibility of emerging threats
- Requires a FortiGuard subscription



Compromised Host IOC Example

FortiView > Threat & Events



FORTINET Training Institute

Outbreak Detection Service Overview

- Licensed feature
- Allows customers to receive information about malware outbreaks
- Automatically downloads new event handlers and reports related to the outbreaks

Incidents & Events > Outbreak Alerts



Outbreak Alert Handlers and Reports

- New event handlers are added to the list of available handlers, and you can use them in the same way as the rest in the list

Incidents & Events > Handlers



Event handlers downloaded through the outbreak alerts service

- The same is true for the newly downloaded reports

Reports > Report Definitions



Reports downloaded through the outbreak alerts service

Knowledge Check

1. The IOC engine analyzes new and historical logs against IOC signatures for which type of hosts?

✔ A. End users
B. Fabric devices

2. The threat hunting dashboard uses which database?

✔ A. SIEM
B. TIDB

Lesson Overview



Threat Hunting

Review

- ✓ Describe the threat hunting workflow
- ✓ Analyze threat hunting dashboards
- ✓ Analyze IOC information from compromised hosts
- ✓ Manage outbreak alerts