


OGN Device Data Base (DDB) V2 proposal

Background:

The current OGN DDB contains the registration data of all the devices that can be handled by the OGN.

As version 1 the DB it contains 4 tables:

- *Devices*: that contains the registration information
- *Aircrafts*: is a table with all the possible aircraft types
- *Users*: with information about the registered users
- *TmpUsers*: with information about users that still did not confirm the email.



Rational for the change:

When the OGN DDB was designed, it was with the intention of register mostly Flarms and OGN trackers, under the assumption that only one device was in one plane. It was an alternate of FlarmNET.

Nowadays, we have a plethora of devices that pilots carry on their aircraft or paraglider, for example: Flarms, OGN trackers, Spider, Spot, InReach, Captur, Naviter Oudie, Flymaster, FANET devices, tablets with XCsoar, smart phones with apps like Naviter Navigator or XC Guide, etc., ...

The OGN is just not longer only for gliders and glider pilots, it is been used now more and more by paragliders, helicopters, tow planes, drones, etc.

Also there are many requests to be used by a plethora of virtual radars in conjunction with the popularity of drones.

And in many cases, the pilots can carry more than one device on board, but in that case, we do not want to show on the web apps as two or three aircrafts on the web map.

Also in the original we had a conflict with the FLARM devices registered with the ICAO ID or with the Internal ID, we had them as two different device types, when in reality is only one type: FLARM. So in the new design we had added a new field to the device table called dev_idtype where we identify the class of ID, either Internal or ICAO, in the future we can add more.

Proposal (V2.02):

What is proposed in this new version of the OGNDDDB, it is to decouple the information about the device information itself of the about the aircraft or flying object (glider, paraglider, helicopter, etc., ...).

So on the new design of the database, we will have 6 tables:


- DeviceTypes: a small table making the correspondence for the device type names: Flarms, OGNtrackers, SPOT, Naviter, InReach, Spider, Flymaster, etc. ..., and their assigned unique device type. It also contains information about how long is the

ID for this kind of device, the one char code and the 3 char code used on APRS.

- **Devices:** that contains the device registration information, but only info about the device, but with a link where this device is being carry on. We are adding the option of this device to be active or not. When the aircraft/tracked object is deleted, all the devices associated to that aircraft are deleted. We expanded the size of this field to be 36 chars, so we can accomplish other kind of device type like SPOT, Spider, ... also now each device type has its own address space.
- **IDTypes:** We used to identify on the devices what kind of ID uses, either internal or ICAO.
- **AircraftsTypes:** is a table with all the possible aircraft types. (same except of change the name to be: AircraftTypes).
- **Users:** with information about the registered users (same).
- **TmpUsers:** with information about users that still did not confirm the email (same). We need to have a script to delete the entries that are one month old.
- **TrackedObjects:** with information about the aircraft like registration, competition ID, aircraft type, etc. ... We are adding information that can be helpful in case of SAR like: phone, club and country. This information is optional. We are adding the option of this TrackedObject to be active or not.

See below the new design and the SQL data.

OGN DEVICE DATABASE



Filters

Containing the word:

Table	Action	Rows	Type	Collation	Size	Overhead
aircrafttypes	Browse Structure Search Insert Empty Drop	546	InnoDB	utf8_unicode_ci	64 Kio	-
devices	Browse Structure Search Insert Empty Drop	15,529	InnoDB	utf8_unicode_ci	2.2 Mio	-
devtypes	Browse Structure Search Insert Empty Drop	9	InnoDB	utf8_general_ci	36 Kio	-
idtypes	Browse Structure Search Insert Empty Drop	2	InnoDB	utf8_general_ci	36 Kio	-
impusers	Browse Structure Search Insert Empty Drop	671	MyISAM	utf8_unicode_ci	75.1 Kio	-
trackedobjects	Browse Structure Search Insert Empty Drop	15,537	InnoDB	utf8_unicode_ci	2.2 Mio	-
users	Browse Structure Search Insert Empty Drop	5,528	InnoDB	utf8_unicode_ci	1.6 Mio	-
7 tables	Sum	47,832	InnoDB	utf8_general_ci	6.9 Mio	9.8

Print Data dictionary

Create table

Name: Number of columns:

Go

Migration and API compatible:

Once that the new software has been tested, we can define a cut day and migrate with a specific utility the current data to the new format.

We have a utility written in Python that does the migration of the structure and data from the old design DB to the new design DB. As we migrate the data we change the Flarms ICAO devices to be Flarms with IDtype ICAO. Also we scan for the last fix on the OGN systems and if we discover that the device has been used as ICAO we change the IDtype to be ICAO. We analyze as well the FANET and NAVITER devices and set the proper devices types.

In terms of the current API, we will maintain the compatibility, however we will extend it in order to gather the new data, perhaps restricting the new data to the JSON format for easier handling.

We have written a utility in order to analyze the consistency of the database.

We are entertaining thoughts of having a new API in order to allow to authorized developers to add dynamically devices and aircrafts/tracked objects from their own programs.

API-Endpoints

/download

```
#DEVICE_TYPE,DEVICE_ID,AIRCRAFT_MODEL,REGISTRATION,CN,TRACKED,IDENTIFIED,IDTYPE,DEVACTIV
E,ACFTACTIVE
'F','000000','HPH 304CZ-17','OK-7777','KN','Y','Y','Internal','Y','Y'
'F','000002','LS-6 18','OY-XRG','G2','Y','Y','Internal','Y','Y'
'F','00000D','Ka-8','D-1749','W5','Y','Y','ICAO','Y','Y'
'F','000010','Unknown','D-EEAC','AC','Y','Y','Internal','Y','Y'
'F','000011','Skylane Airlony','D-MTEW','EW','Y','Y','Internal','Y','Y'
'F','000013','PA-28','D-EZIP','IP','Y','Y','Internal','Y','Y'
'O','000015','Paraglider','36445','','Y','Y','Internal','Y','Y'
'F','0000FD','Taurus','F-JRDN','DN','Y','Y','Internal','Y','Y'
```

URL parameters

parameter	values	default	effect
t	0/1	0	show field aircraft type if set to 1
j	0/1/2	0	forces JSON output when set to 1 (regardless of accept h
device_id	csv	n/a	select a comma separated list of device ID's
from_id	id	n/a	select list of device ID's starting from this provided ID
till_id	id	n/a	select list of device ID's until this provided ID
registration	csv	n/a	select a comma separated list of registrations
cn	csv	n/a	select a comma separated list of call signs (comp ID)

/download/?j=1

This returns all devices of the **DDB in JSON**. The output validates against the [ogn-ddb-schema-1.0.0](#). With **J=2** also returns the DeviceTypes table

/download/download-fln.php

This returns the device database in a flarmnet-compatible format.

GitHub repository

The GitHub repo is at: <https://github.com/glidernet/ogn-ddb>

WEB presentation.

The screenshot displays the OGN Devices DataBase web application. The top navigation bar includes the site logo, language flags (Spanish, English, French), and a user profile. The main content area is divided into two sections: '18539 registered tracked devices' and '18537 registered tracked objects'.

18539 registered tracked devices

Device type	Device ID	ID type	Link to Regist.	Link to CN	Tracking	Ident.	Active
SPOT	00996655	INTERNAL	LV-DRG	Rj	✓	✓	✗
OGNT	2B5076	INTERNAL	LV-DRG	Rj	✓	✓	✓
FLARM	543210	ICAO	LV-DRG	Rj	✓	✓	✓
FLARM	DD525P	INTERNAL	LV-EOM	PV	✓	✓	✓
FLARM	DD5261	INTERNAL	LV-EPT	IR	✓	✓	✓
FLARM	DD5268	INTERNAL	LV-EDK	CQ	✓	✓	✓
FLARM	DD5289	INTERNAL	LV-ENV	CR	✓	✓	✓
FLARM	DD528D	INTERNAL	LV-DPG	PR	✓	✓	✓
FLARM	DD528E	INTERNAL	LV-EOB	WR	✓	✓	✓
FLARM	DD5291	INTERNAL	LV-EOP	ET	✓	✓	✓
FLARM	DD5298	INTERNAL	LV-DPE	PS	✓	✓	✓

18537 registered tracked objects

Tracked Object	Aircraft type	Link to Regist.	Link to CN	Active	Telephone	Club name	Country
1668	ASW-20	LV-DRG	Rj	✓		Albatros	ARG
8592	SZD-48-1 Janitar Std 2	LV-EOM	PV	✓			
8594	ASW-20	LV-EPT	IR	✓			
8597	ASW-20	LV-EDK	CQ	✓			
8609	ASW-20	LV-ENV	CR	✓			
8611	SZD-41 Janitar Std	LV-DPG	PR	✓			
8612	ASW-20	LV-EOB	WR	✓			
8614	ASW-25	LV-EOP	ET	✓			

On the current presentation, we need to delete the aircraft data from the device information page and move it to a new push down page (**ADD TRACKED OBJECT**) similar to the current **ADD TRACKED DEVICE**

OGN DEVICE DATABASE

The screenshot shows the 'Register a device' form on the OGN Devices Database website. The form is titled 'Register a device' and is located under the 'MY DEVICES' section. It includes a sidebar with buttons: 'ADD TRACKED DEVICE', 'ADD TRACKED OBJECT', 'CLAIM OWNERSHIP', 'CHANGE PASSWORD', and 'DISCONNECT'. The main form fields are: 'Device type' (set to 'Flarm'), 'ID type' (set to 'INTERNAL ID'), 'Device ID' (empty), and 'Tracked Object' (set to '1668'). There are three checkboxes: 'I don't want this device to be identified' (unchecked), 'I don't want this device to be tracked' (unchecked), and 'I want this device to be active' (unchecked). Below these is a 'Full participation' section with a list of bullet points and a checkbox 'I certify to be the owner of this device' (unchecked). At the bottom are 'SUBMIT' and 'CANCEL' buttons. A table at the bottom of the page shows '18537 registered tracked objects' with columns: 'Tracked Object', 'Aircraft type', 'Link to Regist.', 'Link to CN', 'Active', 'Telephone', 'Club name', and 'Country'. The table lists several objects, including '1668' (ASW-15) and '1669' (LV-12).

18539 registered tracked devices

MY DEVICES

ADD TRACKED DEVICE

ADD TRACKED OBJECT

CLAIM OWNERSHIP

CHANGE PASSWORD

DISCONNECT

Register a device

Device type: Flarm

ID type: INTERNAL ID

Device ID:

Tracked Object: 1668

☐ I don't want this device to be identified

☐ I don't want this device to be tracked

☐ I want this device to be active

Full participation

- Tracking applications that use the OGN DDB will mark the position with aircraft identification
- Aircraft registration and CN are published in the OGN Devices Database
- You need to create first a Tracked Object and later on link it with the Tracked Device

☐ I certify to be the owner of this device

SUBMIT CANCEL

18537 registered tracked objects

Tracked Object	Aircraft type	Link to Regist.	Link to CN	Active	Telephone	Club name	Country
1668	ASW-15						
1669	LV-12						
8592							
8594							
8597							
8609							
8611							
8612							
8614							
8618							
8620							
8623							
8626							
8628							
8630							
8631							
8634							
8636							
8638							
8639							
8641							

On the new screen we link the device with the tracked object in which list is showed on the low part of the screen.

This screenshot shows the same 'Register a device' form, but with the 'Tracked Object' dropdown menu open. The menu displays a list of tracked objects, including '1668', '1669', '8592', '8594', '8597', '8609', '8611', '8612', '8614', '8618', '8620', '8623', '8626', '8628', '8630', '8631', '8634', '8636', '8638', '8639', and '8641'. The '1668' option is highlighted. The rest of the form and the table at the bottom are the same as in the previous screenshot.

18539 registered tracked devices

MY DEVICES

ADD TRACKED DEVICE

ADD TRACKED OBJECT

CLAIM OWNERSHIP

CHANGE PASSWORD

DISCONNECT

Register a device

Device type: Flarm

ID type: INTERNAL ID

Device ID:

Tracked Object: 1668

☐ I don't want this device to be identified

☐ I don't want this device to be tracked

☐ I want this device to be active

Full participation

- Tracking applications that use the OGN DDB will mark the position with aircraft identification
- Aircraft registration and CN are published in the OGN Devices Database
- You need to create first a Tracked Object and later on link it with the Tracked Device

☐ I certify to be the owner of this device

SUBMIT CANCEL


18537 registered tracked objects

Tracked Object	Aircraft type	Link to Regist.	Link to CN	Active	Telephone	Club name	Country
1668	ASW-15						
1669	LV-12						
8592							
8594							
8597							
8609							
8611							
8612							
8614							
8618							
8620							
8623							
8626							
8628							
8630							
8631							
8634							
8636							
8638							
8639							
8641							

OGNDDDB New feature:

We are adding a new feature to claim the ownership of a device, that is the situation where a person that registered a device, sell the device/aircraft and forgets to de register the device on the OGNDDDB, so the new feature CLAIM OWNERSHIP allows to send an email (hidden to the person claiming the ownership) to the person that registered that device asking to de register.

The person claiming the ownership should know: the device id, the registration and the competition ID



OGNDDDB Tables schema:



DDB.pdf



ogn-ddb-schema-2.0.json

OGNDDDB SQL



database_schema_v2.0.sql