Repositories / Adding an existing project to GitHub using the command line

How can we help?



## Adding an existing project to GitHub using the command line

MAC | WINDOWS | LINUX

Putting your existing work on GitHub can let you share and collaborate in lots of great ways.

**Tip:** If you're most comfortable with a point-and-click user interface, try adding your project with GitHub Desktop. For more information, see "Adding a repository from your local computer to GitHub Desktop" in the *GitHub Desktop Help*.

**Warning:** Never git add, commit, or push sensitive information to a remote repository. Sensitive information can include, but is not limited to:

Passwords

SSH keys

AWS access keys


API keys

Credit card numbers

PIN numbers

For more information, see "Remove sensitive data."

Create a new repository on GitHub. To avoid errors, do not initialize the new repository with *README*, license, or <code>gitignore</code> files. You can add these files after your project has been pushed to GitHub.



## **Article versions**

GitHub.com

GitHub Enterprise 2.6

GitHub Enterprise 2.5

GitHub Enterprise 2.4

GitHub Enterprise 2.3

GitHub Enterprise 2.2

- 2 Open Git Bash.
- 3 Change the current working directory to your local project.
- 4 Initialize the local directory as a Git repository.

```
$ git init
```

Add the files in your new local repository. This stages them for the first commit.

```
\$ git add .  
# Adds the files in the local repository and stages them for commit. To unstage a file, use 'git reset HEAD <code>YOUR-FILE</code>'.
```

6 Commit the files that you've staged in your local repository.

```
$ git commit -m "First commit"
# Commits the tracked changes and prepares them to be pushed to a remote
repository. To remove this commit and modify the file, use 'git reset --soft
HEAD~1' and commit and add the file again.
```

**7** At the top of your GitHub repository's Quick Setup page, click ♠ to copy the remote repository URL.



8 In the Command prompt, add the URL for the remote repository where your local repository will be pushed.

```
$ git remote add origin remote repository URL
# Sets the new remote
$ git remote -v
```

# Verifies the new remote URL

**9** Push the changes in your local repository to GitHub.

\$ git push origin master
# Pushes the changes in your local repository up to the remote repository you
specified as the origin

## **Further reading**

"Adding a file to a repository from the command line"

**□** Contact a human

© 2016 GitHub Inc. All rights reserved.



Terms of Service Privacy Security Support