How to access Digital Welcome API's

hostname:port/api/v1/<endpoint | command> or hostname:port/api/v1/<endpoint | command>/:id

Available endpoints

- contacts
- rooms
- meetings
- checkins
- digitalSignage
- webexDevice

Available commands

- notifyCheckin
- notifyTeams
- notifyEmail
- **■** NotifySms Work in progress
- signageContent
- callConnect

S		_id	name		email	type	phone	photo	date		
CT	CREATE		firstName	lastName							
CONTACTS /contacts	UPDATE	String (24)	String	String	String min(11)	Number min(1).max(5)	String min(10)	Buffer	Date		
ŭ	READ	/:id									
S	CREATE	_id	name	seats	table	whiteboard	video	videoType	photo	location	tags
ROOMS /rooms	UPDATE	String (24)	String	Number	Boolean	Boolean	Boolean	String	Buffer	String	String Array
ă	READ	/:id									
S		_id	date	subject	hostld	visitorld	roomld	participants	tags		
NG.	CREATE UPDATE				contactsid	contactsid	roomsid				
MEETINGS /meetings	UPDATE	String (24)	Date	String	String (24)	String (24)	String (24)	String Array	String Array		
Σ	READ	/:id									
S		_id	date	visitorld	meetingld						
Kins cins	CREATE UPDATE			contactsid	meetingsid	ha	0400	100 0 1		100	11
CHECKINS /checkins		String (24)	Date	String (24)	String (24)	110	Suiz	ame:	port	/api	/ V I
ਹ	READ	/:id									
	CREATE UPDATE	_id	name	model	ip	username	password	defaultCall	date		
WEBEX DEVICES webexDevices		String (24)	String	String	String	String	String	String	Date		
Met Met	READ	/:id									
J H G G G	CREATE	_id	name	model	ip	username	password	defaultContent	date	Information type • String - () is the number of characters	
DIGITAL SIGNAGE	UPDATE	String (24)	String	String	String	String	String	String	Date	o String Array - {[o Number - Intege o Boolean - true o o Date - yyyy/mm,	"value1", "value2",]} rr value r <i>false</i>
Signal Age	READ	/:id								o Buffer - Binary s o /:id - URL param	tream

Optional

Document's index

Search



Other table's index

/:id **CHECKIN** (checkin) CREATE /notifyCheckin String (24)

TEAMS		email	message	file	filename	token
/notifyTeams	CREATE	String Array	String	Buffer	string	String (64)

EMAIL	CREATE	email	subject	message
/notifyEmail		String min(11)	String	String

SMS		email	subject	message
/notifySMS	CREATE	String min(11)	String	String

hostname:port/api/v1

DIGITAL SIGNAGE	005175	/:id (signage)	content
/digitalSignage/:id/ signageContent	CREATE	String (24)	String

WEBEX DEVICES		/:id (webexDevice)	command	contact
/webexDevices/:id/	CREATE	String (24)	String	String

Information type

- String () is the number of characters
 String Array {["value1", "value2", ...]}
- o *Number* Integer value
- o Boolean true or false
- o Date yyyy/mm/dd hh:mm:ss
- Buffer Binary stream /:id URL parameter