QUALITY ASSURANCE / PORTFOLIO REPORT

QA Automation Test Execution Report

Tipuno Barbershop | PHP Web Application

Playwright + JavaScript • Chromium • Localhost / XAMPP

PREPARED BY	Gian Accel V. Hernandez
EXECUTED	October 23, 2026
SCOPE	Functional and regression testing
INTENDED USE	Software QA internship portfolio

12 / 12	100%	0	52.6s
TESTS PASSED	PASS RATE	FAILURES	TOTAL RUN

Verified regression result for the defined 12-test Chromium suite; not a claim of full application coverage.

Contents

A concise, evidence-led record of the executed test suite.

01	Executive summary and approach	3
02	Coverage and test inventory	4
03	Detailed test case evidence	5–16
04	Complete regression execution	17
05	Findings, limitations and recommendations	18

Test case index

TC-001 Homepage Loading · p. 5

TC-002 Login with Valid Credentials · p. 6

TC-003 Login with Invalid Password · p. 7

TC-004 Login with Empty Fields · p. 8

TC-005 Add Product to Shopping Cart · p. 9

TC-006 Logout and Protected Access · p. 10

TC-007 Shopping Cart Quantity Adjustment · p. 11

TC-008 Remove Product from Shopping Cart · p. 12

TC-009 Product Category Filtering · p. 13

TC-010 Appointment Booking Form Validation · p. 14

TC-011 Successful Appointment Booking · p. 15

TC-012 Appointment Cancellation · p. 16

Figures are curated excerpts of the supplied Playwright HTML reports. Credential-entry actions and unusable overprinted headers are excluded; no screenshot contents were fabricated.

01 Executive summary and approach

Twelve browser-automated Playwright cases were executed against the local PHP-based Tipuno Barbershop application using Chromium. All 12 cases passed in the supplied complete regression run (52.6 seconds). This result applies to the defined test scenarios and local environment only.

METRIC	VERIFIED RESULT
Executed tests	12
Passed / failed	12 / 0
Skipped / flaky	0 / 0
Suite duration	52.6 seconds
Browser	Chromium
Execution date	October 23, 2026

TESTING ENVIRONMENT

COMPONENT	CONFIGURATION
Application	PHP customer-facing Barbershop website
Backing services	Local XAMPP / Apache; MySQL-backed application data
Automation	Playwright + JavaScript
Run configuration	Chromium, 1 worker; test execution on Windows localhost

METHODOLOGY

- Analyze actual site behavior and define observable assertions before coding.
- Record workflows with Playwright Codegen; replace fragile selectors with roles, labels, and scoped CSS locators.
- Use a reusable QA login helper and environment-provided dummy credentials.
- Validate both positive and negative scenarios, then run a sequential regression suite.
- Use HTML step reports, diagnostic logs, and traces when investigating failures.

Scope note: The report is not an accessibility, security, performance, production, or cross-browser certification. Test-specific outcomes are limited to the assertions described on each case page.

02 Coverage and test inventory

The matrix records the 12 cases reported as passed. Detailed procedures and curated execution excerpts follow.

ID	MODULE	TEST SCENARIO	STATUS	DURATION
TC-001	Homepage	Homepage Loading	**PASS**	1.5s
TC-002	Authentication	Login with Valid Credentials	**PASS**	1.8s
TC-003	Authentication	Login with Invalid Password	**PASS**	6.8s
TC-004	Authentication	Login with Empty Fields	**PASS**	6.3s
TC-005	Shopping Cart	Add Product to Shopping Cart	**PASS**	4.3s
TC-006	Authentication	Logout and Protected Access	**PASS**	6.3s
TC-007	Shopping Cart	Shopping Cart Quantity Adjustment	**PASS**	5.6s
TC-008	Shopping Cart	Remove Product from Shopping Cart	**PASS**	6.5s
TC-009	Product Filtering	Product Category Filtering	**PASS**	4.2s
TC-010	Appointment Booking	Appointment Booking Form Validation	**PASS**	9.0s
TC-011	Appointment Booking	Successful Appointment Booking	**PASS**	9.5s
TC-012	Appointment Management	Appointment Cancellation	**PASS**	8.9s

MODULE DISTRIBUTION

MODULE	TESTS
Homepage	1
Authentication	4
Shopping Cart	3
Product Filtering	1
Appointment Booking	2
Appointment Management	1

Timing note: The individual durations above were captured from separate case screenshots. They should not be summed to reproduce the 52.6-second full regression duration.

TEST CASE / HOMEPAGE

TC-001 Homepage Loading

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	1.5s	Figure 1

OBJECTIVE

Verify that the public homepage loads and exposes its Login navigation.

PRECONDITIONS / TEST DATA

Apache running; unauthenticated Chromium context; local website available. Test data: http://localhost/barbershop-1/

TEST PROCEDURE

1. Open the application homepage.
2. Verify a successful page response and visible page body.
3. Confirm that the Login navigation is visible.

EXPECTED	ACTUAL
Successful homepage response, visible content, and Login link.	Homepage response, document body, and Login navigation checks passed.

Review note: Checks initial application availability, not all homepage functions.




Figure 1. TC-001 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / AUTHENTICATION

TC-002 Login with Valid Credentials

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	1.8s	Figure 2

OBJECTIVE

Verify login succeeds with a dedicated QA account.

PRECONDITIONS / TEST DATA

Dummy QA account exists; XAMPP database and application available. Test data: Credentials from ignored local environment variables; values omitted.

TEST PROCEDURE

1. Open Login from the homepage.
2. Enter valid QA email and password.
3. Submit and verify the authenticated Profile control appears.

EXPECTED	ACTUAL
Authentication succeeds and the profile control becomes visible.	Valid credentials were accepted; authenticated profile was visible.

Review note: Credential values are intentionally excluded from the evidence excerpt.



Figure 2. TC-002 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / AUTHENTICATION

TC-003 Login with Invalid Password

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	6.8s	Figure 3

OBJECTIVE

Verify invalid credentials are rejected with appropriate feedback.

PRECONDITIONS / TEST DATA

QA email exists; browser starts logged out. Test data: Valid QA email; deliberately incorrect test password.

TEST PROCEDURE

1. Open the Login form.
2. Enter the QA email and an incorrect password.
3. Submit; verify invalid-credentials feedback.
4. Verify authenticated profile is absent.

EXPECTED	ACTUAL
Login is rejected with an error and no authenticated profile.	Invalid email/password message displayed; profile remained absent.

Review note: Negative testing: rejecting invalid credentials is a PASS.




Figure 3. TC-003 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / AUTHENTICATION

TC-004 Login with Empty Fields

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	6.3s	Figure 4

OBJECTIVE

Verify required-field validation prevents empty login submission.

PRECONDITIONS / TEST DATA

Browser is logged out; Login form is accessible. Test data: Email blank; password blank.

TEST PROCEDURE

1. Open Login and confirm both inputs are empty.
2. Submit the empty form.
3. Assert required attributes and valueMissing states.
4. Verify validation feedback and unauthenticated UI.

EXPECTED	ACTUAL
Browser blocks empty submission; required-field validation is active.	Both required inputs reported missing values; submission remained blocked.

Review note: Checks HTML form validation rather than exact browser-specific wording.




Figure 4. TC-004 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / SHOPPING CART

TC-005 Add Product to Shopping Cart

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	4.3s	Figure 5

OBJECTIVE

Verify Premium Pomade is added with the right displayed details.

PRECONDITIONS / TEST DATA

Authenticated QA account; cart starts with expected baseline data. Test data: Premium Pomade; unit price $22.00; expected quantity 1.

TEST PROCEDURE

1. Login and open Shop.
2. Find Premium Pomade using a product-specific card locator.
3. Add it to cart and proceed to checkout.
4. Verify name, price, quantity 1, and subtotal $22.00.

EXPECTED	ACTUAL
Correct item appears once, quantity 1, price and subtotal $22.00.	Product identification and price/quantity/subtotal assertions passed.

Review note: Product-scoped locator avoids dependency on display order.




Figure 5. TC-005 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / AUTHENTICATION

TC-006 Logout and Protected Access

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	6.3s	Figure 6

OBJECTIVE

Verify logout updates the UI and blocks access to authenticated Shop content.

PRECONDITIONS / TEST DATA

QA account can log in; Shop route requires authentication. Test data: Dummy QA account from local environment.

TEST PROCEDURE

1. Login with the shared authentication helper.
2. Open Profile and choose Logout.
3. Verify Login reappears and Profile disappears.
4. Open Shop again and verify redirect to Login.

EXPECTED	ACTUAL
User is logged out; protected Shop access redirects to login.	Logout UI state and Shop redirect were asserted successfully.

Review note: A protected-page check strengthens the UI logout assertion.




Figure 6. TC-006 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / SHOPPING CART

TC-007 Shopping Cart Quantity Adjustment

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	5.6s	Figure 7

OBJECTIVE

Verify quantity buttons correctly recalculate the cart subtotal.

PRECONDITIONS / TEST DATA

Premium Pomade is available; fresh QA cart with quantity 1. Test data: Premium Pomade; $22.00/unit; quantities 1 and 2.

TEST PROCEDURE

1. Login, add Premium Pomade, and open checkout.
2. Verify quantity 1 and subtotal $22.00.
3. Click +; verify quantity 2 and subtotal $44.00.
4. Click -; verify quantity 1 and subtotal $22.00.

EXPECTED	ACTUAL
Quantity and subtotal remain synchronized in both directions.	Quantity changed 1 to 2 to 1; subtotal changed $22 to $44 to $22.

Review note: Covers the observed adjustment flow, not all boundary values.




Figure 7. TC-007 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / SHOPPING CART

TC-008 Remove Product from Shopping Cart

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	6.5s	Figure 8

OBJECTIVE

Verify a confirmed removal clears the item and persists after reload.

PRECONDITIONS / TEST DATA

QA user has a cart containing Premium Pomade. Test data: Premium Pomade; isolated customer cart.

TEST PROCEDURE

1. Login, add Premium Pomade, and open checkout.
2. Choose Remove and confirm the action.
3. Check successful removal response and empty-cart UI.
4. Reload and verify the item is still absent.

EXPECTED	ACTUAL
Item removed; cart empty; state remains after reload.	Removal and empty-cart checks passed, including post-reload state.

Review note: The observed removal response was tested; no direct database audit is claimed.




Figure 8. TC-008 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / PRODUCT FILTERING

TC-009 Product Category Filtering

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	4.2s	Figure 9

OBJECTIVE

Verify Hair Care filtering and resetting to All Products.

PRECONDITIONS / TEST DATA

Shop includes both Hair Care and other-category products. Test data: Hair Care category; All Products reset.

TEST PROCEDURE

1. Login and open Shop.
2. Count all, hair, and non-hair product cards.
3. Select Hair Care; verify matching cards visible and nonmatching hidden.
4. Select All Products; verify the full grid is restored.

EXPECTED	ACTUAL
Filtered products match the category; reset shows all products.	Category visibility/count and reset checks passed.

Review note: Covers the Hair Care filter, not every possible category.




Figure 9. TC-009 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / APPOINTMENT BOOKING

TC-010 Appointment Booking Form Validation

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	9.0s	Figure 10

OBJECTIVE

Verify invalid and incomplete appointment details cannot proceed.

PRECONDITIONS / TEST DATA

QA account can access the appointment wizard; date/time widget loads. Test data: Classic Haircut; missing date/time; empty required fields; invalid email.

TEST PROCEDURE

1. Open Book and continue with Classic Haircut.
2. Verify missing-date and missing-time warnings.
3. Select available date/time and clear required personal details.
4. Verify missing-info feedback and invalid-email rejection.

EXPECTED	ACTUAL
Wizard prevents progression for the tested invalid conditions.	Missing and invalid input scenarios triggered the expected blocks.

Review note: Validation-only scenario; does not submit a booking.




Figure 10. TC-010 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / APPOINTMENT BOOKING

TC-011 Successful Appointment Booking

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	9.5s	Figure 11

OBJECTIVE

Verify the successful booking workflow and observable appointment confirmation.

PRECONDITIONS / TEST DATA

Dedicated QA account; available future appointment slot; local database active. Test data: Classic Haircut; available date/time; dummy phone; unique test marker.

TEST PROCEDURE

1. Login, select service and an available date/time.
2. Complete valid customer details with a unique marker.
3. Review and confirm the appointment.
4. Verify confirmation message and TIP-formatted booking reference.
5. Navigate to My Appointments; check presence of the unique marker.

EXPECTED	ACTUAL
Booking is confirmed and the new appointment is available to the QA user.	Confirmation passed; unique marker was found in My Appointments page text.

Review note: Record-level/database persistence was not independently confirmed. Strengthen by locating the specific appointment record.




Figure 11. TC-011 — Playwright execution excerpt (assertions and PASS result).

TEST CASE / APPOINTMENT MANAGEMENT

TC-012 Appointment Cancellation

RESULT	BROWSER	DURATION	EVIDENCE
PASS	Chromium	8.9s	Figure 12

OBJECTIVE

Verify a test appointment can be cancelled and its status changes.

PRECONDITIONS / TEST DATA

Test can create a uniquely identified pending QA appointment. Test data: New, uniquely marked appointment made by the test.

TEST PROCEDURE

1. Create a future QA appointment and open My Appointments.
2. Locate the pending appointment using its unique marker.
3. Cancel it and confirm the operation.
4. Verify Cancelled status and removal of the Cancel action.

EXPECTED	ACTUAL
Pending appointment becomes Cancelled; Cancel action disappears.	Cancellation and Cancelled-state assertions passed.

Review note: A record-specific locator reduces risk of cancelling another appointment.




Figure 12. TC-012 — Playwright execution excerpt (assertions and PASS result).

04 Complete regression execution

The complete Chromium regression run finished with all 12 tests passed, no failures, no skipped cases, and no flaky cases. Playwright reported a total run duration of 52.6 seconds.

RESULT METRIC	COMPLETE RUN
Tests executed	12
Passed	12
Failed	0
Skipped / flaky	0 / 0
Pass rate	100%
Total run duration	52.6s




Figure 13. Complete Playwright regression report: 12 passed, 0 failed, 52.6 seconds.

Evidence handling: Individual case figures are cropped from original supplied execution screenshots to omit credential-entry lines and obscured report headers. Originals should remain private; public-facing copies should be reviewed before uploading.

05 Findings and recommendations

FINDINGS

- The full regression suite completed successfully in Chromium with 12 passing test cases.
- Authentication tests covered successful login, invalid and empty input handling, logout, and protected Shop access.
- Cart tests covered product selection, unit price and subtotal, quantity adjustment, and verified removal after reload.
- Appointment tests covered validation, booking confirmation and marker detection, plus cancellation of a uniquely identified test appointment.
- The original TC-011 diagnostic found the unique marker in My Appointments text, but did not independently verify the appointment record in MySQL.

RECOMMENDATIONS — PRIORITIZED FOR THE NEXT QA ITERATION

01 HIGH Make booking verification record-specific

Update TC-011 to target the newly created appointment card using its unique marker and assert service, date/time, and status. Where permitted, confirm that the database record belongs to the QA user. This closes the gap between confirmation UI and persisted-record proof.

02 HIGH Isolate and clean test data

Use a dedicated test database and QA account. Reset cart state and clean up test appointments safely, so repeated regression runs remain independent and do not accumulate dummy bookings.

03 MED Run cross-browser checks

Enable Firefox and WebKit in Playwright. Fix browser-specific selectors or date-widget differences only when supported by failures; document each browser separately.

04 MED Add CI regression checks

Run non-destructive tests in GitHub Actions using a reproducible QA environment. Make booking and cancellation cases opt-in unless isolated data and cleanup are available.

05 MED Expand negative and boundary testing

Add quantity minimum/maximum scenarios, duplicate slot booking, conflicting appointments, unavailable services, and session expiry. Maintain one test objective per case.

06 LATER Improve maintenance and evidence

Introduce Page Object Model only for repeated interactions, standardize screenshot redaction, keep trace artifacts private, and track failures/flakiness over multiple runs.

CONCLUSION

The demonstrated 12-case regression suite is an appropriate entry-level QA Automation portfolio project. It provides reproducible Playwright scripts, documented expected-versus-actual checks, and visual execution evidence for key customer journeys. The strongest next step is improving test isolation and appointment-record verification rather than increasing the number of loosely verified tests.

Prepared by Gian Accel V. Hernandez • Portfolio documentation • October 23, 2026