QA AUTOMATION

Test Execution Report

PHP Barbershop Website

Playwright + JavaScript

Report Information	Details
Prepared by	Gian Accel V. Hernandez
Execution date	October 23, 2026
Execution environment	Localhost / XAMPP
Browser	Chromium
Portfolio purpose	Software QA Internship Applications

12	100%	0	52.6s
Tests	Pass Rate	Failures	Regression

Portfolio Edition | Evidence-based functional regression testing

Table of Contents

1. Executive Summary
2. Project Overview
3. Testing Objectives
4. Testing Environment
5. Testing Methodology
6. Test Case Summary
7. Detailed Test Case Documentation
8. Defect / Findings Summary
9. Conclusion
10. Recommendations
11. Portfolio Sign-off
12. Appendix

1. Executive Summary

This report documents a complete automated regression run for the PHP-based Tipuno Barbershop Website. Twelve Playwright test cases were executed in Chromium on a local XAMPP environment. Coverage included the homepage, authentication, logout, shopping-cart operations, product filtering, appointment validation, booking, and cancellation.

All 12 executed test cases passed. No failed, skipped, or flaky results were reported in the supplied complete-regression evidence. The 100% pass rate applies only to the scenarios, browser, data, and environment represented here; it does not prove that the entire application is defect-free.

Metric	Verified Result
Total	12
Passed / Failed / Skipped / Flaky	12 / 0 / 0 / 0
Pass rate	100%
Complete regression duration	52.6 seconds
Browser	Chromium

> Individual durations in this report are from separate per-test screenshots and should not be added to reproduce the 52.6-second complete-regression duration.

2. Project Overview

Tipuno Barbershop is a PHP web application supporting service and product discovery and authenticated customer workflows: login, cart management, category filtering, appointment booking, appointment viewing, and cancellation.

3. Testing Objectives

- Verify important customer-facing workflows.
- Detect regressions through repeatable browser checks.
- Validate positive, negative, required-field, and persistence behavior.
- Produce traceable portfolio evidence.

4. Testing Environment

Item	Configuration
Application	PHP web application with MySQL-backed data
Automation	Playwright 1.64.1 with JavaScript
Server	XAMPP / Apache on Windows localhost

Browser	Chromium
Approach	Functional, negative, end-to-end, and regression testing

5. Testing Methodology

1. Analyze expected behavior, preconditions, and observable results.
2. Use Codegen for exploration, then review role, label, attribute, and scoped CSS locators.
3. Implement explicit UI, validation, response, and persistence assertions.
4. Execute Chromium regression with one worker for deterministic reporting.
5. Retain HTML-report steps, failure screenshots, and traces for debugging.

6. Test Case Summary

ID	Module	Scenario	Expected	Actual	Status	Browser	Duration
TC-001	Homepage	Homepage Loading	The homepage returns a successful response, renders visible content, and displays the public Login navigation.	The homepage loaded successfully, the body and Login navigation were visible, and the Playwright run passed.	PASS	Chromium	1.5 seconds
TC-002	Authentication	Login with Valid Credentials	Authentication succeeds and the authenticated profile control appears.	The valid QA credentials were accepted and the authenticated profile control was displayed.	PASS	Chromium	1.8 seconds
TC-003	Authentication	Login with Invalid Password	The login attempt is rejected, an error message is shown, and the user remains unauthenticated.	The application displayed the invalid-credential message and no authenticated profile control appeared.	PASS	Chromium	6.8 seconds
TC-004	Authentication	Login with Empty Fields	Submission is blocked by required-field validation and the user remains unauthenticated.	Both fields reported required/valueMissing validation, a browser validation message was present, and authentication did not occur.	PASS	Chromium	6.3 seconds
TC-005	Shopping Cart	Add Product to Shopping Cart	Premium Pomade appears once in checkout with quantity 1 and a $22.00 subtotal/unit price.	All product identity, price, subtotal, quantity, and minimum-value assertions passed.	PASS	Chromium	4.3 seconds
TC-006	Authentication	User Logout Functionality	The session ends, public navigation returns, and protected Shop access redirects to Login.	Logout completed successfully and the protected Shop route redirected the logged-out browser to Login.	PASS	Chromium	6.3 seconds
TC-007	Shopping Cart	Shopping Cart Quantity Adjustment	Quantity and subtotal remain synchronized for increment and decrement operations.	Quantity changed from 1 to 2 and back to 1; subtotals changed from $22.00 to $44.00 and back.	PASS	Chromium	5.6 seconds
TC-008	Shopping Cart	Remove Product from Shopping Cart	The server accepts removal, the cart becomes empty, and the empty state remains after reload.	The removal response succeeded, itemsCount became zero, and the empty-cart state persisted after reload.	PASS	Chromium	6.5 seconds
TC-009	Product Filtering	Product Category Filtering	Filtering shows only Hair Care products and reset restores the	The filter state, count, visibility rules, and All	PASS	Chromium	4.2 seconds

ID	Module	Scenario	Expected	Actual	Status	Browser	Duration
			complete product grid.	Products reset all passed.			
TC-010	Appointment Booking	Appointment Booking Form Validation	The wizard blocks progression for every tested invalid condition and shows the relevant validation feedback.	Date, time, missing-information, and invalid-email validations all prevented progression as expected.	**PASS**	Chromium	9.0 seconds
TC-011	Appointment Booking	Successful Appointment Booking	The appointment is saved, a server-backed confirmation appears, and the created appointment is available to the QA user.	The booking workflow completed, a valid TIP reference was displayed, and the run passed with the unique booking marker found on My Appointments.	**PASS**	Chromium	9.5 seconds
TC-012	Appointment Management	Appointment Cancellation Testing	The owned appointment changes from Pending to Cancelled and cannot be cancelled again from the list.	The cancellation succeeded, the Cancelled status persisted, and the Cancel action was removed.	**PASS**	Chromium	8.9 seconds

7. Detailed Test Case Documentation

Each case below is based on the current Playwright source and its supplied execution screenshot. Credential values shown by the reporter were covered in the embedded working copies.

TC-001 — Homepage Loading

Module	Homepage	**Status**	**PASS**
Browser	Chromium	**Duration**	1.5 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 1

Objective

Verify that the public homepage responds successfully and exposes its primary unauthenticated interface.

Preconditions

Apache is running, the application is available at the configured localhost URL, and the browser starts without an authenticated session.

Test Data

Application URL: http://localhost/barbershop-1/

Test Steps

1. Open the configured application root.
2. Verify that the navigation response is present and successful.
3. Verify that the document body is visible.
4. Verify that the header link to login.php is visible and contains the text Login.
5. Capture and attach full-page PASS evidence after all assertions succeed.

Expected Result

The homepage returns a successful response, renders visible content, and displays the public Login navigation.

Actual Result

The homepage loaded successfully, the body and Login navigation were visible, and the Playwright run passed.

Remarks

The locator targets the header destination and separately checks visible text so icon-font characters do not affect the result.




Figure 1. TC-001 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-002 — Login with Valid Credentials

Module	Authentication	**Status**	**PASS**
Browser	Chromium	**Duration**	1.8 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 2

Objective

Verify that a registered QA user can authenticate with valid credentials.

Preconditions

Apache and MySQL are running; a dedicated QA account exists; credentials are supplied through the ignored local .env file.

Test Data

Dedicated QA email and password from environment variables; password omitted from this report.

Test Steps

1. Open the website.
2. Navigate to Login.
3. Enter the environment-provided valid email.
4. Enter the environment-provided valid password.
5. Submit the login form.
6. Verify that the Profile QA Test User control is visible.

Expected Result

Authentication succeeds and the authenticated profile control appears.

Actual Result

The valid QA credentials were accepted and the authenticated profile control was displayed.

Remarks

Credential values are redacted in the report evidence. The original screenshot remains unchanged.




Figure 2. TC-002 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-003 — Login with Invalid Password

Module	Authentication	**Status**	**PASS**
Browser	Chromium	**Duration**	6.8 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 3

Objective

Verify that the application rejects a valid account email paired with an incorrect password.

Preconditions

The application and database are available; the browser is logged out; the QA email exists.

Test Data

Valid QA email from .env and an intentionally incorrect dummy password.

Test Steps

1. Open the website and navigate to Login.
2. Enter the valid QA email.
3. Enter an intentionally incorrect password.
4. Submit the login form.
5. Verify that Invalid email or password is visible.
6. Verify that the authenticated profile control is absent.

Expected Result

The login attempt is rejected, an error message is shown, and the user remains unauthenticated.

Actual Result

The application displayed the invalid-credential message and no authenticated profile control appeared.

Remarks

This is a negative authentication test. Credential values are redacted in the report evidence.




Figure 3. TC-003 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-004 — Login with Empty Fields

Module	Authentication	**Status**	**PASS**
Browser	Chromium	**Duration**	6.3 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 4

Objective

Verify native required-field validation when the login form is submitted without credentials.

Preconditions

The application is available and the browser is logged out.

Test Data

Email: blank; Password: blank.

Test Steps

1. Open the website and navigate to Login.
2. Verify that email and password fields are empty.
3. Submit the empty form.
4. Verify both fields remain visible and the profile control is absent.
5. Inspect required attributes and browser validity state.
6. Verify valueMissing is true for both fields and a validation message exists.

Expected Result

Submission is blocked by required-field validation and the user remains unauthenticated.

Actual Result

Both fields reported required/valueMissing validation, a browser validation message was present, and authentication did not occur.

Remarks

The test validates browser-native constraints rather than depending on browser-specific wording.




Figure 4. TC-004 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-005 — Add Product to Shopping Cart

Module	Shopping Cart	**Status**	**PASS**
Browser	Chromium	**Duration**	4.3 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 5

Objective

Verify that an authenticated user can add Premium Pomade and see correct cart details at checkout.

Preconditions

The application, database, and QA account are available; the browser starts with an isolated context.

Test Data

Product: Premium Pomade; expected price: $22.00; expected quantity: 1.

Test Steps

1. Log in with the QA account.
2. Open Shop.
3. Locate Premium Pomade and verify its price metadata.
4. Select Add to Cart and verify Checkout Now appears.
5. Open checkout.
6. Verify exactly one matching order item.
7. Verify product name, subtotal, quantity, minimum quantity, and unit price.

Expected Result

Premium Pomade appears once in checkout with quantity 1 and a $22.00 subtotal/unit price.

Actual Result

All product identity, price, subtotal, quantity, and minimum-value assertions passed.

Remarks

The test uses the authenticated cart and checkout interface.




Figure 5. TC-005 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-006 — User Logout Functionality

Module	Authentication	**Status**	**PASS**
Browser	Chromium	**Duration**	6.3 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 6

Objective

Verify that an authenticated QA user can log out and loses access to protected Shop content.

Preconditions

The application and database are available; a dedicated QA account exists.

Test Data

Dedicated QA credentials supplied through environment variables.

Test Steps

1. Log in through the reusable authentication helper.
2. Open the authenticated profile menu.
3. Select Logout.
4. Verify the public Login link appears and the profile control disappears.
5. Attempt to open Shop.
6. Verify redirection to login.php and the login form is visible.

Expected Result

The session ends, public navigation returns, and protected Shop access redirects to Login.

Actual Result

Logout completed successfully and the protected Shop route redirected the logged-out browser to Login.

Remarks

This test verifies both visible logout state and protected-route behavior.




Figure 6. TC-006 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-007 — Shopping Cart Quantity Adjustment

Module	Shopping Cart	**Status**	**PASS**
Browser	Chromium	**Duration**	5.6 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 7

Objective

Verify that cart quantity controls correctly recalculate the Premium Pomade subtotal.

Preconditions

The application and QA account are available; Premium Pomade can be added to the cart.

Test Data

Premium Pomade; unit price: $22.00; quantities exercised: 1 and 2.

Test Steps

1. Log in and open Shop.
2. Add Premium Pomade and open checkout.
3. Verify initial quantity 1 and subtotal $22.00.
4. Increase quantity to 2.
5. Verify subtotal changes to $44.00.
6. Decrease quantity to 1.
7. Verify subtotal returns to $22.00.

Expected Result

Quantity and subtotal remain synchronized for increment and decrement operations.

Actual Result

Quantity changed from 1 to 2 and back to 1; subtotals changed from $22.00 to $44.00 and back.

Remarks

The test verifies both forward and reverse quantity adjustment.




Figure 7. TC-007 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-008 — Remove Product from Shopping Cart

Module	Shopping Cart	**Status**	**PASS**
Browser	Chromium	**Duration**	6.5 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 8

Objective

Verify confirmed cart-item removal and persistence of the empty-cart state.

Preconditions

The application and QA account are available; the checkout notification dependency is reachable.

Test Data

Product: Premium Pomade; removal action posted to update_cart.php.

Test Steps

1. Log in and open Shop.
2. Add Premium Pomade and open checkout.
3. Verify the cart item is present.
4. Start removal and verify the confirmation prompt.
5. Select YES.
6. Verify the update_cart.php response is successful and itemsCount is zero.
7. Verify the item disappears and the empty-cart message appears.
8. Reload and verify the removal persists.

Expected Result

The server accepts removal, the cart becomes empty, and the empty state remains after reload.

Actual Result

The removal response succeeded, itemsCount became zero, and the empty-cart state persisted after reload.

Remarks

The Shop locator is scoped to the header to avoid ambiguity with the footer link.




Figure 8. TC-008 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-009 — Product Category Filtering

Module	Product Filtering	**Status**	**PASS**
Browser	Chromium	**Duration**	4.2 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 9

Objective

Verify that the Hair Care filter displays matching products, hides nonmatching products, and can be reset.

Preconditions

The application and QA account are available; Shop contains both Hair Care and non-Hair Care products.

Test Data

Category: Hair Care; reset option: All Products.

Test Steps

1. Log in and open Shop.
2. Count all, Hair Care, and non-Hair Care product cards.
3. Select Hair Care.
4. Verify the filter is active and the product count is updated.
5. Verify Hair Care products are visible and other categories are hidden.
6. Select All Products.
7. Verify all cards become visible and the count is restored.

Expected Result

Filtering shows only Hair Care products and reset restores the complete product grid.

Actual Result

The filter state, count, visibility rules, and All Products reset all passed.

Remarks

The test validates both filtered and restored states.




Figure 9. TC-009 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-010 — Appointment Booking Form Validation

Module	Appointment Booking	**Status**	**PASS**
Browser	Chromium	**Duration**	9.0 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 10

Objective

Verify date, time, required personal details, and email-format validation in the booking wizard.

Preconditions

The application, database, QA account, and external appointment UI dependencies are available.

Test Data

Default service: Classic Haircut; blank required fields; invalid email: invalid-email; dummy QA phone.

Test Steps

1. Log in and open Book.
2. Continue with Classic Haircut.
3. Attempt to continue without a date and verify the date warning.
4. Select an enabled future date.
5. Attempt to continue without a time and verify the time warning.
6. Select an available time.
7. Clear required personal fields and verify the missing-information warning and error classes.
8. Enter an invalid email and verify rejection while the summary remains hidden.

Expected Result

The wizard blocks progression for every tested invalid condition and shows the relevant validation feedback.

Actual Result

Date, time, missing-information, and invalid-email validations all prevented progression as expected.

Remarks

No appointment is submitted by this validation-only scenario.




Figure 10. TC-010 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-011 — Successful Appointment Booking

Module	Appointment Booking	**Status**	**PASS**
Browser	Chromium	**Duration**	9.5 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 11

Objective

Verify successful creation of an appointment through the complete authenticated booking workflow.

Preconditions

The application, database, QA account, and appointment UI dependencies are available.

Test Data

Classic Haircut; first enabled future date; first available time; environment-provided user identity; dummy QA phone; unique TC-011 marker.

Test Steps

1. Log in and open Book.
2. Continue with Classic Haircut.
3. Select the first enabled future date and an available time.
4. Verify prefilled name/email and enter QA phone plus a unique marker.
5. Review service, date, time, phone, and notes.
6. Confirm the appointment.
7. Verify the success notification, confirmation interface, and TIP reference format.
8. Open My Appointments and inspect the booking marker.

Expected Result

The appointment is saved, a server-backed confirmation appears, and the created appointment is available to the QA user.

Actual Result

The booking workflow completed, a valid TIP reference was displayed, and the run passed with the unique booking marker found on My Appointments.

Remarks

Test data uses a unique timestamp marker to distinguish the created QA appointment.




Figure 11. TC-011 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

TC-012 — Appointment Cancellation Testing

Module	Appointment Management	**Status**	**PASS**
Browser	Chromium	**Duration**	8.9 seconds
Execution Date	October 23, 2026	**Evidence**	Figure 12

Objective

Verify that a user can cancel an owned pending appointment and that the cancelled state persists.

Preconditions

The application, database, QA account, and appointment UI dependencies are available.

Test Data

A uniquely marked TC-012 appointment created during the test.

Test Steps

1. Log in and create an isolated future appointment.
2. Open My Appointments and locate the unique marker.
3. Verify the initial status is Pending.
4. Select Cancel and accept the confirmation dialog.
5. Verify the Appointment Cancelled success page.
6. Return to My Appointments.
7. Verify status is Cancelled and the Cancel action is no longer present.

Expected Result

The owned appointment changes from Pending to Cancelled and cannot be cancelled again from the list.

Actual Result

The cancellation succeeded, the Cancelled status persisted, and the Cancel action was removed.

Remarks

The test creates and targets its own uniquely marked appointment to avoid dependence on existing data.




Figure 12. TC-012 Playwright HTML report evidence — PASS. Credential values are redacted where applicable.

8. Defect / Findings Summary

No failed test cases were reported in this execution. No defect was raised solely from this evidence set.

Residual risks and limitations

- Execution was limited to Chromium on a local XAMPP environment.
- The suite represents 12 selected customer workflows, not exhaustive application coverage.
- Responsive, accessibility, performance, security, concurrency, and broad compatibility testing were outside this run.
- Successful local results do not independently validate production deployment behavior.

9. Conclusion

The tested build was stable for all 12 automated scenarios in the documented environment. Authentication, cart, filtering, booking, and cancellation behavior met the asserted expectations, giving a 100% pass rate with no skipped or flaky cases.

10. Recommendations

- Run the suite in CI for every relevant change.
- Add Firefox and WebKit projects for cross-browser coverage.
- Expand invalid-input, boundary, and server-error scenarios.
- Add responsive viewport and accessibility checks.
- Use isolated, resettable QA data and safe post-test cleanup.
- Trend execution duration and flaky-test signals over time.

11. Portfolio Sign-off

Prepared by: Gian Accel V. Hernandez
Role: QA Automation Portfolio Author
Date: October 23, 2026

Prepared by

Reviewed by

12. Appendix — Complete Regression Evidence

The following Playwright HTML report summary shows all 12 tests passing in Chromium, with 0 failed, 0 flaky, and 0 skipped cases and a total duration of 52.6 seconds.




Figure 13. Complete Chromium regression execution — 12 of 12 tests passed.