





PRC09: Implementing Scrum Using Visual Studio 11

Richard Hundhausen
President, Accentient


Good morning

Introductions are in order ...

Richard Hundhausen

From Boise, Idaho (father of five)
President of Accentient
Professional Scrum Trainer
Microsoft RD & MVP (Visual Studio ALM)
Author of Professional Scrum Developer
course and Professional Scrum
Development Using Visual Studio 11
richard@accentient.com

 @rhundhausen



David Starr

From Boise, Idaho (father of four)
Chief Craftsman, Scrum.org
ElegantCode.com Founder
Professional Scrum Trainer
and Curriculum Author
Microsoft MVP (Visual Studio ALM)
david@scrum.org

 @elegantcoder



Accentient

Is a leader in Visual Studio ALM knowledge
Has helped hundreds of clients understand,
implement and leverage Team Foundation Server
Has a close working relationship with Microsoft
Has a cross-functional team consisting of Microsoft
MVPs, Microsoft RDs, Professional Scrum Trainers,
and Professional Scrum Developers

www.accentient.com

Scrum.org



Scrum.org is the home of Scrum
Knowledge, training, and assessments
Founded by Ken Schwaber
Scrum.org's mission is to *Improve the Profession of
Software Development*

@scrumdotorg

The Professional Scrum Developer Program




Training and assessment for the *Development Team*

#proscrumdev

Purpose of the PSD Course

To teach a team how to turn a Product Backlog item into something that is done and potentially shippable using Scrum, Microsoft Visual Studio, and Agile developer practices



Agenda

- Module 1 - Why Scrum?
- Module 2 - Scrumdamentals
- Module 3 - Visual Studio Scrum 2.0
- Module 4 - The Product Backlog
- Module 5 - The Sprint
- Module 6 - Getting to "Done"

Form into Cross-Functional Teams



Write your first name on a name tag

Add one or more stars to your name tag:

- ☆ You have experience coding/programming
- ☆ You have experience using/testing software
- ☆ You have experience designing/architecting software
- ☆ You have experience managing a software project
- ☆ You have Scrum experience (or have read the Scrum guide)

Form into a cross-functional, co-located team

Introduce yourself to your team members



10 Minutes




(hint: because it works)



Why are you here?
Are you using Scrum?
Are you considering Scrum?
Have you ever heard of Scrum?
What other processes have you tried?

10 Minutes

The CHAOS Manifesto (2011)



The CHAOS Manifesto, Copyright 2011

FBI Automated Case Support (ACS) program

A CRM for criminals

Built using 1970s era software tools

Natural, ADABAS, etc.

Most believed it was obsolete when it shipped in 1995

FBI Automated Case Support (ACS) program

First, it was to be replaced by the *Virtual Case File*

Estimate: 3 years at \$380 million

Coding started in 2001

Coding scrapped in 2005

Wasted: \$170 million

FBI Automated Case Support (ACS) program

Next, it was to be replaced by *Sentinel*

Estimate: 4 phases over 6 years at \$450 million

Coding started in 2006

Contract canceled in 2010 after only 2 phases

Wasted: \$405 million

FBI Automated Case Support (ACS) program

Project reset and a Scrum studio was setup in the basement of the Hoover building

Staff reduced from 400 to 40

1 year and \$30 million:


Code complete

Scrum is ...

A framework for Agile software development

A set of rules defined in the Scrum Guide

Easy to learn but difficult to master



<http://www.scrum.org>

Scrum is to Agile ...

As P90X® is to "getting healthy"


Both have core principles:

- Eat better and exercise

P90X® is a framework:

- Daily menus and specific exercises

In both cases, you are still
the one that has to do it
every day!



Adopt Scrum for the Right Reasons

Good Reasons	Bad Reasons
<i>I'm tired of missed deadlines.</i>	<i>I saw it at TechEd and it looked cool.</i>
<i>I'm tired of poor quality.</i>	<i>TFS has a sweet Scrum Template.</i>
<i>I'm tired of everything being priority 1.</i>	<i>All the cool kids are doing it.</i>
<i>I'm tired of failed projects.</i>	<i>I used to play Rugby in college.</i>

Implementing Scrum correctly will be difficult


So don't consider it unless the pain of *not* adopting it is greater

Only the courageous, motivated by insight, vision, and need should
consider using Scrum

Resource


Software in 30 Days

- By Ken Schwaber and Jeff Sutherland
- ISBN 978-1-118-20666-9
- Available now



Microsoft
TechEd
2012

Module 2



Scrumdamentals


(This is all in the Scrum Guide)

Roles, Events, Artifacts

Roles	Events	Artifacts
Product Owner	The Sprint	Product Backlog
Scrum Master	Sprint Planning Meeting	Sprint Backlog
Development Team	Daily Scrum	The Increment (of working software)
	Sprint Review	
	Sprint Retrospective	

Note: All Events are timeboxed

The Scrum Events and Artifacts



Role: Product Owner

The Product Owner is responsible for maximizing the value of the product and the work of the Development Team

Role: Scrum Master

The Scrum Master is responsible for ensuring Scrum is understood and enacted

Role: Development Team

The Development Team consists of professionals who do the work of delivering a potentially releasable Increment of "Done" product at the end of each Sprint

Event: The Sprint

The heart of Scrum is a Sprint, a time-box of one month or less during which a "Done", useable, and potentially releasable product Increment is created

Event: Sprint Planning Meeting

The work to be performed in the Sprint is planned at the Sprint Planning Meeting and the plan is created by the collaborative work of the entire Scrum Team

Event: Daily Scrum

The Daily Scrum is a 15-minute time-boxed event for the Development Team to synchronize activities and create a plan for the next 24 hours

Event: Sprint Review

A Sprint Review is held at the end of the Sprint to inspect the Increment and adapt the Product Backlog if needed

Event: Sprint Retrospective

The Sprint Retrospective is an opportunity for the Scrum Team to inspect itself and create a plan for improvements to be enacted during the next Sprint

Artifact: Product Backlog

The Product Backlog is an ordered list of everything that might be needed in the product and is the single source of requirements for any changes to be made to the product

Artifact: Sprint Backlog

The Sprint Backlog is the set of Product Backlog items selected for the Sprint plus a plan for delivering the product Increment and realizing the Sprint Goal

Artifact: The Increment

The Increment is the sum of all the Product Backlog items completed (according to the definition of "Done") during a Sprint and all previous Sprints

What's Missing, Different, or Better Defined?

Development Team size is now 6 +/- 3

Scrum Team != Development Team

Timeboxes/ceremonies are now events

Events are still timeboxed however

Release planning is gone

You should keep the Product Backlog in good shape to plan your release

Release and Sprint burndown charts are gone

But they are a great tool to use to assess progress

Scrum Master is two words

The Sprint contains the other events

The Product Backlog is ordered, not prioritized

The Development Team doesn't commit, but rather they *forecast*

The Sprint Backlog contains the forecasted PBIs *and* the plan

It's about Business Value

Scrum developers don't just "write code", they provide business value in the form of working software



Case Study: Tailspin Toys



10 Minutes

	Module 3 
	Visual Studio Scrum 2.0

Visual Studio Scrum 2.0

Visual Studio Scrum 1.0 was introduced shortly after Visual Studio 2010 launched

Visual Studio Scrum 2.0 will be the default process template

In both hosted Team Foundation Service and on-premises TFS
This demonstrates how popular Scrum is and also Microsoft's commitment to supporting Scrum

The template maps directly to the Scrum concepts

Sprint vs. Iteration, PBI vs. User Story, Impediment vs. Issue, etc.

Visual Studio Scrum 2.0

Work Item Types	Queries	Reports
Product Backlog Item	Product Backlog	Backlog Overview *
Task	Feedback Requests *	Release Burndown
Code Review Request *	Current Sprint	Sprint Burndown
Code Review Response *	Blocked Tasks	Velocity
Feedback Request *	Open Impediments	Build Success Over Time
Feedback Response *	Sprint Backlog	Build Summary
Impediment	Test Cases	Test Case Readiness
Test Case	Unfinished Work	Test Plan Progress
Shared Steps	Work in Progress	
Sprint		

Work Item Types

We'll look at the various work item types throughout the course of the day


Queries

Product queries

- Product Backlog
- Feedback Requests

Current Sprint queries

- Blocked Tasks
- Open Impediments
- Sprint Backlog
- Test Cases
- Unfinished Work
- Work in Progress



Note: *Team* Queries are now *Shared* Queries




Reports

Scrum reports

- Backlog Overview
- Release Burndown
- Sprint Burndown
- Velocity

Engineering reports

- Builds Success Over Time
- Build Summary
- Test Case Readiness
- Test Plan Progress



Areas


Areas classify *where* a work item applies

Manage areas in TWA

Areas can be functional, technical, geographic

Areas can be scoped to a specific Scrum Team

Tip: ensure stakeholders can understand your areas



Programmatically Creating Releases and Sprints

I created a utility to help setup releases and Sprints

```
string tpc = "http://vstfs:8080/tfs/scrum";
string tp = "Tailspin";

// Remove existing iterations
ScrumBot.RemoveIterations(tpc, tp);

// Create 4 releases, starting today, with 6 x 2-week Sprints per release
ScrumBot.AddIterations(tpc, tp, DateTime.Today, 4, 6, 2, true);
```

Iterations

Iterations classify *when* a work item applies


Manage iterations in TWA

Set the Start and End dates

Maintain a two-level hierarchy

Select the iterations that you want to use in Sprint Planning

Tip: ensure stakeholders can understand your areas



Team Web Access

Completely rewritten

Rich UI actions, drag and drop

Backlog and Task Board

Real-time charts

Velocity and Sprint burndown


Set the Start and End dates

Forecast Tool

Use velocity for release planning

Three License modes

Limited, Standard, Full



Teams


A Team is a new concept in TFS 11

Rich metadata

Name

Description


Photo



Default Team


Every team project has a default team

It's the same name as the team project



Additional Teams

If the product requires multiple Scrum teams
Users can be members of multiple teams



Team Security

By default, team members are *Contributors*
Each team has its own administrator(s)
They can add or remove members from the team


Team Alerts

Vast improvement over individual subscription

Alerts can be created for groups or teams

Many templates to choose from


Note: to use alerts TFS must point to an SMTP server



Team Favorites

A mini-dashboard of progress and quick access tiles on the team's home page

Can be queries, version controlled folders, or build definitions



Scoping Teams to Work Items

Teams can *own* specific area paths

This determines what work items show up on the team's backlog

Teams can share iterations or define separate schedules

Setting up a new Team Project Product

High-level list of activities

Create the Team Project (use the Visual Studio Scrum process template)

Configure security groups, permissions, team, photos

Setup the work item areas and iterations

Record the Definition of Done (i.e. in SharePoint)

Migrate any work items

Demo: Provisioning the Team Project



- Create Team Project
- Setup Team
- Setup Areas
- Setup Iterations

Mapping Scrum to Visual Studio 11

*

Scrum Concept	Visual Studio Concept
Team	Team Foundation Server security groups
Definition of Done	Wiki entry or document on the portal
Product	Team Project
Product Backlog	Product Backlog shared query or Backlog page on TWA
Product Backlog Item	PBI or Bug work item
Acceptance Criteria	Acceptance Criteria field and (optionally) associated Test Case work item(s)
Release	Iteration Path (high level)
Release Plan	Backlog page on Team Web Access (w/ Forecast tool)
Sprint	Iteration Path (low level)
Sprint Dates	Iteration start and end dates
Sprint Goal	Wiki entry or document on the portal
Sprint Backlog	Sprint Backlog shared query or Backlog & Board pages on TWA
Task	Task work item
Burndown and Velocity	Release Burndown, Sprint Burndown, and Velocity reports and charts on TWA
Impediment	Impediment work item
Retrospective	Wiki entry or document on the portal

	Module 4 
	The Product Backlog

First, You Need a Product

Scrum Teams should be product-oriented

In other words, think in terms of a *product*, not a project

Stop thinking of all the various projects that make it up

What are the product's success criteria?

The Product Backlog ...

Contains a list of product “desirements”

- Features, enhancements, behaviors, bugs

Product Backlog items ...

- Are clearly expressed (the “what”, not the “how”)
- Have a business value
- Are ordered (prioritized) to best achieve goals
- Should be visible, transparent, and clear to all

Example Product Backlog

Feature

Anyone can provide this

Product Owner provides this


Product Owner provides this

ID	Title	Description	Area	Value	Effort	Priority
1	Customer Login	As a returning ...	Admin	45	8	2
2	Product return	As an unhappy ...	Products	75	13	4
Bug 3	Twitter feed	As a visitor to ...	Marketing	25	5	3
4	Wrong sales tax	As a purchaser ...	Orders	90	3	1
5	Mobile-friendly site	As a mobile user ...	*	60	34	
Epic						


Development Team provides this estimate

The Backlog page in Team Web Access

- Two views
 - Product Backlog
 - Sprint Backlog
- Hierarchical
 - Epics and tasks
- Quick Add
- Drag and drop
- Ordering
- Sprint planning
- Customizable
 - Quick Add fields
 - Columns & widths



The PBI Work Item Type



The User Story format works well ...

A way to write Product Backlog items:

As a (role) I want (something) so that (benefit)

Example:

As a website visitor, I want to see a list of recent tweets, so I know that the company and its products are alive and well

Acceptance Criteria

In Scrum, the Acceptance Criteria are the requirements

- They enumerate what the Product Owner expects and what the Development Team needs to accomplish

Examples:

- UX should target 1024 x 768 monitors
- Internet Explorer 8.0+ should be supported
- Instructions should be in English and Spanish

Create the Product Backlog




Given a variety of “desirements” identify and order the PBIs into a meaningful product backlog

1. Each team selects a Product Owner.
2. Go through the provided list and determine which are Product Backlog items, acceptance criteria, or noise.
3. Indicate the PBIs (and any acceptance criteria).
4. Be prepared to defend your decisions.

15 Minutes

Demo: Creating the Product Backlog



Use the results of our Product Backlog creation activity

Create the initial items in the Product Backlog

Business Value

Typically an integer value

- Items with a larger integer have more business value than an item with a smaller integer value
- The Product Owner determines the business value and the scale

Examples:

- Range of 1-100
- Range of 1-n where the numbers represent strategic alignment, reduction in costs, competitive advantage, generates revenue, generates awareness, technical value, learning value, etc.

Product Backlog Grooming

Grooming is the act of adding detail, estimates, and order to items in the Product Backlog

- This is an ongoing process in which the Product Owner and the Development Team collaborate on the details of Product Backlog items

The Scrum Guide says grooming can (should) take up to 10% of the length of Sprint

- Budget the time, schedule the meeting, and attend

Agile Estimation

To be more accurate, be less precise

- Estimate smaller things (tasks) in hours
- Estimate larger things (PBIs/Bugs) in something less precise/abstract

You should use an abstract unit of measure

- Fibonacci, story points, acorns, kazoobies, Vicodin
- T-shirt sizes (S, M, L, XL)

Planning Poker®, White Elephant, etc.

Agile Estimation

The whole development team participates

- The Product Owner and Scrum Master do not (unless they are also Development Team members)

Estimate as late as is responsible

- Scrum offers two formal opportunities for estimation: Sprint Planning and Product Backlog grooming

Estimating undesirable PBIs is waste


- Wait until larger (Epic) Product Backlog items are decomposed
- Wait until the Product Owner orders (prioritizes) the Product Backlog

Estimation is Not a Silver Bullet

Agile estimation techniques won't remove uncertainty from early estimates

- They will improve your accuracy as the project proceeds
- This is because Agile estimation methods take actual work into account as Sprints are completed

Demo: Grooming the Product Backlog



Grooming the Product Backlog

Tracking the emerging details of PBIs

Business value, acceptance criteria, estimates

Ordering the Product Backlog

Tip: Find a Good Product Owner

The Product Owner is responsible for maximizing the value of the product and the work of the Development Team

In order to do this, he or she needs an ordered list of everything that might be needed in the product

The Product Owner role has the most responsibility
This is the hardest role to fill and is the most demanding



Microsoft
TechEd
2012

Module 5



The Sprint

Sprint Planning

To forecast and plan the work to be completed in this Sprint

Inputs

- A healthy, ordered Product Backlog
- Development Team's velocity and capacity

Outputs

- Sprint Goal
- Forecasted PBIs
- Plan for developing the PBIs

Sprint Backlog

The Sprint Backlog contains:

- The forecasted PBI and Bug work items
- The plan (task work items) for developing the items

Tasks should be macro-identified during Sprint Planning

- These tasks will be decomposed during the Sprint
- New tasks may be identified during the Sprint

The Sprint Burndown chart is based on the Sprint Backlog being accurate and up-to-date

Setting up a New Sprint

Ensure that the release and Sprint nodes exist with dates

Modify the Current Sprint queries (to the current Sprint)

Or use fellow PSD Mark Michaelis' cool trick: <http://bit.ly/J7eHHY>

Run the Product Backlog query for accuracy

Review the Release Burndown and Velocity reports

Edit the PBI and bug work items

Change Iteration Path to the Sprint

Change state to *Committed*

Create and link initial task work items

Review the Sprint Backlog query for accuracy

The (Sprint) Backlog page in TWA

Shows forecasted PBIs
& Bugs, linked tasks

Expand/collapse

Remaining work rollout

Customizable

Columns & widths

What's missing ☹

Quick add

Drag & drop ordering

What's not important ↘

Capacity

Work by Activity

Work by Assigned To

HOME WORK SOURCE BUILD							
backlog board work items							
Sprint 1							
contents		capacity					
ID	Title	State	Remaining Work	Work Item Type	Assigned To	Effort	
5	Add a Twitter feed to the home page	Committed	40	Product Backlog Item	Richard Hundhausen	8	
10	Create a Twitter account	To Do	2	Task			
11	Build a control to display the tweets	To Do	8	Task			
12	Create test cases and tests	To Do	8	Task			
13	Create supporting database objects	In Progress	2	Task	Dieter		
14	Code the feed reader	In Progress	16	Task	Jake		
15	Creating a rollout plan and automation to support it	To Do	4	Task			
4	Bug: Items incorrectly added to shopping cart	Committed		Bug	Richard Hundhausen	5	
7	Check order status	Committed		Product Backlog Item	Richard Hundhausen	8	

The Task Work Item Type

Tasks should be small enough to be completed in one day

This one would need to be decomposed

Remaining work is in hours


It's ok to have unassigned tasks

Don't assign tasks

Developers "sign up" for their own work

Avoid using the Activity field

All activities are "development"




The (Task) Board page in TWA

Visual and manage tasks in the current Sprint

Two views: backlog items (by PBI/bug) and team members (by developer)

Drag and drop between states

Inline editing of remaining hours and owner



Developer Activities During the Sprint

Attend Daily Scrum meetings

Create and link task work items as needed

Developers take on (sign up for) tasks from the Sprint Backlog

Work is never assigned, even by other developers

Check-in code changes to TFS associating with one task only

Update remaining work estimates on your tasks daily

Complete work according to acceptance criteria and the DoD

As you complete a task, change its state and clear remaining work fields

Groom the Product Backlog by creating and editing PBIs and Bugs

Create and manage impediment work items as needed

Review the Sprint Burndown chart to monitor progress

Acceptance Criteria will Emerge

- Disambiguity ↓
1. Initially, a PBI can just have a title
 2. Later, the PBI can be updated to include a more detailed description
 3. Later, the PBI can be updated to include detailed acceptance criteria
 4. Later, the PBI can be linked to a Test Case work item with more detailed criteria in its description field
 5. Later, the Test Case can have detailed steps specified (MTM only)
 6. Manual tests can be recorded and played-back as automated tests (MTM only)

Tip: Don't create tests cases or tasks for PBIs *prior* to them being forecasted in a Sprint

The Test Case Work Item Type

Test Cases are just TFS work items

They can represent a manual or automated test

Use Microsoft Test Manager to create the manual test steps

Steps are read-only from other clients

The Bug Work Item Type

A bug work item is the *report* of a bug in the product

The bug work item type is very similar to a PBI work item type

Both types are visible and managed in the Product Backlog page

In general, bugs should be fixed not managed

In other words, just fix the bug rather than create a work item for it

Tip: Prefix the bug with "Bug:" so they are identifiable in the Product Backlog

What Makes a Good Bug Report

Clear title

One bug per work item

Simple and repeatable reproduction steps

Expected results and observed results

Use the Acceptance Criteria field for expected results

Build/version/environment where bug was found

Identify the area/component

Link to other related work items

PBI for original acceptance criteria or other bugs (reactivation?)

Attached screenshots and other artifacts

Proper grammar, spelling, tone – no politics!

In-Sprint Bugs

If it's a small bug (< n hours to fix), then just fix it

If it's a larger bug (> n hours to fix)

... and won't impact the ability to achieve the Sprint Goal, then create a Bug work item, associate a Task and have a team member perform the fix during the Sprint

... and will impact the ability to achieve the Sprint Goal, then create a Bug work item to be prioritized and fixed in a later Sprint

Tip: If another team member finds the bug, in-person collaboration is generally preferred over creating a work item

Out-of-Sprint Bugs

If the bug is critical (i.e. company is losing money or credibility), the Product Owner may direct the team to do whatever needs to be done to get the fix into production

The current Sprint forecast and Goal may be impacted

If the bug is not critical, then create a Bug work item to be prioritized and fixed in a later Sprint

Tip: Don't create an associated task to fix a bug until the Sprint in which the team commits to fixing it

How to Fix a Bug

1. Verify the bug by writing a failing test
2. Fix the bug by making the test pass
3. Verify the bug is fixed by re-running all tests
4. Refactor according to your definition of Done
 - Avoid "gold-plating"
5. Re-run all tests to ensure no other problems
6. Check-in code changes and tests
 - Associate with the "fix the bug" Task work item
7. Close the Task and Bug work items

The Impediment Work Item Type

Impediment work items allow the Scrum Team to identify and track problems that prevent it from working efficiently

Impediments are typically identified during the Daily Scrum

Impediment 1818: Our @TailspinToys account was blocked by Twitter

Our @TailspinToys account was blocked by Twitter

Iteration: Tailspin/Release 1/Sprint 1

STATUS		DETAILS	
Assigned To	Scott (Scrum Master)	Priority	2
State	Open	Area	Tailspin/Community/Social Media
Reason	New impediment		

DESCRIPTION **RESOLUTION** **HISTORY** **LINKS** **ATTACHMENTS**

It must have happened while we were testing the profanity filter feature.

DISCUSSION ONLY ALL CHANGES

[No entries with comments]

Completing a Sprint

- Deliver a “potentially releasable” increment
- Demo the value in the increment during Sprint Review
 - Groom the Product Backlog as needed
- Set the state of all current Sprint work items appropriately
 - Done vs. unfinished/rejected work
- Label code and other artifacts in version control
 - Branch as needed (i.e. to support hotfixing)
- Perform a Sprint Retrospective
 - Capture the feedback appropriately
- Prepare for the next Sprint

	Module 6 
	Getting to "Done"

"Done"

Done defines when an increment of product functionality is potentially shippable

Definition of Done (DoD)

- A simple, auditable checklist owned by the team

- It can be influenced by organizational standards and specific requirements of the product or release

Can be maintained ...

- In a document or wiki on the project portal


- Using a custom work item control (<http://bit.ly/egJdcx>)

A Simple Definition of Done

- 1. Code complete
- 2. Tests pass
- 3. Everything checked-in
- 4. Acceptance criteria from Product Owner met


Quiz: What if you are not really done?

Your team believes that they have met their Sprint Goal and the Product Owner is quite happy with the increment's functionality. One of the PBIs wasn't completed according to your definition of done. It seems that a Code Analysis warning remains:



Quiz: What about that dialog window?

Your Product Owner has accepted this dialog box as being fit for purpose, but you are concerned that the buttons at the bottom do not match the rest of those in your application or in Windows. The feature is done and has been accepted.



The Team

- Responsible for committing to work
- Cross-functional
- Self-organizing
- Ability to do whatever is needed to meet commitment
- Adheres to professional ethics
- Demonstrates Sprint output

Team Challenges

"I don't have all the requirements"

Team member monopolizes conversation

Team member is too quiet, doesn't participate

Unit testing dysfunctions

Dealing with mistakes

Inappropriate Refactoring

Not dealing with impediments

Old waterfall habits

Blaming and displacing

Bad estimation

Not working at sustainable pace

Slackers

Conflicts

Bad listening

Missing skills

Overreaching developer responsibilities

Working as a Team

Communicating

Listening

Complementing skills

Shared objectives

Individual space

Solving problems together

Compassion and respect

Continual learning and improvement

Trust (has to be earned)

Ethics (believes in company goals and products)



Individual Space vs. Collaborative Dynamic

You'll likely be spending more time with your team

Individual time and space is important too

Reserve for yourself

Respect other's needs



Quiz: What do you do when Simon goes missing?

Simon is the application architect and the only one with the vision of what the software should do. Something has happened in his personal life and he's left for Australia and gone walkabout. Nobody knows how to reach him or if/when he'll return.



Quiz: Four Developers = $\frac{1}{4}$ work each?

The team consists of four senior developers. They want to take $\frac{1}{4}$ of the selected product backlog each. They say they will pull it together in the last several days of the Sprint. Because of this they say that daily Scrums aren't needed.




Quiz: What about Laura?

Laura is an excellent C# programmer. She says that it's the job of QA to test, so she is not going to write unit tests.



Quiz: What about Dieter?

Dieter is your organization's only SQL Server administrator. He holds all the passwords and all database changes must go through him. He's happy to help your team with its database tasks, but only for a few days. He's very busy, and important. He makes it clear that he doesn't work for you or your boss and his help is just a courtesy.



Working with Challenging ScrumMasters

Dealing with impediments

Good and frequent interaction with PO

Good, measurable acceptance criteria

Handling mistakes

Managing conflicts

Facilitating good communication

Team effectiveness

Managing managers and other stakeholders

Good estimation

Managing scope

Scrubbing old waterfall habits

Working at sustainable pace

Help resolve missing skills

Quiz: What about Roger?

Roger is your Team's ScrumMaster, but his real background is in project management. He is getting pressure from his managers to provide more accurate costs for the software development project. To that end, he is asking that you start tracking the actual hours you spend on tasks.



Working with Challenging Product Owners

PO injects his/her own version of Scrum
Bad acceptance criteria
Doesn't interact with Team
Manager disrupts Scrum process
I don't have all the requirements
Indecisiveness
Poor preparation

Old waterfall habits
Bad estimation
Not saying NO
Over commitment
Not working at sustainable pace
Scope creep
Mapping Scrum to what I'm (have been) doing
Too many product owners

Quiz: What about a Complete Rewrite?

The customer has a large legacy application. It works fine. The product owner tells you that the users are very happy and use all features; however, usage statistics are not available. He wants your team to rewrite it using modern technologies, but is unwilling to create or manage a Product Backlog, let alone assign business value or prioritize any items. He claims that the new system “must do exactly what the old system did” and until that happens, the new system won’t have any business value.



Don't be *Flaccid*

Martin Fowler describes Flaccid Scrum (<http://bit.ly/17aEU>)

Flaccid teams believe in magic

- They don't have skills and supportive infrastructure

- They are using inadequate practices and tooling

- They hide behind the waterfall

Flaccid customers believe in magic

- They throw a big book of requirements over the wall

- They avoid inevitable and unavoidable changes

- They think that pressuring the team will work

Don't just inspect ... adapt!

Let's be professionals ...

Done



Learn more here: www.scrum.org

Check out our training services: www.accentient.com

Contact me: richard@accentient.com