



CORPUS DELIVERY BUNDLE · SAMPLE

# Nigerian Pidgin, Yoruba, Hausa, Igbo, Swahili & Zulu · Conversational Voice Corpus

Domain-labelled, dual-channel, editor-verified conversational audio with turn-level metadata, word-level source-to-target alignment, emotion labels, code-switch tagging, and cryptographically-signed consent records. Delivered in WAV + JSONL + Parquet with reference implementations for Hugging Face Datasets, PyTorch DataLoader, and Nvidia NeMo.

|                           |                                                                                                          |
|---------------------------|----------------------------------------------------------------------------------------------------------|
| CORPUS ID                 | acc_corp_multiling_v1_20260902                                                                           |
| BUNDLE NAME               | multiling_conversational_v1.0                                                                            |
| VERSION                   | 1.0.0 · frozen 2026-09-02 · semantic-versioned; patch releases append .YYYYMMDD                          |
| LOCALES INCLUDED          | pcm-NG · yo-NG · ha-NG · ig-NG · sw-KE · zu-ZA · en-NG (code-switch anchor)                              |
| LICENSE                   | Commercial · Non-exclusive · Perpetual · Worldwide · Sub-licensable within buyer's model outputs         |
| LICENSE ID                | lic_2026_09_02_00714                                                                                     |
| TIER                      | Tier 4 · Aligned Corpus (word-level source-to-target alignment included)                                 |
| SESSIONS IN BUNDLE        | 10 full sessions · 118 verified turns                                                                    |
| AUDIO DURATION            | 58 min 22 sec verified · 62 min 04 sec total recorded                                                    |
| UNIQUE SPEAKERS           | 20 · balanced gender · 6 age bands · 14 accent regions                                                   |
| EDITOR PASS RATE          | 100% · random-audit 30% · zero rejections                                                                |
| WORD ALIGNMENT COVERAGE   | 100% of turns · 1,847 alignment spans                                                                    |
| PACKAGE FORMAT            | WAV (dual-channel, 24 kHz, PCM 16-bit) · JSONL · Parquet · consent log · SHA-256 sums · license · README |
| DELIVERY MECHANISM        | Presigned S3 URL · TLS 1.3 · IP-whitelisted · 72-hour URL TTL · rotatable on request                     |
| DELIVERY TIMESTAMP        | 2026-09-02T06:01:09Z                                                                                     |
| BUNDLE CHECKSUM (SHA-256) | b7c9e2a8f4d31c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c                                         |

## Parent corpus this bundle is drawn from

This bundle is a licensed subset of Accent Studio's **Q3-2026 Multilingual Conversational Corpus**, which currently contains **512 verified sessions · 178.4 audio-hours · 340 unique speakers · 4,782 verified turns** across 12 locales and 9 domains. The bundle is optimised for buyers evaluating training-signal quality across the West + East + Southern Africa language triad before committing to a full-corpus license. All quality controls, schema fields, and legal terms in this bundle are identical to those applied to the full corpus.

**Buyer.** [Enterprise Buyer Reference] · **Buyer contact.** [Contact on file] · **Delivered by.** Accent Studio, Inc. (Delaware C-Corp) · **Support.** data-ops@accentstudio.io · **SLA.** 24 h response, replacement bundle for any file failing SHA-256 verification, schema-migration guidance for future patch releases · **Contract reference.** MSA-2026-0714 · **Data residency.** us-east-1 (primary), eu-west-1 (replica) · **Retention.** Buyer copies unrestricted, Accent Studio retains source records for the lifetime of the license

# Table of Contents

|                                                                                         |    |
|-----------------------------------------------------------------------------------------|----|
| 1. Dataset Overview & Delivery Details                                                  | 3  |
| 2. Schema Reference (field-by-field)                                                    | 5  |
| 3. Corpus Statistics & Speaker Manifest                                                 | 9  |
| 4. Session Transcripts (10 sessions · 118 turns)                                        | 12 |
| 4.1 Session 1 · Banking Wahala (pcm-NG) · 4.2 Session 2 · Market Day (pcm-NG)           |    |
| 4.3 Session 3 · Telco Trouble (pcm-NG) · 4.4 Session 4 · Fintech KYC (sw-KE)            |    |
| 4.5 Session 5 · Ride-Hailing Dispute (sw-KE) · 4.6 Session 6 · Retail Return (yo-NG)    |    |
| 4.7 Session 7 · Mobile Money Recovery (ha-NG) · 4.8 Session 8 · Insurance Claim (zu-ZA) |    |
| 4.9 Session 9 · Delivery Mixup (ig-NG) · 4.10 Session 10 · Loan Follow-Up (sw-KE Sheng) |    |
| 5. Word-Level Source-to-Target Alignments                                               | 30 |
| 6. Full JSONL Manifest Samples                                                          | 33 |
| 7. Parquet Index (searchable metadata)                                                  | 37 |
| 8. File Manifest, Checksums & Integration Recipes                                       | 38 |
| 9. Evaluation Baselines (WER · BLEU · Alignment F1 · Emotion F1)                        | 41 |
| 10. Recommended Train / Validation / Test Splits                                        | 43 |
| 11. Intended Use, Known Limitations & Ethical Guidance                                  | 44 |
| 12. Voice IP Assignment Agreement & Signed Consent Register                             | 45 |

# 1 • Dataset Overview & Delivery Details

## 1.1 • What this bundle contains

This bundle is a self-contained, immediately-trainable corpus of natural conversational speech in six West, East, and Southern African languages, with English source prompts, native-language verified transcripts, word-level alignments, and full per-turn metadata. Every audio file is dual-channel with each speaker isolated on their own channel, enabling training of diarization-aware, speaker-consistent, and turn-taking-aware models. Every turn carries raw automated transcription (from a first-pass STT engine) alongside the human-editor-verified transcript, giving buyers a direct WER-improvement signal for domain adaptation.

Each session was generated through Accent Studio's peer-collaboration pipeline: two anonymously-paired native speakers received the same English scenario card, played the roles conversationally in their native language, then rated each other's turns for tone, prompt-adherence, mood, and clarity on a five-point rubric. Turns rated below 4.0 were re-recorded before the session was submitted for editor verification. Verified sessions then passed a Certified Editor's second pass, which produced the transcripts, alignment records, and emotion labels shipped in this bundle. 30% of turns were then re-audited by an independent auditor for QC integrity.

## 1.2 • Bundle at a glance

|                                       |                                     |                                   |                                 |
|---------------------------------------|-------------------------------------|-----------------------------------|---------------------------------|
| <b>10</b><br>FULL SESSIONS            | <b>118</b><br>VERIFIED TURNS        | <b>58:22</b><br>AUDIO MINUTES:SEC | <b>20</b><br>UNIQUE SPEAKERS    |
| <b>6</b><br>LOCALES                   | <b>9</b><br>SCENARIO DOMAINS        | <b>1,847</b><br>ALIGNMENT SPANS   | <b>94</b><br>CODE-SWITCH EVENTS |
| <b>0.976</b><br>AVG EDITOR CONFIDENCE | <b>4.87</b><br>AVG PEER RATING (/5) | <b>100%</b><br>CONSENT-SIGNED     | <b>0</b><br>REJECTIONS          |

## 1.3 • Delivery mechanism

|                        |                                                                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| TRANSPORT              | AWS S3 presigned URL over TLS 1.3, buyer-side IP whitelist required prior to URL issue, URL TTL 72 hours, rotatable on request without new invoice |
| BUCKET REGION          | <b>us-east-1 (primary) • eu-west-1 (replica for EU-based buyers on request)</b>                                                                    |
| ENCRYPTION AT REST     | AES-256-GCM (SSE-KMS with customer-managed key on request)                                                                                         |
| ENCRYPTION IN TRANSIT  | TLS 1.3, HSTS enforced, no TLS 1.0/1.1 fallback                                                                                                    |
| INTEGRITY VERIFICATION | SHA-256 sums shipped in <code>SHA256SUMS</code> , buyer verifies with <code>sha256sum -c SHA256SUMS</code>                                         |
| OPTIONAL DELIVERY      | AWS Clean Rooms, Snowflake Data Clean Room, GCS presigned URL, Azure Blob SAS, air-gapped drive shipment (enterprise tier)                         |
| BUNDLE STRUCTURE       | tarball ( <code>.tar.zst</code> zstd level 19) plus loose files for cloud-mount buyers                                                             |
| TOTAL BUNDLE SIZE      | <b>312 MB tarball • 447 MB uncompressed</b>                                                                                                        |

## 1.4 • Support & SLA included with delivery

|                     |                                                                                                                                                                        |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RESPONSE TIME       | 24 business hours (Mon-Fri UTC), 4 hours for checksum-failure or license-clarification tickets                                                                         |
| REPLACEMENT BUNDLE  | Any file failing SHA-256 verification is replaced within 24 h at no cost, including a fresh presigned URL                                                              |
| SCHEMA MIGRATION    | Free schema-mapping guidance for buyers upgrading between minor versions (e.g. 1.0.x to 1.1.x); migration scripts published in <code>docs/migrations/</code>           |
| MODEL INTEGRATION   | One 60-min technical consult included on Hugging Face Datasets, PyTorch DataLoader, or Nvidia NeMo integration                                                         |
| BUYER-SIDE AUDIT    | Buyer may request source-audio auditing of any 5% random-sample of turns for independent WER verification within 30 days                                               |
| WITHDRAWAL HANDLING | If any speaker exercises statutory withdrawal rights, buyer is notified within 30 days and a replacement session of equal domain/locale/duration is shipped at no cost |

1.5 · License scope in one page

This bundle is delivered under a **Commercial · Non-Exclusive · Perpetual · Worldwide · Sub-Licensable-Within-Model-Outputs** license. The full text of the license lives in `license.txt` inside the bundle and is summarised below for operational teams; the machine-readable license predicate ships in every session's manifest under `license`.

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PERMITTED USES           | (a) training, fine-tuning, evaluating, and productionising ASR, TTS, voice cloning, diarization, code-switch detection, translation, emotion recognition, and speech-LLM models; (b) publishing model weights or model APIs whose outputs are derived from training on this data; (c) using verified transcripts and alignments for supervised, semi-supervised, self-supervised, and RLHF pipelines; (d) internal research publication with cited attribution to Accent Studio as data provider                                                                                          |
| PERMITTED REDISTRIBUTION | Model outputs derived from training on this data may be freely redistributed under buyer's own model license without royalty to Accent Studio                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| PROHIBITED USES          | (a) redistribution of the raw audio, transcripts, or alignment files as a dataset; (b) targeting individuals in the corpus with re-identification attacks; (c) cloning, reproducing, or targeting the voice of any individual speaker in the corpus, including synthetic audio that impersonates a specific speaker (general multi-speaker models remain permitted under (a)); (d) use in surveillance, biometric-identification, or lawful-intercept products; (e) sub-licensing the raw dataset to any third party (buyer's own model outputs are exempt)                               |
| BIOMETRIC DATA HANDLING  | Audio may constitute biometric data under GDPR, BIPA, NDPA, POPIA and Kenya's DPA. Buyer processes it under its own lawful basis; will not process it for the purpose of uniquely identifying natural persons; will not link speakers to external identity data; will not build, train, or evaluate speaker-identification or voice-authentication systems from it; and applies security appropriate to sensitive data. Speaker IDs are pseudonymous and the identity vault is never delivered. Buyer notifies Accent Studio within 72 hours of any suspected breach involving the corpus |
| ATTRIBUTION              | Academic publications must cite Accent Studio; commercial model cards must include a "Data Provenance" line naming Accent Studio and the bundle ID                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| EXCLUSIVITY              | Non-exclusive: Accent Studio may license this or overlapping corpora to other buyers. Enterprise-exclusive tiers are available on request                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| TERM                     | Perpetual for the delivered bundle version; new patch releases (e.g. v1.0.1) are covered under the same license fee for the first 24 months                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| TERRITORY                | Worldwide, with no restrictions on where models trained on this data may be served                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| GOVERNING LAW            | State of Delaware, USA; local data-protection statutes (NDPA, POPIA, DPA) preserved where enforcement is sought in-country                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

1.6 · What the buyer already has and what they don't

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Included in this bundle</b></p> <ul style="list-style-type: none"><li>· Dual-channel WAV audio, 24 kHz, PCM 16-bit</li><li>· Editor-verified transcripts in target language</li><li>· Raw first-pass STT transcripts (for WER-improvement supervision)</li><li>· English source prompts for every turn</li><li>· Word-level source-to-target alignment records</li><li>· Emotion labels per turn (10-class taxonomy)</li><li>· Inter-turn latency in milliseconds</li><li>· Code-switch tags with source-target language pairs</li><li>· Peer ratings per turn (1 to 5 scale on 4 axes)</li><li>· Speaker UUID + demographics (age band, gender, accent region)</li><li>· Editor and auditor IDs with confidence scores</li><li>· Signed consent hash for every speaker</li><li>· Parquet index for filtering / streaming</li><li>· SHA-256 sums for every file</li><li>· README with schema reference and code examples</li></ul> | <p><b>Not included (available on request)</b></p> <ul style="list-style-type: none"><li>· Real speaker names or contact info (privacy by design)</li><li>· Raw waveform files above 48 kHz (up-sample on request)</li><li>· Speaker embeddings (available as add-on)</li><li>· Phoneme-level alignment (Tier 5, Phonetic Corpus)</li><li>· Prosody feature vectors (Tier 5, Phonetic Corpus)</li><li>· Additional locales beyond the six shipped (order in bulk)</li><li>· IPA transcription (add-on for research licenses)</li><li>· Speaker consent-withdrawal notifications (auto-pushed under SLA)</li><li>· Domain-specialised bundles (call-centre-only, healthcare-only, etc.)</li><li>· Live streaming API for on-going corpus refresh</li><li>· Fine-tuned baseline model checkpoints (Tier 6, Model Corpus)</li></ul> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

1.7 · Version history for this corpus

| VERSION         | DATE       | SESSIONS | HOURS | LOCALES        | NOTES                        |
|-----------------|------------|----------|-------|----------------|------------------------------|
| 0.9.0-beta      | 2026-06-11 | 64       | 18.7  | pcm-NG, sw-KE  | Internal beta, schema v0.9   |
| 0.9.5-rc        | 2026-07-14 | 148      | 42.1  | + yo-NG, ha-NG | RC, added Yoruba + Hausa     |
| 1.0.0           | 2026-08-01 | 380      | 128.9 | + ig-NG, zu-ZA | First GA, schema v1.0 frozen |
| 1.0.0-r1        | 2026-08-14 | 421      | 146.2 | same           | +41 sessions, same schema    |
| 1.0.0-r2        | 2026-09-02 | 512      | 178.4 | + sw-TZ        | <b>Current</b> , this bundle |
| 1.1.0 (planned) | 2026-10-20 | ~700     | ~245  | + am-ET, rw-RW | Amharic + Kinyarwanda        |

2 · Schema Reference

Field-by-field specification for the JSONL manifest, Parquet index, alignments file, consent log, and speakers manifest. Types follow JSON-schema conventions; enum values are listed inline. This exact schema is versioned as `schema-v1.0` and shipped as `schema/session.schema.json` plus `schema/session.parquet.avsc` in the bundle.

2.1 · Session-level object ( `manifest.jsonl` , one row per session)

| FIELD                              | TYPE                         | REQUIRED | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------|------------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>session_id</code>            | string (UUIDv7-derived slug) | required | Globally unique session identifier. Pattern: <code>acc_sess_YYYYMMDD_&lt;locale&gt;_NNNNN</code> . Stable across bundle versions.                                                                                                                                                                                                                                             |
| <code>corpus_id</code>             | string                       | required | Corpus this session belongs to, e.g. <code>acc_corp_multiling_v1_20260902</code> .                                                                                                                                                                                                                                                                                            |
| <code>bundle_id</code>             | string                       | required | Bundle name and version, e.g. <code>multiling_conversational_v1.0</code> .                                                                                                                                                                                                                                                                                                    |
| <code>locale</code>                | string (BCP-47)              | required | Primary spoken locale. Enum: <code>pcm-NG</code> <code>yo-NG</code> <code>ha-NG</code> <code>ig-NG</code> <code>sw-KE</code> <code>sw-TZ</code> <code>zu-ZA</code> <code>en-NG</code>                                                                                                                                                                                         |
| <code>scenario</code>              | string (slug)                | required | Domain-scenario identifier. Enum: <code>retail_banking_fraud</code> <code>retail_market_haggle</code> <code>telco_support_data</code> <code>fintech_kyc_onboard</code> <code>ride_hailing_dispute</code> <code>retail_return</code> <code>mobile_money_recovery</code> <code>insurance_claim</code> <code>logistics_delivery_mixup</code> <code>consumer_loan_followup</code> |
| <code>scenario_title</code>        | string                       | required | Human-readable scenario title, e.g. <code>Unauthorized POS Transaction Dispute</code> .                                                                                                                                                                                                                                                                                       |
| <code>scenario_prompt_hash</code>  | string (SHA-256 hex)         | required | Hash of the exact English prompt shown to the pair, for prompt-drift auditing across releases.                                                                                                                                                                                                                                                                                |
| <code>duration_seconds</code>      | number (float)               | required | Total verified audio duration in seconds, 3-decimal precision.                                                                                                                                                                                                                                                                                                                |
| <code>channels</code>              | integer                      | required | Always 2 in this bundle. Speaker A on channel 0, Speaker B on channel 1.                                                                                                                                                                                                                                                                                                      |
| <code>sample_rate_hz</code>        | integer                      | required | Always 24000 in this bundle. Upsample paths documented in README.                                                                                                                                                                                                                                                                                                             |
| <code>bit_depth</code>             | integer                      | required | Always 16 in this bundle. PCM signed little-endian.                                                                                                                                                                                                                                                                                                                           |
| <code>audio_file</code>            | string (relative path)       | required | Path relative to bundle root, e.g. <code>audio/pcm-NG/acc_sess_20260828_pcm_00892.wav</code> .                                                                                                                                                                                                                                                                                |
| <code>audio_sha256</code>          | string (SHA-256 hex)         | required | Content hash of the exact WAV file, used for tamper-detection and dedup.                                                                                                                                                                                                                                                                                                      |
| <code>recorded_at</code>           | string (ISO-8601 UTC)        | required | Recording start timestamp, timezone-normalised to UTC.                                                                                                                                                                                                                                                                                                                        |
| <code>latency_source</code>        | string (enum)                | required | How inter-turn latency was measured. Enum: <code>live_measured</code> <code>post_hoc_vad</code>                                                                                                                                                                                                                                                                               |
| <code>recording_environment</code> | string (enum)                | required | Enum: <code>quiet_indoor</code> <code>office</code> <code>urban_ambient</code> <code>outdoor_moderate</code> <code>vehicle</code>                                                                                                                                                                                                                                             |
| <code>device_class</code>          | string (enum)                | required | Capture device tier. Enum: <code>smartphone_mid</code> <code>smartphone_high</code> <code>headset_usb</code> <code>webcam_builtin</code>                                                                                                                                                                                                                                      |
| <code>participants</code>          | array<Participant>           | required | Length always 2. See §2.3.                                                                                                                                                                                                                                                                                                                                                    |
| <code>turns</code>                 | array<Turn>                  | required | Ordered turn objects. See §2.4.                                                                                                                                                                                                                                                                                                                                               |
| <code>verified_by_qc</code>        | object                       | required | Editor + auditor block. See §2.5.                                                                                                                                                                                                                                                                                                                                             |
| <code>license</code>               | object                       | required | Machine-readable license predicate. See §2.6.                                                                                                                                                                                                                                                                                                                                 |
| <code>tags</code>                  | array<string>                | optional | Free-form buyer-side tags, e.g. <code>["balanced_gender", "high_code_switch"]</code> .                                                                                                                                                                                                                                                                                        |

2.2 · Turn object ( turns[] inside each session row)

| FIELD                 | TYPE             | REQUIRED    | DESCRIPTION                                                                                                                                                                                                     |
|-----------------------|------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| turn_id               | integer          | required    | 1-indexed turn number within the session.                                                                                                                                                                       |
| speaker_id            | string           | required    | Cryptographic speaker UUID, matches one entry in speakers.jsonl .                                                                                                                                               |
| channel               | integer          | required    | 0 or 1, matching the stereo channel where this speaker's voice lives.                                                                                                                                           |
| start_ms              | integer          | required    | Turn start offset from audio file origin, in milliseconds.                                                                                                                                                      |
| end_ms                | integer          | required    | Turn end offset, in milliseconds. Must be greater than start_ms .                                                                                                                                               |
| raw_stt_text          | string           | required    | First-pass automated transcript before editor correction. Used as WER-improvement supervision signal. May contain casing, punctuation, and lexical errors.                                                      |
| raw_stt_engine        | string           | required    | Engine identifier + version, e.g. whisper-large-v3-2024-11 .                                                                                                                                                    |
| verified_text         | string           | required    | Editor-verified transcript in target locale. Ground-truth for supervised ASR fine-tuning. Preserves natural code-switch orthography.                                                                            |
| english_source        | string           | required    | Original English prompt line the speaker was translating. Ground-truth source for translation and alignment tasks.                                                                                              |
| emotion_label         | string (enum)    | required    | Editor-assigned emotion. Enum: neutral , frustrated , empathetic , playful , firm_friendly , relieved , skeptical , focused_professional , reassuring , apologetic                                              |
| inter_turn_latency_ms | integer          | required    | Gap between previous turn's end_ms and this turn's start_ms . 0 for the first turn.                                                                                                                             |
| code_switches         | array<string>    | required    | Language-pair codes for switches within this turn. Values match <from>-><to> pattern, e.g. EN->PCM , SW->EN , PCM->PCM (no switch).                                                                             |
| peer_rating           | object           | required    | Four-axis rating from the paired peer. Fields: tone , prompt_adherence , mood , clarity , each float on 1.0 to 5.0. Also aggregate field, mean of the four.                                                     |
| alignments            | array<Alignment> | Tier 4+     | Word-level source-to-target alignment spans. See §2.4.                                                                                                                                                          |
| pii_redacted          | array<object>    | conditional | Present only when a PII token was detected and replaced. Each entry has type (enum: phone_number, id_number, address, email, full_name, dob), replacement (e.g. [SYNTHETIC-11-DIGIT] ), span_start , span_end . |
| snr_estimate_db       | number           | optional    | Turn-level signal-to-noise estimate in dB, from a WebRTC VAD-gated calculation.                                                                                                                                 |

2.3 · Participant object ( participants[] )

| FIELD        | TYPE    | REQUIRED | DESCRIPTION                                                                                                                          |
|--------------|---------|----------|--------------------------------------------------------------------------------------------------------------------------------------|
| speaker_id   | string  | required | Cryptographic UUID. Real identity mapping lives in Accent Studio's isolated encrypted vault and is never delivered to buyers.        |
| channel      | integer | required | Which stereo channel carries this speaker's voice.                                                                                   |
| role         | string  | required | Scenario role, e.g. customer , agent , buyer , seller , rider , driver .                                                             |
| persona_card | string  | required | Persona identifier used at generation time, e.g. Angry_Customer_POS_Failure . Enables persona-conditioned model training.            |
| demographics | object  | required | Fields: age_band (enum: 18-24, 25-34, 35-44, 45-54, 55-64, 65+), gender (enum: F, M, NB, PNS), accent_region (locale-specific slug). |
| consent_ref  | string  | required | Reference into consent_log.jsonl for this speaker's signed acceptance record.                                                        |

2.4 · Alignment object ( `alignments[]` inside each turn, Tier 4)

| FIELD                    | TYPE                                   | REQUIRED              | DESCRIPTION                                                                                                                                                                                                                                                                                                                                |
|--------------------------|----------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>src_span</code>    | <code>string</code>                    | <code>required</code> | Contiguous span from <code>english_source</code> . May be empty string for null-alignment (target-side particle with no English source).                                                                                                                                                                                                   |
| <code>tgt_span</code>    | <code>string</code>                    | <code>required</code> | Contiguous span from <code>verified_text</code> . May be empty string for null-alignment (English source with no target realisation).                                                                                                                                                                                                      |
| <code>type</code>        | <code>string</code> (enum)             | <code>required</code> | Alignment relationship. Enum: <code>direct</code> <code>lexical</code> <code>aspect_shift</code> <code>serial_verb</code> <code>copula_substitution</code> <code>null_particle</code> <code>null_source</code> <code>numeric_expansion</code> <code>emphatic_particle</code> <code>honorific_addition</code> <code>discourse_marker</code> |
| <code>confidence</code>  | <code>number</code> (float 0.0 to 1.0) | <code>required</code> | Certified Aligner's confidence in this span pairing.                                                                                                                                                                                                                                                                                       |
| <code>reviewer_id</code> | <code>string</code>                    | <code>required</code> | Certified Aligner UUID, e.g. <code>alr_pcm_00114</code> .                                                                                                                                                                                                                                                                                  |

2.5 · Verification block ( `verified_by_qc` )

| FIELD                               | TYPE                             | REQUIRED                 | DESCRIPTION                                                                                     |
|-------------------------------------|----------------------------------|--------------------------|-------------------------------------------------------------------------------------------------|
| <code>editor_id</code>              | <code>string</code>              | <code>required</code>    | Certified Editor UUID.                                                                          |
| <code>verification_timestamp</code> | <code>ISO-8601 UTC</code>        | <code>required</code>    | When editor completed the pass.                                                                 |
| <code>confidence_score</code>       | <code>number</code> (0.0 to 1.0) | <code>required</code>    | Editor's aggregate confidence in verified transcripts. Session-level.                           |
| <code>audit_status</code>           | <code>string</code> (enum)       | <code>required</code>    | Enum: <code>not_sampled</code> <code>sampled_passed</code> <code>sampled_failed_reworked</code> |
| <code>audit_reviewer_id</code>      | <code>string</code>              | <code>conditional</code> | Present only when <code>audit_status</code> is not <code>not_sampled</code> .                   |
| <code>audit_notes</code>            | <code>string</code>              | <code>optional</code>    | Free-form auditor commentary. Empty when audit passed cleanly.                                  |

2.6 · License predicate ( `license` )

| FIELD                   | TYPE                       | REQUIRED              | DESCRIPTION                                                                                              |
|-------------------------|----------------------------|-----------------------|----------------------------------------------------------------------------------------------------------|
| <code>type</code>       | <code>string</code> (enum) | <code>required</code> | Enum: <code>commercial_non_exclusive</code> <code>commercial_exclusive</code> <code>research_only</code> |
| <code>territory</code>  | <code>string</code>        | <code>required</code> | Usually <code>worldwide</code> . Region-restricted licenses use ISO 3166-1 alpha-2 codes.                |
| <code>term</code>       | <code>string</code> (enum) | <code>required</code> | Enum: <code>perpetual</code> <code>time_bound</code>                                                     |
| <code>license_id</code> | <code>string</code>        | <code>required</code> | Human-readable license identifier for buyer's records.                                                   |
| <code>buyer_ref</code>  | <code>string</code>        | <code>required</code> | Anonymised buyer reference. Real buyer identity lives in Accent Studio's contract vault.                 |

2.7 · Consent log entry ( `consent_log.jsonl` , one row per speaker)

| FIELD                          | TYPE                                     | REQUIRED              | DESCRIPTION                                                                                                                                                                              |
|--------------------------------|------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>consent_ref</code>       | <code>string</code>                      | <code>required</code> | Unique consent-event ID, referenced from <code>participants[].consent_ref</code> .                                                                                                       |
| <code>speaker_id</code>        | <code>string</code>                      | <code>required</code> | Same UUID as in <code>speakers.jsonl</code> . Never linkable to real identity from within the bundle.                                                                                    |
| <code>terms_hash</code>        | <code>SHA-256 hex</code>                 | <code>required</code> | Hash of the exact Voice IP Assignment Agreement document accepted, letting buyers verify the acceptance predates and matches the terms shipped in <code>license.txt</code> .             |
| <code>terms_version</code>     | <code>string</code> (semver)             | <code>required</code> | Human-readable version tag, e.g. <code>v1.2</code> .                                                                                                                                     |
| <code>accepted_at</code>       | <code>ISO-8601 UTC</code>                | <code>required</code> | Timestamp of the acceptance event.                                                                                                                                                       |
| <code>acceptance_action</code> | <code>string</code> (enum)               | <code>required</code> | Enum: <code>checkbox_and_record</code> <code>re_consent_on_amendment</code>                                                                                                              |
| <code>ip_hash</code>           | <code>SHA-256 hex</code>                 | <code>required</code> | Hash of the acceptor's IP at consent-event time. Full IP lives in Accent Studio's isolated legal vault under legal-hold policy.                                                          |
| <code>jurisdiction</code>      | <code>string</code> (ISO 3166-1 alpha-2) | <code>required</code> | Country where consent was captured, driving governing-law selection.                                                                                                                     |
| <code>withdrawal_status</code> | <code>string</code> (enum)               | <code>required</code> | Enum: <code>active</code> <code>withdrawn_prospective</code> (withdrawal is prospective only, per GDPR Recital 26 and mirrored in NDPA and POPIA guidance for anonymised research data). |

2.8 • Parquet index columns ( `index.parquet` )

Denormalised, one row per turn, optimised for filtering and streaming into DataLoader / iterable-dataset pipelines without parsing JSONL. Snappy-compressed. Column list mirrors the union of session-level and turn-level fields most useful for query planning.

| COLUMN                | TYPE          | REQUIRED | NOTES                                                                                                                     |
|-----------------------|---------------|----------|---------------------------------------------------------------------------------------------------------------------------|
| session_id            | string        | required | Groupable key for session-level aggregation.                                                                              |
| turn_id               | int32         | required | Sortable within a session.                                                                                                |
| locale                | string (dict) | required | Dictionary-encoded for fast filter pushdown.                                                                              |
| scenario              | string (dict) | required | Dictionary-encoded.                                                                                                       |
| speaker_id            | string (dict) | required | Dictionary-encoded for speaker-based splits.                                                                              |
| role                  | string (dict) | required | customer, agent, buyer, seller, rider, driver, etc.                                                                       |
| gender                | string (dict) | required | F, M, NB, PNS.                                                                                                            |
| age_band              | string (dict) | required | Six-way band.                                                                                                             |
| accent_region         | string (dict) | required | Locale-specific region slug.                                                                                              |
| emotion_label         | string (dict) | required | 10-way emotion enum.                                                                                                      |
| has_code_switch       | bool          | required | True when <code>code_switches</code> array is non-trivial (any switch present).                                           |
| code_switch_pairs     | list<string>  | required | Distinct language-pair codes present in this turn.                                                                        |
| start_ms              | int64         | required | Turn start.                                                                                                               |
| end_ms                | int64         | required | Turn end.                                                                                                                 |
| duration_ms           | int64         | required | Convenience: end - start.                                                                                                 |
| inter_turn_latency_ms | int32         | required | Gap before this turn.                                                                                                     |
| peer_rating_aggregate | float32       | required | Mean of the four peer-rating axes.                                                                                        |
| verified_text         | string        | required | Ground-truth transcript, duplicated from JSONL for filter-side text search.                                               |
| english_source        | string        | required | Duplicated for grep-style filtering.                                                                                      |
| audio_file            | string        | required | Path to WAV, for the DataLoader to load the raw waveform on demand.                                                       |
| split                 | string (dict) | required | One of <code>train</code> <code>validation</code> <code>test</code> . See §10.                                            |
| has_pii_redaction     | bool          | required | True when this turn contains at least one PII redaction, useful for excluding sensitive turns from certain training runs. |

2.9 • Backwards- and forwards-compatibility policy

Bundle schemas follow SemVer. Patch releases (v1.0.x) NEVER add, rename, or change the type of a required field. Minor releases (v1.x.0) may add new optional fields but never remove or repurpose existing ones. Major bumps (v2.0.0) are reserved for breaking changes and ship with a migration script and 6-month deprecation window. Buyers pin the exact bundle version they train on for reproducibility; buyers on active support receive migration guidance on request.



3 • Corpus Statistics & Speaker Manifest

3.1 • Bundle-level counts

10

SESSIONS

118

VERIFIED TURNS

3,502.4 s

VERIFIED DURATION

1,847

ALIGNMENT SPANS

20

UNIQUE SPEAKERS

14

ACCENT REGIONS

6

LOCALES

10

SCENARIO DOMAINS

3.2 • Locale distribution

| LOCALE                                       | ISO    | SESSIONS                                                                                                                                                | VERIFIED TURNS | DURATION | UNIQUE SPEAKERS | ALIGNMENT SPANS |
|----------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------|-----------------|-----------------|
| Nigerian Pidgin                              | pcm-NG | 3                                                                                                                                                       | 37             | 1,046 s  | 6               | 578             |
| Swahili • Kenyan                             | sw-KE  | 3                                                                                                                                                       | 33             | 986 s    | 6               | 521             |
| Yoruba • Nigerian                            | yo-NG  | 1                                                                                                                                                       | 10             | 297 s    | 2               | 158             |
| Hausa • Nigerian                             | ha-NG  | 1                                                                                                                                                       | 8              | 247 s    | 2               | 124             |
| isiZulu • South African                      | zu-ZA  | 1                                                                                                                                                       | 14             | 423 s    | 2               | 231             |
| Igbo • Nigerian                              | ig-NG  | 1                                                                                                                                                       | 9              | 274 s    | 2               | 139             |
| Anchor language                              |        | 10                                                                                                                                                      | 118            | 3,502 s  | 20              | 1,751           |
| English (source prompts, code-switch anchor) | en-NG  | Present in <code>english_source</code> field on every one of the 118 turns and in code-switch spans; 96 additional alignment spans span English tokens. |                |          |                 |                 |

3.3 • Domain distribution

| DOMAIN                              | SCENARIO SLUG            | SESSIONS | TURNS | DURATION | LOCALE COVERAGE     |
|-------------------------------------|--------------------------|----------|-------|----------|---------------------|
| Retail banking • fraud dispute      | retail_banking_fraud     | 1        | 12    | 368 s    | pcm-NG              |
| Open-air market • haggle            | retail_market_haggle     | 1        | 10    | 312 s    | pcm-NG              |
| Telco support • data bundle         | telco_support_data       | 1        | 15    | 366 s    | pcm-NG              |
| Fintech • KYC onboarding            | fintech_kyc_onboard      | 1        | 10    | 318 s    | sw-KE               |
| Ride-hailing • route dispute        | ride_hailing_dispute     | 1        | 12    | 344 s    | sw-KE               |
| Retail • in-store return            | retail_return            | 1        | 10    | 297 s    | yo-NG               |
| Mobile money • misdirected transfer | mobile_money_recovery    | 1        | 8     | 247 s    | ha-NG               |
| Insurance • claim intake            | insurance_claim          | 1        | 14    | 423 s    | zu-ZA               |
| Logistics • delivery mixup          | logistics_delivery_mixup | 1        | 9     | 274 s    | ig-NG               |
| Consumer loan • repayment follow-up | consumer_loan_followup   | 1        | 11    | 324 s    | sw-KE (Sheng-heavy) |

3.4 • Emotion label distribution

| EMOTION              | TURNS | %     | EMOTION    | TURNS | %     |
|----------------------|-------|-------|------------|-------|-------|
| frustrated           | 18    | 15.3% | reassuring | 12    | 10.2% |
| empathetic           | 19    | 16.1% | relieved   | 8     | 6.8%  |
| focused_professional | 21    | 17.8% | skeptical  | 6     | 5.1%  |
| playful              | 11    | 9.3%  | apologetic | 5     | 4.2%  |
| firm_friendly        | 13    | 11.0% | neutral    | 5     | 4.2%  |

3.5 · Turn length distribution

| BUCKET (DURATION SECONDS) | TURNS | %     | NOTES                                                |
|---------------------------|-------|-------|------------------------------------------------------|
| 0.5 to 2.0 s              | 12    | 10.2% | Short acknowledgements ("Ehn!", "Sawa", "Oga")       |
| 2.0 to 4.0 s              | 31    | 26.3% | Standard single-clause turns                         |
| 4.0 to 6.0 s              | 37    | 31.4% | Modal length, most conversational turns              |
| 6.0 to 10.0 s             | 26    | 22.0% | Multi-clause explanations, longer agent responses    |
| 10.0 to 20.0 s            | 10    | 8.5%  | Full explanations, dispute recounts, KYC recitations |
| > 20.0 s                  | 2     | 1.7%  | Insurance-claim narrative (Session 8)                |

3.6 · Code-switch pair frequencies

| LANGUAGE PAIR | TURN COUNT | %     | MODAL DOMAIN                                      |
|---------------|------------|-------|---------------------------------------------------|
| EN->PCM       | 28         | 29.8% | Banking, telco (formal register openings)         |
| PCM->EN       | 18         | 19.1% | Numeric quotes, technical terms (POS, refund, GB) |
| SW->EN        | 14         | 14.9% | Fintech (KYC, verified, tier), ride-hailing       |
| SW->Sheng     | 11         | 11.7% | Loan follow-up (Session 10), youth register       |
| EN->SW        | 8          | 8.5%  | Agent-side scripted openings                      |
| YO->EN        | 7          | 7.4%  | Retail return (technical product terms)           |
| ZU->EN        | 4          | 4.3%  | Insurance form-field terms                        |
| HA->EN        | 2          | 2.1%  | Mobile-money numeric spans                        |
| IG->EN        | 2          | 2.1%  | Delivery-address street names                     |

3.7 · Speaker manifest (per-speaker turn totals)

| SPEAKER UUID       | LOCALE | AGE   | GENDER | ACCENT REGION        | SESSION | ROLE              | TURNS |
|--------------------|--------|-------|--------|----------------------|---------|-------------------|-------|
| spk_pcm_ng_88201_f | pcm-NG | 25-34 | F      | Lagos                | 1       | customer          | 6     |
| spk_pcm_ng_99104_m | pcm-NG | 25-34 | M      | Enugu                | 1       | agent             | 6     |
| spk_pcm_ng_44821_f | pcm-NG | 35-44 | F      | Ibadan               | 2       | buyer             | 5     |
| spk_pcm_ng_67290_f | pcm-NG | 45-54 | F      | Lagos                | 2       | seller            | 5     |
| spk_pcm_ng_51083_m | pcm-NG | 35-44 | M      | Port Harcourt        | 3       | customer          | 7     |
| spk_pcm_ng_72015_f | pcm-NG | 25-34 | F      | Abuja                | 3       | agent             | 8     |
| spk_sw_ke_33012_f  | sw-KE  | 25-34 | F      | Nairobi              | 4       | agent             | 5     |
| spk_sw_ke_60781_m  | sw-KE  | 35-44 | M      | Mombasa              | 4       | user              | 5     |
| spk_sw_ke_18942_m  | sw-KE  | 25-34 | M      | Nairobi (Eastlands)  | 5       | rider             | 6     |
| spk_sw_ke_29103_m  | sw-KE  | 35-44 | M      | Kisumu               | 5       | driver            | 6     |
| spk_yo_ng_71204_f  | yo-NG  | 35-44 | F      | Lagos (Ikeja)        | 6       | customer          | 5     |
| spk_yo_ng_82165_m  | yo-NG  | 25-34 | M      | Ibadan               | 6       | agent             | 5     |
| spk_ha_ng_45903_m  | ha-NG  | 25-34 | M      | Kano                 | 7       | customer          | 4     |
| spk_ha_ng_67012_f  | ha-NG  | 35-44 | F      | Kaduna               | 7       | agent             | 4     |
| spk_zu_zu_23011_f  | zu-ZA  | 45-54 | F      | Durban               | 8       | claimant          | 7     |
| spk_zu_zu_58907_m  | zu-ZA  | 35-44 | M      | Johannesburg         | 8       | adjuster          | 7     |
| spk_ig_ng_39218_m  | ig-NG  | 25-34 | M      | Onitsha              | 9       | recipient         | 5     |
| spk_ig_ng_75023_f  | ig-NG  | 25-34 | F      | Enugu                | 9       | dispatcher        | 4     |
| spk_sw_ke_41109_m  | sw-KE  | 18-24 | M      | Nairobi (Kileleshwa) | 10      | borrower          | 6     |
| spk_sw_ke_52076_f  | sw-KE  | 25-34 | F      | Nairobi (Westlands)  | 10      | collections_agent | 5     |

**Demographic balance.** Bundle-level gender split: 10 F / 10 M (perfectly balanced). Age-band coverage: 18-24 (5%), 25-34 (50%), 35-44 (30%), 45-54 (15%). Fourteen distinct accent regions covered across six locales, with no single accent region representing more than 15% of turns. Speaker-to-turn assignment is 100% consistent: no speaker appears in more than one session in this bundle (enabling clean speaker-disjoint train/test splits by construction).

3.8 • QC integrity summary

| Metric                               | Value          | Notes                                                                    |
|--------------------------------------|----------------|--------------------------------------------------------------------------|
| Total verified turns                 | 118 / 118      | Every turn cleared editor verification                                   |
| Total verified sessions              | 10 / 10        | Every session cleared editor verification                                |
| Random-audit sample rate             | 30% (35 turns) | Independent Auditor re-review, blind to editor confidence                |
| Audit pass rate                      | 100% (35/35)   | Zero disagreements between editor and auditor on verified text           |
| Alignment pass rate                  | 100%           | Certified Aligner review of all 1,847 alignment spans                    |
| Turns rejected at peer-rating stage  | 14 (11.9%)     | Re-recorded before session submission; not in delivered bundle           |
| Turns re-editor-reviewed after audit | 0              | No editor-audit disagreements requiring rework                           |
| Average editor confidence            | 0.976          | Standard deviation 0.011 across sessions                                 |
| Average peer rating (aggregate)      | 4.87 / 5.0     | Mean of four axes (tone, prompt_adherence, mood, clarity)                |
| Consent-signed speakers              | 20 / 20        | Every speaker has a v1.2 Voice IP Assignment Agreement acceptance record |
| Consent withdrawn since delivery     | 0              | None. SLA-notified within 30 days if this changes.                       |

3.9 • Peer-rating axis breakdown

| Axis             | Mean | Std Dev | Notes                                                      |
|------------------|------|---------|------------------------------------------------------------|
| tone             | 4.91 | 0.19    | Peer's judgement of emotional-tone fit to persona card     |
| prompt_adherence | 4.84 | 0.22    | How faithfully the turn reflects the English prompt intent |
| mood             | 4.86 | 0.20    | Overall scene-mood coherence with the preceding turn       |
| clarity          | 4.87 | 0.18    | Speech clarity, articulation, absence of long fillers      |

3.10 • Recording-environment breakdown

| Environment   | Sessions | Duration | Notes                                                                                    |
|---------------|----------|----------|------------------------------------------------------------------------------------------|
| quiet_indoor  | 6        | 2,024 s  | Bedroom, home office; SNR > 28 dB                                                        |
| office        | 2        | 726 s    | Fintech and insurance sessions; SNR > 30 dB                                              |
| urban_ambient | 1        | 312 s    | Market Day (Session 2); tolerated ambient noise as scenario-authentic                    |
| vehicle       | 1        | 344 s    | Ride-hailing dispute (Session 5); recorded live inside a moving vehicle for authenticity |

3.11 • Device-class breakdown

| Device Class    | Sessions | Notes                                             |
|-----------------|----------|---------------------------------------------------|
| smartphone_high | 4        | Flagship Android / iOS with hardware NR disabled  |
| smartphone_mid  | 4        | Mid-tier Android; hardware NR disabled at capture |
| headset_usb     | 2        | USB headsets, both office-environment sessions    |

**Note on device diversity.** Device-class coverage is intentional. Buyers training for African-market production deployments should not train exclusively on flagship-device audio; the mid-tier smartphone\_mid class is the most representative single tier for real-world Nigerian and Kenyan consumer traffic. Full corpus (parent, v1.0.0-r2) balances device-class distribution to match Q2-2026 mobile market share data for each locale.

4 • Session Transcripts

Each turn shows four lines: raw first-pass STT (grey monospace, marks pre-editor state), editor-verified transcript (highlighted, the training-ground-truth), English source prompt (italic, ground-truth for translation and alignment tasks), and a metadata tag strip (emotion / latency / code-switch / peer rating). All 118 turns across 10 sessions are shown in full.

4.1 • Session 1 • Banking Wahala • Unauthorized POS Transaction Dispute

acc\_sess\_20260828\_pcm\_00892 • retail\_banking\_fraud • pcm-NG6:08 • quiet\_indoor • confidence 0.981

|                      |                    |             |                |
|----------------------|--------------------|-------------|----------------|
| SPEAKER A • CUSTOMER | SPEAKER B • AGENT  | EDITOR      | AUDIT          |
| spk_pcm_ng_88201_f   | spk_pcm_ng_99104_m | ed_pcm_3312 | aud_pcm_00114  |
| Lagos • 25-34 • F    | Enugu • 25-34 • M  | Cert • 0.98 | sampled_passed |

T01 • A (customer)00:01.200 → 00:04.500 • 3.30s

RAW good morning i wake up this morning see say pos commot 50k from my account

VERIFIED Good morning. I wake up this morning see say POS commot 50k for my account!

EN SRC Good morning. I woke up this morning and saw that ₦50,000 left my account through a POS I never used.

frustratedEN->PCMpeer 4.85

T02 • B (agent)00:04.850 → 00:09.100 • 4.25s • gap 350ms

RAW i am so sorry sir please calm down make i check your account details right now

VERIFIED I am so sorry to hear that, sir. Please stay calm, make I check your account details right now.

EN SRC I am so sorry to hear that. Please stay calm, let me check your account details right now.

empathetic350msEN->PCMpeer 5.00

T03 • A00:09.610 → 00:13.220 • 3.61s • gap 510ms

RAW abeg no waste time o i really need my money back today today

VERIFIED Abeg no waste time o. I really need my money back today-today!

EN SRC Please don't waste time. I really need my money back today.

frustrated510msPCM->PCMpeer 4.95

T04 • B00:13.700 → 00:19.940 • 6.24s • gap 480ms

RAW sir i see three unauthorized transactions on your card i will block it now and start refund process

VERIFIED Oga, I see three unauthorized transactions on your card. I go block am now, and I go start the refund process.

EN SRC Sir, I can see three unauthorized transactions on your card. I'll block it now and start the refund process.

focused\_professional480msEN->PCMPCM->ENpeer 5.00

T05 • A00:20.320 → 00:23.150 • 2.83s • gap 380ms

RAW thank you sister you don save me from wahala today

VERIFIED Thank you, sister. You don save me from wahala today.

EN SRC Thank you, ma. You've saved me from a lot of stress today.

relieved380msEN->PCMpeer 5.00

T06 • B00:23.510 → 00:27.900 • 4.39s • gap 360ms

RAW no wahala sir refund go reflect in your account within 48 hours

VERIFIED No wahala, sir. The refund go reflect for your account within 48 hours.

EN SRC No trouble at all, sir. The refund will reflect in your account within 48 hours.

reassuring360msPCM->ENpeer 4.90

T07 • B00:28.280 → 00:33.140 • 4.86s • gap 380ms

RAW before that i need to verify your identity please tell me your date of birth and mothers maiden name

VERIFIED Before that, I need to verify your identity. Please, tell me your date of birth and your mother maiden name.

EN SRC Before that, I need to verify your identity. Please tell me your date of birth and your mother's maiden name.

focused\_professional380msEN->ENpeer 4.85

T08 • A00:33.560 → 00:38.170 • 4.61s • gap 420ms

RAW my date of birth is [DATE] and my mothers maiden name is [NAME]

VERIFIED My date of birth na [SYNTHETIC-DATE], and my mother maiden name na [SYNTHETIC-NAME].

EN SRC My date of birth is [DATE], and my mother's maiden name is [NAME].

neutral420msEN->PCMPII: dob, namepeer 4.80

T09 · B

00:38.630 → 00:43.850 · 5.22s · gap 460ms

RAW thank you madam identity confirmed your card is now blocked no more transactions can happen

VERIFIED Thank you, madam. Identity confirmed. Your card don block now, no more transactions fit happen for the card.

EN SRC Thank you, ma'am. Identity confirmed. Your card is now blocked, no more transactions can happen on it.

reassuring460msEN->PCMpeer 5.00

T10 · A

00:44.240 → 00:47.180 · 2.94s · gap 390ms

RAW ehen thank god how i go take protect my account for future

VERIFIED Ehen, thank God! How I go take protect my account for future?

EN SRC Thank goodness! How can I protect my account in future?

skeptical390msPCM->PCMpeer 4.90

T11 · B

00:47.610 → 00:55.020 · 7.41s · gap 430ms

RAW we go send you a new card within five working days also we go enable transaction alert on your line so you go dey get sms for every transaction

VERIFIED We go send you a new card within five working days. Also, we go enable transaction alert for your line, so you go dey get SMS for every transaction wey happen.

EN SRC We'll send you a new card within five working days. We'll also enable transaction alerts on your line, so you'll get an SMS for every transaction that happens.

focused\_professional430msEN->PCMPCM->ENpeer 5.00

T12 · A

00:55.480 → 00:58.320 · 2.84s · gap 460ms

RAW okay that one na correct thing thank you very much

VERIFIED Okay, that one na correct thing. Thank you very much!

EN SRC Okay, that's the right thing. Thank you very much.

relieved460msPCM->ENpeer 5.00

**Session 1 summary.** 12 turns · 6:08 verified · avg peer rating 4.94 · audit passed · PII redacted on T08 (dob, name replaced with synthetic tokens at capture-time before any transcript entered the QC pipeline). Editor notes: naturalistic code-switch at T04/T11, characteristic of Enugu-inflected agent register.

4.2 · Session 2 · Market Day · Tomato Basket Haggle

acc\_sess\_20260829\_pcm\_01108 · retail\_market\_haggle · pcm-NG

5:12 · urban\_ambient · confidence 0.984

SPEAKER A · BUYER

spk\_pcm\_ng\_44821\_f

Ibadan · 35-44 · F

SPEAKER B · SELLER

spk\_pcm\_ng\_67290\_f

Lagos · 45-54 · F

EDITOR

ed\_pcm\_4419

Cert · 0.99

AUDIT

aud\_pcm\_00114

sampled\_passed

T01 · A (buyer)

00:01.100 → 00:05.640 · 4.54s

RAW

anty how much for this basket of tomatoes and please dont tell me two thousand

VERIFIED

Aunty, how much for this basket of tomatoes? And please, no tell me say na two thousand naira!

EN SRC

Ma'am, how much for this basket of tomatoes? Please don't say ₦2,000.

playful

EN->PCM

peer 5.00

T02 · B (seller)

00:06.020 → 00:10.450 · 4.43s · gap 380ms

RAW

my friend these ones are fresh from the farm this morning give me one thousand eight hundred

VERIFIED

My friend, these ones fresh from farm this morning-o. Give me one thousand eight hundred naira.

EN SRC

These ones are fresh from the farm this morning. Give me ₦1,800.

firm\_friendly

380ms

EN->PCM

peer 5.00

T03 · A

00:10.850 → 00:14.780 · 3.93s · gap 400ms

RAW

ah that is too much take one thousand two hundred and let me go abeg

VERIFIED

Ah, e too much o! Take one thousand two hundred, make I go my house abeg.

EN SRC

That is too much. Take ₦1,200 and let me go.

playful

400ms

PCM->PCM

peer 5.00

T04 · B

00:15.230 → 00:20.640 · 5.41s · gap 450ms

RAW

you don become market woman like me ah give me one thousand five hundred that is final

VERIFIED

Ehn! You don turn market woman like me? Ah, give me one thousand five hundred, that na final price o!

EN SRC

Wow, you've become a market woman like me! Give me ₦1,500, that's my final price.

playful

450ms

PCM->PCM

peer 4.95

T05 · A

00:21.020 → 00:24.610 · 3.59s · gap 380ms

RAW

one thousand three hundred i beg last last i no get change

VERIFIED

One thousand three hundred! Last last, I no get change o.

EN SRC

₦1,300, that's my final offer. I don't have change.

firm\_friendly

380ms

PCM->PCM

peer 5.00

T06 · B

00:25.010 → 00:28.560 · 3.55s · gap 400ms

RAW

okay come collect ah you strong customer bring the money

VERIFIED

Okay, come collect am. Ah! You strong customer o. Bring the money.

EN SRC

Okay, come and take it. You're a tough negotiator. Give me the money.

firm\_friendly

400ms

PCM->PCM

peer 5.00

T07 · A

00:28.940 → 00:33.070 · 4.13s · gap 380ms

RAW

okay before i pay you fit add small pepper for me now na

VERIFIED

Okay, before I pay, you fit add small pepper for me now na?

EN SRC

Alright, before I pay, could you add a little pepper for me too?

playful

380ms

PCM->PCM

peer 4.90

T08 · B

00:33.470 → 00:38.410 · 4.94s · gap 400ms

RAW

haba you dey do jara ehn okay collect three fresh pepper on top

VERIFIED

Haba! You dey ask for jara ehn? Okay, collect three fresh pepper on top.

EN SRC

Come on, you're asking for extra? Alright, take three fresh peppers on top.

firm\_friendly

400ms

PCM->PCM

peer 4.95

T09 · A

00:38.810 → 00:43.240 · 4.43s · gap 400ms

RAW

God bless you aunty i go come back tomorrow to buy pumpkin leaf

VERIFIED

God bless you, Aunty! I go come back tomorrow to buy pumpkin leaf.

EN SRC

God bless you, ma. I'll come back tomorrow for pumpkin leaf.

firm\_friendly

400ms

PCM->EN

peer 5.00

T10 · B

00:43.640 → 00:48.520 · 4.88s · gap 400ms

RAW i go dey wait for you bring your friend make she buy too we go give am fine price

VERIFIED I go dey wait for you-o. Bring your friend, make she buy too, we go give am fine price.

EN SRC I'll be waiting for you. Bring your friend so she can buy too, we'll give her a good price.

firm\_friendly

400ms

PCM->PCM

peer 4.95

**Session 2 summary.** 10 turns · 5:12 verified · avg peer rating 4.98 · audit passed · recording environment intentionally urban\_ambient (background market chatter present in dual-channel audio at approximately -18 dBFS, providing realistic training signal for market-context ASR).



4.3 • Session 3 • Telco Trouble • Data-Bundle Dispute

acc\_sess\_20260830\_pcm\_02231 • telco\_support\_data • pcm-NG

6:06 • quiet\_indoor • confidence 0.972

SPEAKER A • CUSTOMER

spk\_pcm\_ng\_51083\_m

Port Harcourt • 35-44 • M

SPEAKER B • AGENT

spk\_pcm\_ng\_72015\_f

Abuja • 25-34 • F

EDITOR

ed\_pcm\_5720

Cert • 0.97

AUDIT

aud\_pcm\_00207

sampled\_passed

T01 • A

00:00.850 → 00:05.010 • 4.16s

RAW

hello hello my data bundle wey i buy yesterday just disappear i no know weting happen

VERIFIED

Hello, hello! My data bundle wey I buy yesterday just disappear-o. I no know weting happen.

EN SRC

*Hello! The data bundle I bought yesterday has vanished. I don't know what happened.*

frustrated

PCM->PCM

peer 4.90

T02 • B

00:05.410 → 00:10.080 • 4.67s • gap 400ms

RAW

good morning sir sorry for that inconvenience please fit you tell me the phone number wey you use buy the data

VERIFIED

Good morning, sir. Sorry for that inconvenience. Please, fit you tell me the phone number wey you use buy the data?

EN SRC

*Good morning, sir. Sorry for that. Can you tell me the phone number you used to buy the data?*

empathetic

400ms

EN->PCM

peer 4.95

T03 • A

00:10.440 → 00:14.780 • 4.34s • gap 360ms

RAW

yes na 0803 xxx xxxx i buy 5gb yesterday morning e no even reach one day

VERIFIED

Yes, na [SYNTHETIC-11-DIGIT]. I buy 5GB yesterday morning, e no even reach one day!

EN SRC

*Yes, it's [PHONE]. I bought 5GB yesterday morning, and it didn't even last a full day.*

frustrated

360ms

PCM->EN

PII: phone

peer 4.85

T04 • B

00:15.220 → 00:22.410 • 7.19s • gap 440ms

RAW

wait small make i check your account oga i see say your data don finish because you dey stream video for whole day e dey your usage log

VERIFIED

Wait small, make I check your account... Oga, I see say your data don finish because you dey stream video for whole day. E dey your usage log.

EN SRC

*One moment, let me check your account... Sir, I can see your data was used up because you streamed video all day. It's in your usage log.*

focused\_professional

440ms

EN->PCM

peer 4.90

T05 • A

00:22.830 → 00:26.020 • 3.19s • gap 420ms

RAW

wetin whole 5gb for one day abeg check am well well

VERIFIED

Wetin?! Whole 5GB for one day? Abeg check am well well o.

EN SRC

*What?! A whole 5GB in one day? Please check it properly.*

skeptical

420ms

PCM->EN

peer 4.85

T06 • B

00:26.480 → 00:33.750 • 7.27s • gap 460ms

RAW

sir our system dey show clear usage but because you be loyal customer make i add 500mb bonus for you as apology

VERIFIED

Sir, our system dey show clear usage. But because you be loyal customer, make I add 500MB bonus for you as apology.

EN SRC

*Sir, our system shows clear usage. But because you're a loyal customer, let me add a 500MB bonus as an apology.*

reassuring

460ms

EN->PCM

peer 4.95

T07 • A

00:34.130 → 00:37.020 • 2.89s • gap 380ms

RAW

okay okay add am thank you my sister

VERIFIED

Okay, okay. Add am. Thank you, my sister.

EN SRC

*Alright, alright. Add it. Thank you, ma.*

relieved

380ms

PCM->EN

peer 5.00

T08 • B

00:37.420 → 00:41.180 • 3.76s • gap 400ms

RAW

bonus don enter your line sir anything else i fit help you with today

VERIFIED

Bonus don enter your line, sir. Anything else I fit help you with today?

EN SRC

*The bonus has landed on your line, sir. Anything else I can help you with today?*

focused\_professional

400ms

PCM->EN

peer 5.00

T09 • A

00:41.550 → 00:46.100 • 4.55s • gap 370ms

RAW

actually one more thing how i go take avoid this kind wahala for future

VERIFIED

Actually, one more thing. How I go take avoid this kind wahala for future?

EN SRC

*Actually, one more thing. How do I avoid this kind of trouble in the future?*

focused\_professional

370ms

PCM->PCM

peer 4.80



T10 · B

00:46.500 → 00:54.910 · 8.41s · gap 400ms

RAW you fit dial star three one zero hash to enable data usage alerts you go get sms every time you cross 500mb

VERIFIED You fit dial star three one zero hash to enable data usage alerts. You go dey get SMS every time you cross 500MB. E go help you monitor am.

EN SRC You can dial \*310# to enable data usage alerts. You'll get an SMS every time you cross 500MB, so you can monitor it.

focused\_professional

400ms

EN->PCM

PCM->EN

peer 4.95

T11 · A

00:55.320 → 00:57.680 · 2.36s · gap 410ms

RAW ehen that one na correct one make i dial am now

VERIFIED Ehen, that one na correct one! Make I dial am now.

EN SRC That's a good one! Let me dial it now.

focused\_professional

410ms

PCM->PCM

peer 4.90

T12 · B

00:58.100 → 01:03.220 · 5.12s · gap 420ms

RAW you can also consider our unlimited social bundle 2gb per day for whatsapp and instagram only 1500 naira per week

VERIFIED You fit also consider our Unlimited Social Bundle: 2GB per day for WhatsApp and Instagram only, 1,500 naira per week.

EN SRC You could also consider our Unlimited Social Bundle: 2GB per day for WhatsApp and Instagram only, ₦1,500 per week.

focused\_professional

420ms

PCM->EN

peer 4.90

T13 · A

01:03.640 → 01:06.900 · 3.26s · gap 420ms

RAW hmm that one dey interesting make i think about am small

VERIFIED Hmm, that one dey interesting. Make I think about am small.

EN SRC Hmm, that sounds interesting. Let me think about it a little.

neutral

420ms

PCM->PCM

peer 4.85

T14 · B

01:07.320 → 01:10.980 · 3.66s · gap 420ms

RAW okay sir take your time thank you for calling take care

VERIFIED Okay, sir. Take your time. Thank you for calling, take care.

EN SRC Alright, sir. Take your time. Thank you for calling, take care.

reassuring

420ms

EN->EN

peer 5.00

T15 · A

01:11.400 → 01:12.840 · 1.44s · gap 420ms

RAW you too dey well bye bye

VERIFIED You too, dey well. Bye-bye.

EN SRC You too, take care. Goodbye.

firm\_friendly

420ms

PCM->PCM

peer 4.90

**Session 3 summary.** 15 turns · 6:06 verified · avg peer rating 4.91 · audit passed · PII redacted on T03 (phone number replaced with synthetic 11-digit token). Includes upsell interaction turns (T12-T13) providing training signal for cross-sell / upsell recognition tasks.

4.4 • Session 4 • Fintech Onboarding • KYC Verification

acc\_sess\_20260831\_sw\_00417 • fintech\_kyc\_onboard • sw-KE

5:18 • office • confidence 0.984

SPEAKER A • AGENT

spk\_sw\_ke\_33012\_f

Nairobi • 25-34 • F

SPEAKER B • USER

spk\_sw\_ke\_60781\_m

Mombasa • 35-44 • M

EDITOR

ed\_sw\_2088

Cert • 0.98

AUDIT

aud\_sw\_00061

sampled\_passed

T01 • A (agent)

00:00.900 → 00:04.520 • 3.62s

RAW

habari yako karibu kwa m fintech naomba id yako

VERIFIED

Habari yako? Karibu kwa M-Fintech. Naomba ID yako, tafadhali.

EN SRC

Hello, welcome to M-Fintech. Please provide your ID.

focused\_professional

SW->SW

peer 4.95

T02 • B (user)

00:04.900 → 00:08.630 • 3.73s • gap 380ms

RAW

habari sawa hii hapa ni id yangu namba ni 12345678

VERIFIED

Habari. Sawa, hii hapa ni ID yangu. Namba ni [SYNTHETIC-8-DIGIT].

EN SRC

Hello. Alright, here's my ID. The number is [ID].

neutral

380ms

SW->SW

PII: id\_number

peer 4.85

T03 • A

00:09.010 → 00:13.220 • 4.21s • gap 380ms

RAW

asante sasa naomba selfie kwa verification plez

VERIFIED

Asante. Sasa naomba selfie kwa verification, plez.

EN SRC

Thank you. Now I'll need a selfie for verification, please.

focused\_professional

380ms

SW->EN

SW->Sheng

peer 4.90

T04 • B

00:13.640 → 00:17.980 • 4.34s • gap 420ms

RAW

sawa imefanyika hii ni fasta sana unaskia

VERIFIED

Sawa, imefanyika. Hii ni fasta sana, unaskia?

EN SRC

Okay, done. This is really fast, isn't it?

relieved

420ms

SW->Sheng

peer 4.90

T05 • A

00:18.320 → 00:22.740 • 4.42s • gap 340ms

RAW

ndio imekamilika umeverified kwa 30 seconds karibu m fintech

VERIFIED

Ndio, imekamilika. Umeverified kwa 30 seconds. Karibu M-Fintech!

EN SRC

Yes, it's complete. You've been verified in 30 seconds. Welcome to M-Fintech!

firm\_friendly

340ms

SW->EN

peer 5.00

T06 • B

00:23.100 → 00:27.240 • 4.14s • gap 360ms

RAW

swali moja tafadhali kuna limit ya kutuma pesa kwa siku

VERIFIED

Swali moja tafadhali. Kuna limit ya kutuma pesa kwa siku?

EN SRC

One question please. Is there a limit on how much money I can send per day?

focused\_professional

360ms

SW->EN

peer 4.85

T07 • A

00:27.620 → 00:35.100 • 7.48s • gap 380ms

RAW

ndio kwa tier 1 unaweza kutuma hadi 70000 shillings kwa siku ukitaka zaidi utahitaji kupanda tier

VERIFIED

Ndio. Kwa Tier 1, unaweza kutuma hadi shillingi 70,000 kwa siku. Ukitaka zaidi, utahitaji kupanda Tier.

EN SRC

Yes. In Tier 1, you can send up to 70,000 shillings per day. If you want more, you'll need to upgrade tier.

focused\_professional

380ms

SW->EN

peer 4.95

T08 • B

00:35.500 → 00:39.180 • 3.68s • gap 400ms

RAW

na nitawezaje kupanda tier

VERIFIED

Na nitawezaje kupanda Tier?

EN SRC

And how do I upgrade my tier?

focused\_professional

400ms

SW->EN

peer 4.80

T09 • A

00:39.580 → 00:47.610 • 8.03s • gap 400ms

RAW

utahitaji kupakia proof of income kama payslip au bank statement ya miezi mitatu iliyopita kupitia app baada ya masaa 24 utakuwa tier 2

VERIFIED

Utahitaji kupakia proof of income, kama payslip au bank statement ya miezi mitatu iliyopita, kupitia app. Baada ya masaa 24, utakuwa Tier 2.

EN SRC

You'll need to upload proof of income, like a payslip or a bank statement from the last three months, through the app. After 24 hours, you'll be Tier 2.

focused\_professional

490ms

SW->EN

peer 4.95

T10 · B

00:48.010 → 00:52.240 · 4.23s · gap 400ms

RAW okay nimeelewa asante sana kwa msaada wako

VERIFIED Okay, nimeelewa. Asante sana kwa msaada wako!

EN SRC Okay, I understand. Thank you very much for your help!

relieved

400ms

EN->SW

peer 5.00

**Session 4 summary.** 10 turns · 5:18 verified · avg peer rating 4.92 · audit passed · PII redacted on T02 (Kenyan National ID replaced with synthetic 8-digit token). Sheng loans present on T03/T04 ( **plez** , **fasta** ), naturalistic for young-urban Nairobi register.



4.5 • Session 5 • Ride-Hailing Dispute • Route Deviation

acc\_sess\_20260828\_sw\_01204 • ride\_hailing\_dispute • sw-KE5:44 • vehicle • confidence 0.968

SPEAKER A • RIDER  
spk\_sw\_ke\_18942\_m  
Nairobi Eastlands • 25-34 • M

SPEAKER B • DRIVER  
spk\_sw\_ke\_29103\_m  
Kisumu • 35-44 • M

EDITOR  
ed\_sw\_2199  
Cert • 0.97

AUDIT  
aud\_sw\_00088  
sampled\_passed

T01 • A (rider)00:01.000 → 00:04.760 • 3.76s

RAW bwana dereva kwa nini umepita njia hii ya thika road badala ya james gichuru

VERIFIEDBwana dereva, kwa nini umepita njia hii ya Thika Road badala ya James Gichuru?

EN SRCDriver, why did you take this Thika Road route instead of James Gichuru?

skepticalSW->ENpeer 4.85

T02 • B (driver)00:05.180 → 00:10.320 • 5.14s • gap 420ms

RAW bwana kuna traffic jam kubwa sana kwa james gichuru nimeona kwa app na nikaamua kutumia njia hii

VERIFIEDBwana, kuna traffic jam kubwa sana kwa James Gichuru. Nimeona kwa app na nikaamua kutumia njia hii.

EN SRCSir, there's a very heavy traffic jam on James Gichuru. I saw it on the app and decided to take this route.

empathetic420msSW->ENpeer 4.90

T03 • A00:10.700 → 00:15.610 • 4.91s • gap 380ms

RAW lakini njia hii ni ndefu zaidi na nauli itaongezeka kwa nini hukuniuliza kwanza

VERIFIEDLakini njia hii ni ndefu zaidi, na nauli itaongezeka! Kwa nini hukuniuliza kwanza?

EN SRCBut this route is longer, and the fare will go up! Why didn't you ask me first?

frustrated380msSW->SWpeer 4.85

T04 • B00:15.990 → 00:22.240 • 6.25s • gap 380ms

RAW samahani sana bwana lakini nauli haitaongezeka kwa sababu app inatumia fixed price ambayo tayari umeikubali

VERIFIEDSamahani sana, bwana. Lakini nauli haitaongezeka, kwa sababu app inatumia fixed price ambayo tayari umeikubali.

EN SRCI'm very sorry, sir. But the fare will not go up, because the app uses a fixed price that you've already accepted.

apologetic380msSW->ENpeer 4.95

T05 • A00:22.640 → 00:26.510 • 3.87s • gap 400ms

RAW ehe ni kweli nimekumbuka sasa lakini nitachelewa kwa mkutano

VERIFIEDEhe, ni kweli, nimekumbuka sasa. Lakini nitachelewa kwa mkutano.

EN SRCRight, that's true, I remember now. But I'll be late for the meeting.

frustrated400msSW->SWpeer 4.80

T06 • B00:26.910 → 00:32.780 • 5.87s • gap 400ms

RAW bwana usijali nitakupitisha kwa short cut moja kupitia parklands tutafika mapema

VERIFIEDBwana, usijali. Nitakupitisha kwa short-cut moja kupitia Parklands, tutafika mapema.

EN SRCSir, don't worry. I'll take you through a short-cut via Parklands, we'll arrive early.

reassuring400msSW->ENpeer 4.90

T07 • A00:33.180 → 00:36.740 • 3.56s • gap 400ms

RAW okay sawa nitakushukuru sana ukiniifikisha kabla ya saa nne

VERIFIEDOkay, sawa. Nitakushukuru sana ukiniifikisha kabla ya saa nne.

EN SRCOkay, alright. I'll be very grateful if you get me there before ten o'clock.

firm\_friendly400msEN->SWpeer 4.85

T08 • B00:37.140 → 00:41.020 • 3.88s • gap 400ms

RAW tutafika kwa dakika kumi na tano ntakuweka mahali salama karibu na jengo lako

VERIFIEDTutafika kwa dakika kumi na tano. Nitakuweka mahali salama karibu na jengo lako.

EN SRCWe'll arrive in fifteen minutes. I'll drop you at a safe spot near your building.

focused\_professional400msSW->SWpeer 4.90

T09 • A00:41.420 → 00:44.780 • 3.36s • gap 400ms

RAW asante sana pia nakuomba usinisikilize gari lako lina volume kubwa

VERIFIEDAsante sana. Pia nakuomba, punguza redio kidogo, ina volume kubwa.

EN SRCThank you very much. Also, please turn the radio down a little, it's too loud.

firm\_friendly400msSW->ENpeer 4.80

T10 · B

00:45.180 → 00:47.640 · 2.46s · gap 400ms

RAW hakuna shida bwana nimepunguza

VERIFIED

Hakuna shida, bwana. Nimepunguza.

EN SRC No problem, sir. I've turned it down.

reassuring

400ms

SW->SW

peer 5.00

T11 · A

00:48.020 → 00:51.910 · 3.89s · gap 380ms

RAW ndio sasa ni sawa nitakupa five stars kwa app na tip pia

VERIFIED

Ndio, sasa ni sawa. Nitakupa five stars kwa app, na tip pia.

EN SRC Yes, now it's fine. I'll give you five stars on the app, and a tip as well.

firm\_friendly

380ms

SW->EN

peer 4.95

T12 · B

00:52.290 → 00:56.720 · 4.43s · gap 380ms

RAW ah asante mkuu mungu akubariki hii ni service ya kweli

VERIFIED

Ah, asante mkuu! Mungu akubariki. Hii ni service ya kweli!

EN SRC Ah, thank you, boss! God bless you. That's real service!

relieved

380ms

SW->EN

peer 5.00

**Session 5 summary.** 12 turns · 5:44 verified · avg peer rating 4.90 · audit passed · recording environment intentionally **vehicle** for authenticity; road noise present at approximately -22 dBFS on both channels, tyre-and-engine spectrum. Useful for training in-cabin ASR robustness.

4.6 · Session 6 · Retail Return · Defective Phone (Yoruba)

acc\_sess\_20260829\_yo\_00318 · retail\_return · yo-NG4:57 · quiet\_indoor · confidence 0.978

SPEAKER A · CUSTOMER  
spk\_yo\_ng\_71204\_f  
Lagos Ikeja · 35-44 · F

SPEAKER B · AGENT  
spk\_yo\_ng\_82165\_m  
Ibadan · 25-34 · M

EDITOR  
ed\_yo\_1440  
Cert · 0.98

AUDIT  
aud\_yo\_00027  
sampled\_passed

T01 · A00:01.100 → 00:05.720 · 4.62s

RAW e karo o mo ra foonu yi ni ile itaja yin ni ose to koja sugbon ko sise mo

VERIFIED E kààrò o. Mo ra fòònú yí ní ilé ìtájá yín ní òṣẹ̀ tó kọ́já, ùgbọ̀n kò ṣìṣẹ̀ mọ́.

EN SRC Good morning. I bought this phone from your shop last week, but it's no longer working.

frustratedY0->Y0peer 4.90

T02 · B00:06.120 → 00:10.400 · 4.28s · gap 400ms

RAW e karo ma ma binu nipa iyen se e le so fun mi kini isoro naa

VERIFIED E kààrò, ma. Má bínú nípa iyèn. Šẹ ẹ̀ lẹ̀ sọ fún mí kìnì ìṣòrò nàà?

EN SRC Good morning, ma. I'm sorry about that. Can you tell me what the problem is?

apologetic400msY0->Y0peer 4.95

T03 · A00:10.800 → 00:16.140 · 5.34s · gap 400ms

RAW screen ti daku patapata mo ti gbiyanju charging fun wakati merin sugbon ko si idahun

VERIFIED Screen tí dákú pátápátá. Mo tí gbìyànjú charging fún wákátí méréìn, ùgbọ̀n kò sí ìdáhùn.

EN SRC The screen has gone completely blank. I've tried charging it for four hours, but there's no response.

frustrated400msY0->ENpeer 4.85

T04 · B00:16.540 → 00:22.220 · 5.68s · gap 400ms

RAW oye mo ye tan se e ni receipt ati box ti foonu naa a ni ilana ose meji fun ipese wo ona

VERIFIED Ó yé mí. Šẹ ẹ̀ ní receipt àtí box tí fòònú nàà? A ní ìlànà òṣẹ̀ méjì fún ìpésẹ̀ àyèwò.

EN SRC I understand. Do you have the receipt and the phone's box? We have a two-week policy for warranty replacement.

focused\_professional400msY0->ENpeer 4.90

T05 · A00:22.620 → 00:26.910 · 4.29s · gap 400ms

RAW beeni mo ni gbogbo nkan won won da nibi apo mi

VERIFIED Bẹ̀èní, mo ní gbogbo ǹkan. Wọ̀n dà nìbí àpò mí.

EN SRC Yes, I have everything. They're right here in my bag.

firm\_friendly400msY0->Y0peer 4.90

T06 · B00:27.310 → 00:33.740 · 6.43s · gap 400ms

RAW o dara je ki mo ri won o daju pe eleyi wa ni ose kokan te ra a le fun yin ni tuntun tabi refund

VERIFIED Ó dára, jẹ́ kí mó rí wọ̀n... Ó dájú pé èyí wà ní òṣẹ̀ kọ́kan tí ẹ̀ ra. A lẹ̀ fún yín ní tuntun, tàbí refund.

EN SRC Alright, let me see them... Yes, this is within one week of purchase. We can give you a replacement, or a refund.

focused\_professional400msY0->ENpeer 4.95

T07 · A00:34.140 → 00:38.320 · 4.18s · gap 400ms

RAW mo fe replacement mo ti feran foonu naa ko kan pe ko sise

VERIFIED Mo fẹ̀ replacement. Mo tí fẹ̀ràn fòònú nàà, kò kàn pé kò ṣìṣẹ̀.

EN SRC I want a replacement. I already like the phone, it's just that it doesn't work.

firm\_friendly400msY0->ENpeer 4.85

T08 · B00:38.720 → 00:44.310 · 5.59s · gap 400ms

RAW o dara ma ni foonu tuntun ni store ma je ki n mu kan wa fun yin ni bayi je ki n mu SIM card yin ju

VERIFIED Ó dára, ma. A ní fòònú tuntun ní store, ma jẹ́ kí n mú kàn wá fún yín ní báyi. Jẹ́ kí n mú SIM card yín jáde.

EN SRC Alright, ma. We have a new phone in the store, let me bring one for you right now. Let me remove your SIM card.

focused\_professional400msY0->ENpeer 4.90

T09 · A00:44.710 → 00:48.140 · 3.43s · gap 400ms

RAW e se pupo eyi ni service to dara

VERIFIED E ẹ̀ sẹ̀ púpọ̀! Èyí ní service tó dára.

EN SRC Thank you so much! This is good service.

relieved400msY0->ENpeer 5.00

RAW ase ma e se e ma se pade wa nibi ma binu fun idamu naa

VERIFIED Àşẹ, ma. Ẹ şé. Ẹ máa şé pàdé wa nǐbí. Má bínú fún ìdámú nǎà.

EN SRC Amen, ma. Thank you. You'll always find us here. Sorry for the inconvenience.

reassuring

400ms

Y0->Y0

peer 4.95

**Session 6 summary.** 10 turns · 4:57 verified · avg peer rating 4.92 · audit passed · Yoruba tone diacritics preserved in verified transcripts (essential for Yoruba TTS training). Loan-word incidence typical for consumer-electronics retail register ( screen , charging , receipt , SIM card , refund , replacement ).



4.7 · Session 7 · Mobile Money Recovery · Misdirected Transfer (Hausa)

acc\_sess\_20260830\_ha\_00512 · mobile\_money\_recovery · ha-NG4:07 · quiet\_indoor · confidence 0.974

SPEAKER A · CUSTOMER  
spk\_ha\_ng\_45903\_m  
Kano · 25-34 · M

SPEAKER B · AGENT  
spk\_ha\_ng\_67012\_f  
Kaduna · 35-44 · F

EDITOR  
ed\_ha\_0912  
Cert · 0.97

AUDIT  
aud\_ha\_00019  
sampled\_passed

T01 · A00:01.000 → 00:06.310 · 5.31s

RAW sannu ina buƙatan taimako na aika kudi zuwa lambar da ba daidai ba yau da safe

VERIFIED Sannu. Ina buƙatan taimako. Na aika kudi zuwa lambar da ba daidai ba yau da safe.

EN SRC Hello. I need help. I sent money to the wrong number this morning.

frustrated HA->HA peer 4.85

T02 · B00:06.710 → 00:12.220 · 5.51s · gap 400ms

RAW sannu da zuwa yayan ka bani lambar wayarka da kuma adadin kudin da ka aika

VERIFIED Sannu da zuwa, ɗan uwa. Ka ba ni lambar wayarka, da kuma adadin kuɗin da ka aika.

EN SRC Welcome, brother. Please give me your phone number, and the amount you sent.

empathetic 400ms HA->HA peer 4.90

T03 · A00:12.620 → 00:18.310 · 5.69s · gap 400ms

RAW lambar wayana 0803 xxx xxxx na aika naira 25000 zuwa lambar dake da bambanci na daya kacal

VERIFIED Lambar wayata [SYNTHETIC-11-DIGIT]. Na aika Naira 25,000 zuwa lambar da ke da bambanci na ɗaya kaɗai.

EN SRC My phone number is [PHONE]. I sent ₦25,000 to a number that differs by just one digit.

frustrated 400ms HA->EN PII: phone peer 4.85

T04 · B00:18.710 → 00:26.640 · 7.93s · gap 400ms

RAW na ga aikin na sanya buƙatar sokewa a yanzu wanda ya samu zai iya karɓa ko kin idan ya karɓa zamu bi wata hanya ta shari'a

VERIFIED Na ga aikin. Na sanya buƙatar sokewa a yanzu. Wanda ya samu zai iya karɓa ko kin karɓa; idan ya karɓa, za mu bi wata hanya ta shari'a.

EN SRC I can see the transaction. I've submitted a reversal request. The recipient can accept or reject it; if they accept, we'll follow a legal recovery process.

focused\_professional 400ms HA->HA peer 4.95

T05 · A00:27.040 → 00:31.310 · 4.27s · gap 400ms

RAW alhamdu lillah nawa dai kwanaki nawa hakan zai dauka

VERIFIED Alhamdu lillah! Kwanaki nawa hakan zai dauka?

EN SRC Thank God! How many days will it take?

relieved 400ms HA->HA peer 4.90

T06 · B00:31.710 → 00:37.140 · 5.43s · gap 400ms

RAW zai dauki kwanaki bakwai zuwa sha hudu ya danganta da yadda mai karɓa zai amsa

VERIFIED Zai dauki kwanaki bakwai zuwa sha huɗu, ya danganta da yadda mai karɓa zai amsa.

EN SRC It will take seven to fourteen days, depending on how the recipient responds.

focused\_professional 400ms HA->HA peer 4.90

T07 · A00:37.540 → 00:41.320 · 3.78s · gap 400ms

RAW na gode za ku sanar da ni idan aka gama

VERIFIED Na gode. Za ku sanar da ni idan aka gama?

EN SRC Thank you. Will you notify me when it's done?

firm\_friendly 400ms HA->HA peer 4.85

T08 · B00:41.720 → 00:46.140 · 4.42s · gap 400ms

RAW eh za mu tura maka sms bayan an gama a kula da lambobi a lokaci na gaba

VERIFIED Eh, za mu tura maka SMS bayan an gama. A kula da lambobi a lokaci na gaba.

EN SRC Yes, we'll send you an SMS when it's done. Be careful with the numbers next time.

reassuring 400ms HA->EN peer 4.90

Session 7 summary. 8 turns · 4:07 verified · avg peer rating 4.89 · audit passed · PII redacted on T03 (11-digit MSISDN). Hausa hooked letters ( **ɗ** , **ƙ** ) preserved in verified transcripts, essential for downstream Hausa TTS and orthographic ASR.



4.8 · Session 8 · Insurance Claim Intake · Household Theft (isiZulu)

acc\_sess\_20260831\_zu\_00109 · insurance\_claim · zu-ZA7:03 · office · confidence 0.982

SPEAKER A · CLAIMANT

spk\_zu\_za\_23011\_f

Durban · 45-54 · F

SPEAKER B · ADJUSTER

spk\_zu\_za\_58907\_m

Johannesburg · 35-44 · M

EDITOR

ed\_zu\_0611

Cert · 0.98

AUDIT

aud\_zu\_00034

sampled\_passed

T01 · A00:01.000 → 00:07.310 · 6.31s

RAW sawubona bhuti ngicabanga ukuthi ngithole ukugqekwezwa endlini yami izolo ebusuku amakhompyutha amabili ashile

VERIFIED Sawubona, bhuti. Ngicabanga ukuthi ngithole ukugqekwezwa endlini yami izolo ebusuku. Amakhompyutha amabili ashile.

EN SRC Hello, sir. I think my home was broken into last night. Two laptops were stolen.

frustratedZU->ZUpeer 4.90

T02 · B00:07.710 → 00:14.420 · 6.71s · gap 400ms

RAW sanibona mama ngiyaxolisa kakhulu ngokuzwa lokho ngizokusiza nokwenza i claim namuhla ingabe ubike i case emaphoyiseni

VERIFIED Sanibona, ma. Ngiyaxolisa kakhulu ngokuzwa lokho. Ngizokusiza nokwenza i-claim namuhla. Ingabe ubike i-case emaphoyiseni?

EN SRC Hello, ma'am. I'm very sorry to hear that. I'll help you file a claim today. Have you reported the case to the police?

apologetic400msZU->ENpeer 4.95

T03 · A00:14.820 → 00:19.610 · 4.79s · gap 400ms

RAW yebo ngibike ekuseni namuhla nginayo i case number lapha

VERIFIED Yebo, ngibike ekuseni namuhla. Nginayo i-case number lapha.

EN SRC Yes, I reported it this morning. I have the case number here.

firm\_friendly400msZU->ENpeer 4.85

T04 · B00:20.010 → 00:24.780 · 4.77s · gap 400ms

RAW impela awuyifundele i case number ngizoyifaka kuhle

VERIFIED Impela. Ake uyifundele i-case number, ngizoyifaka kuhle.

EN SRC Perfect. Please read out the case number, I'll record it correctly.

focused\_professional400msZU->ENpeer 4.90

T05 · A00:25.180 → 00:29.510 · 4.33s · gap 400ms

RAW i case number yi cas number four two zero seven

VERIFIED I-case number yi- [SYNTHETIC-CASE-NUMBER].

EN SRC The case number is [CASE].

focused\_professional400msZU->ENPII: case\_numberpeer 4.80

T06 · B00:29.910 → 00:36.220 · 6.31s · gap 400ms

RAW ngiyibhalile ngiyabonga kahle manje ngicela uchaze okwenzekile kabanzi kancane

VERIFIED Ngiyibhalile. Ngiyabonga. Kahle manje, ngicela uchaze okwenzekile kabanzi kancane.

EN SRC I've recorded it, thank you. Now, please describe what happened in a little more detail.

focused\_professional400msZU->ZUpeer 4.90

T07 · A00:36.620 → 00:56.410 · 19.79s · gap 400ms

RAW bengiya edolobheni ngiyofunda ekuseni ngo eight ngithi ngiphinde ngibuye ngo four ngithole isivalo sasegumbini leni salula umuntu ungene ngefasitela lasekhishini wathatha amakhompyutha ka mama nawami kanye ne cellphone yase old lokugcina wonke ama drawer avulwe wonke amakhabbethi avulwe kuphela lezi zinto ezintathu ezishile akushiwo kunye

VERIFIED Bengiya edolobheni ngiyofunda ekuseni ngo-eight, ngithi ngiphinde ngibuye ngo-four. Ngithole isivalo sasegumbini lezingane silula. Umuntu ungene ngefasitela lasekhishini, wathatha amakhompyutha ka-mama nawami, kanye ne-cellphone yakudala. Wonke ama-drawer avulwe, wonke ama-cabinet avulwe. Kuphela lezi zinto ezintathu ezishile, akushiwo okunye.

EN SRC I went into town to study at eight in the morning, planning to return by four. When I got back I found the door to the children's room hanging loose. Someone entered through the kitchen window, took my mother's and my laptops, and an old cell phone. All the drawers were opened, all the cabinets were opened. Only those three items were taken, nothing else.

frustrated400msZU->ENpeer 4.95

T08 · B00:56.810 → 01:05.740 · 8.93s · gap 400ms

RAW ngiyabonga ngoluleko ngicela uma unayo indlela yokufakazela ubuqiniso balezi zinto njenge receipt noma i serial number bekungasho lukhulu

VERIFIED Ngiyabonga ngoluleko olululu. Ngicela, uma unayo indlela yokufakazela ubuqiniso balezi zinto, njenge-receipt noma i-serial number, bekungasho lukhulu.

EN SRC Thank you for the detailed account. Please, if you have any way to verify these items, like a receipt or a serial number, it would help a lot.

focused\_professional400msZU->ENpeer 4.90

T09 · A01:06.140 → 01:11.010 · 4.87s · gap 400ms

RAW nginawo ama receipt e email yami ngizokuthumela wona ngokushesha

VERIFIED Nginawo ama-receipt e-email yami. Ngizokuthumela wona ngokushesha.

EN SRC I have the receipts in my email. I'll send them to you shortly.

firm\_friendly400msZU->ENpeer 4.90

T10 · B01:11.410 → 01:17.240 · 5.83s · gap 400ms

RAW impela ma sizoku assessa kanye ne claims team i excess yakho yi 500 rand nokukhokha kuzothatha amasonto amabili

VERIFIED Impela, ma. Sizoku-assessa kanye ne-claims team. I-excess yakho yi-500 rand, nokukhokha kuzothatha amasonto amabili.

EN SRC Perfect, ma'am. We'll assess it together with the claims team. Your excess is 500 rand, and the payout will take two weeks.

focused\_professional400msZU->ENpeer 4.95

T11 · A01:17.640 → 01:20.910 · 3.27s · gap 400ms

RAW okay ngiyabonga uzosisisza ini ngenkathi silinda

VERIFIED Okay, ngiyabonga. Uzosisisza ini ngenkathi silinda?

EN SRC Okay, thank you. What can you help us with while we wait?

focused\_professional400msEN->ZUpeer 4.85

T12 · B01:21.310 → 01:29.740 · 8.43s · gap 400ms

RAW angikwazi kunikeza i loan device kepha singaqinisekisa i policy yakho ihlanganisa alarm response system yamakhala izinyanga eziyisithupha

VERIFIED Angikwazi ukukunikeza i-loan device, kepha singaqinisekisa i-policy yakho ihlanganisa alarm response system yamakhala izinyanga eziyisithupha.

EN SRC I can't give you a loan device, but I can confirm your policy includes a free alarm response system for six months.

reassuring400msZU->ENpeer 4.95

T13 · A01:30.140 → 01:33.410 · 3.27s · gap 400ms

RAW impela lokho kuzosiza kakhulu ngiyabonga

VERIFIED Impela, lokho kuzosiza kakhulu. Ngiyabonga!

EN SRC Really, that will help a lot. Thank you!

relieved400msZU->ZUpeer 5.00

T14 · B01:33.810 → 01:37.520 · 3.71s · gap 400ms

RAW nginentokozo ngokusiza ma uzothola i sms nge claim reference maduzane

VERIFIED Nginentokozo ngokusiza, ma. Uzothola i-SMS nge-claim reference maduzane.

EN SRC It's my pleasure to help, ma'am. You'll receive an SMS with your claim reference shortly.

reassuring400msZU->ENpeer 4.95

Session 8 summary. 14 turns · 7:03 verified · avg peer rating 4.91 · audit passed · PII redacted on T05 (case number replaced with synthetic token). Session contains one of the corpus's longest single turns (T07, 19.79 s) covering multi-clause narrative recount, valuable for training long-form ASR robustness in isiZulu.

4.9 · Session 9 · Delivery Mixup · Wrong Package (Igbo)

acc\_sess\_20260901\_ig\_00276 · logistics\_delivery\_mixup · ig-NG4:34 · quiet\_indoor · confidence 0.976

|                                          |                                        |                           |                                |
|------------------------------------------|----------------------------------------|---------------------------|--------------------------------|
| SPEAKER A · RECIPIENT                    | SPEAKER B · DISPATCHER                 | EDITOR                    | AUDIT                          |
| spk_ig_ng_39218_m<br>Onitsha · 25-34 · M | spk_ig_ng_75023_f<br>Enugu · 25-34 · F | ed_ig_0722<br>Cert · 0.97 | aud_ig_00023<br>sampled_passed |

T01 · A00:01.000 → 00:06.640 · 5.64s

RAW ndewo enwetara m ngwaahia m ma o bughi nke m ejiri odee

VERIFIED Ndewo. Enwetara m ngwaahja m, ma o bughị nke m jiri odee.

EN SRC Hello. I received my package, but it isn't what I ordered.

frustratedIG->IGpeer 4.85

T02 · B00:07.040 → 00:12.510 · 5.47s · gap 400ms

RAW ndewo nna ndo nke ukwu maka nsogbu ahu biko nye m order number gi ka m nyocha

VERIFIED Ndewo, nna. Ndo nke ukwu maka nsogbu ahy. Biko, nye m order number gi ka m nyocha.

EN SRC Hello, sir. I'm very sorry about that problem. Please give me your order number so I can check.

apologetic400msIG->ENpeer 4.95

T03 · A00:12.910 → 00:17.740 · 4.83s · gap 400ms

RAW order number m bu order slash two zero two six slash one one eight nine

VERIFIED Order number m bu [SYNTHETIC-ORDER-NUMBER].

EN SRC My order number is [ORDER].

focused\_professional400msIG->ENPII: order\_idpeer 4.80

T04 · B00:18.140 → 00:24.910 · 6.77s · gap 400ms

RAW ee ahutara m ya i debere blender ma anyi zigara gi kettle chere ka m gwa dispatch ka ha bia napu

VERIFIED Ee, ahutara m ya. I debere blender, ma anyi zigara gi kettle. Chere ka m gwa dispatch ka ha bia nara ya.

EN SRC Yes, I can see it. You ordered a blender, but we sent you a kettle. Wait for me to tell dispatch to come and collect it.

focused\_professional400msIG->ENpeer 4.95

T05 · A00:25.310 → 00:29.220 · 3.91s · gap 400ms

RAW o ga adiri m mma m ga eche ka blender m bia mgbe ole

VERIFIED O ga-adiri m mma. M ga-eche ka blender m bia mgbe ole?

EN SRC That will be fine. When will my blender arrive?

firm\_friendly400msIG->ENpeer 4.85

T06 · B00:29.620 → 00:36.310 · 6.69s · gap 400ms

RAW o ga abia echi echi tupu elekere ise ehizie anyi ga akwakwara i priority ozo

VERIFIED O ga-abia echi-echi, tupu elekere ise ehizie. Anyi ga-akpakwara i-priority ozo.

EN SRC It will arrive tomorrow, before five in the afternoon. We'll also flag it as priority.

focused\_professional400msIG->ENpeer 4.90

T07 · A00:36.710 → 00:41.020 · 4.31s · gap 400ms

RAW daalu inwere ike inye m discount na order o zo maka nsogbu a

VERIFIED Daalu. I nwere ike inye m discount na order ozọ maka nsogbu a?

EN SRC Thank you. Can you give me a discount on my next order for this trouble?

firm\_friendly400msIG->ENpeer 4.85

T08 · B00:41.420 → 00:47.640 · 6.22s · gap 400ms

RAW ee anyi ga enye gi voucher pasent iri na ise nke ga-apu na order ozo

VERIFIED Ee, anyi ga-enye gi voucher pasent iri na ise, nke ga-apu na order ozọ.

EN SRC Yes, we'll give you a 15 percent voucher, which will apply on your next order.

reassuring400msIG->ENpeer 4.90

T09 · A00:48.040 → 00:51.310 · 3.27s · gap 400ms

RAW oh daalu nke ukwu ka chi bo

VERIFIED Oh, daalu nke ukwu. Ka chi bọọ!

EN SRC Oh, thank you very much. Have a good day!

relieved400msIG->IGpeer 5.00

Session 9 summary. 9 turns · 4:34 verified · avg peer rating 4.89 · audit passed · PII redacted on T03 (order number replaced with synthetic token). Igbo diacritical marks ( ị , ọ , ụ ) preserved in verified transcripts, essential for accurate Igbo TTS training.



4.10 · Session 10 · Consumer Loan Follow-Up (sw-KE Sheng-heavy)

acc\_sess\_20260902\_sw\_00841 · consumer\_loan\_followup · sw-KE

5:24 · quiet\_indoor · confidence 0.971

SPEAKER A · BORROWER

spk\_sw\_ke\_41109\_m

Nairobi Kileleshwa · 18-24 · M

SPEAKER B · AGENT

spk\_sw\_ke\_52076\_f

Nairobi Westlands · 25-34 · F

EDITOR

ed\_sw\_2277

Cert · 0.97

AUDIT

aud\_sw\_00104

sampled\_passed

T01 · B (agent)

00:01.000 → 00:06.410 · 5.41s

RAW

hujambo brayan hii ni sarah kutoka quicklend nakupigia kuhusu loan yako iliyo overdue

VERIFIED

Hujambo, Brayan. Hii ni Sarah kutoka QuickLend. Nakupigia kuhusu loan yako iliyo-overdue.

EN SRC

Hello, Brayan. This is Sarah from QuickLend. I'm calling about your overdue loan.

focused\_professional

SW->EN

peer 4.90

T02 · A (borrower)

00:06.810 → 00:10.020 · 3.21s · gap 400ms

RAW

oh niaje sasa nakumbuka nilikuwa nataka kukudial kesho

VERIFIED

Oh, niaje. Sasa nakumbuka, nilikuwa nataka kukudial kesho.

EN SRC

Oh, hey. Yeah I remember, I was going to call you tomorrow.

firm\_friendly

400ms

SW->Sheng

SW->EN

peer 4.85

T03 · B

00:10.420 → 00:15.710 · 5.29s · gap 400ms

RAW

haya sawa unayo mpangilio wa kumaliza deni yako ya 8 elfu inayodaiwa

VERIFIED

Haya sawa. Unayo mpangilio wa kumaliza deni yako ya shilingi elfu nane inayodaiwa?

EN SRC

Alright. Do you have a plan to clear your outstanding debt of eight thousand shillings?

firm\_friendly

400ms

SW->SW

peer 4.90

T04 · A

00:16.110 → 00:22.240 · 6.13s · gap 400ms

RAW

ndio nimeget salo yangu jana nitatuma 5k leo halafu 3k mwezi ujao naomba muniache breather

VERIFIED

Ndio. Nimeget salo yangu jana. Nitatuma 5K leo, halafu 3K mwezi ujao. Naomba muniache breather.

EN SRC

Yes. I got my salary yesterday. I'll send 5K today, then 3K next month. Please give me a breather.

firm\_friendly

400ms

SW->Sheng

SW->EN

peer 4.85

T05 · B

00:22.640 → 00:29.020 · 6.38s · gap 400ms

RAW

sawa hiyo mpango inaeleweka lakini tutalazimika kuongeza penalty ya asilimia mbili kwa 3k iliyobaki

VERIFIED

Sawa, hiyo mpango inaeleweka. Lakini tutalazimika kuongeza penalty ya asilimia mbili kwa 3K iliyobaki.

EN SRC

Alright, that plan makes sense. But we'll have to add a two percent penalty on the remaining 3K.

focused\_professional

400ms

SW->EN

peer 4.95

T06 · A

00:29.420 → 00:33.610 · 4.19s · gap 400ms

RAW

ai sarah acha hio penalty tafadhali nitalipa in full si issue

VERIFIED

Ai, Sarah, acha hiyo penalty tafadhali. Nitalipa in full, si issue.

EN SRC

Come on Sarah, please drop that penalty. I'll pay in full, no issue.

firm\_friendly

400ms

SW->EN

peer 4.90

T07 · B

00:34.010 → 00:40.140 · 6.13s · gap 400ms

RAW

okay brayan kwa sababu ni mara ya kwanza yako naweza waive hiyo penalty lakini please malizia leo

VERIFIED

Okay, Brayan, kwa sababu ni mara ya kwanza yako, naweza waive hiyo penalty. Lakini please, malizia leo.

EN SRC

Okay Brayan, because it's your first time, I can waive that penalty. But please, finish today.

reassuring

400ms

EN->SW

SW->EN

peer 4.95

T08 · A

00:40.540 → 00:44.310 · 3.77s · gap 400ms

RAW

ai bomba kabisa nitatuma sasa hivi

VERIFIED

Ai, bomba kabisa! Nitatuma sasa hivi.

EN SRC

Ai, that's amazing! I'll send it right now.

relieved

400ms

SW->Sheng

peer 5.00

T09 · B

00:44.710 → 00:50.410 · 5.70s · gap 400ms

RAW

tuma kwa pochi ya biashara namba 12345 nitakuconfirm ukituma

VERIFIED

Tuma kwa pochi ya biashara namba [SYNTHETIC-5-DIGIT]. Nitakuconfirm ukituma.

EN SRC

Send to our business till number [TILL]. I'll confirm when you send.

focused\_professional

400ms

SW->EN

PII: till\_number

peer 4.90

T10 · A

00:50.810 → 00:54.740 · 3.93s · gap 400ms

RAW sawa nimetuma hio 5k inbox yangu inasema imefika

VERIFIED

Sawa, nimetuma hiyo 5K. Inbox yangu inasema imefika.

EN SRC *Alright, I've sent the 5K. My inbox says it's arrived.*

firm\_friendly

400ms

SW->EN

peer 4.95

T11 · B

00:55.140 → 01:00.640 · 5.50s · gap 400ms

RAW nimeconfirm asante sana brayan tunatarajia 3k mwezi ujao usisahau siku kuu ya birthday ya penalty

VERIFIED

Nimeconfirm. Asante sana, Brayan. Tunatarajia 3K mwezi ujao, usisahau. Siku kuu ya birthday ya penalty!

EN SRC *Confirmed. Thank you very much, Brayan. We're expecting 3K next month, don't forget. Don't let the penalty have a birthday!*

firm\_friendly

400ms

SW->EN

peer 4.90

Session 10 summary, 11 turns · 5:24 verified · avg peer rating 4.92 · audit passed · PII redacted on T09 (M-Pesa till number), Sheng loan-density in T02, T04, T06, T08 ( niaje , salo , breather , bomba ) provides high-signal training data for youth-Nairobi register — currently under-represented in publicly-available Swahili corpora.

5 • Word-Level Source-to-Target Alignments

Every turn in this bundle ships with a full alignment record linking spans of the English source prompt to spans of the target-language verified transcript. Alignments are typed (see §2.4) so buyers can filter by phenomenon (e.g. all null-particle alignments, or all aspect-shift constructions). Alignments were produced by editors during verification and reviewed by a Certified Aligner. Six worked examples spanning five locales are shown below to illustrate the range of alignment phenomena present.

5.1 • Alignment • Session 1 • Turn 1 (pcm-NG)

ENGLISH SOURCE

Good morning. I woke up this morning and saw that ₦50,000 left my account through a POS I never used

PIDGIN (VERIFIED)

Good morning. I wake up this morning see say POS commot 50k for my account!

[1] direct • "Good morning." ↔ "Good morning." • conf 1.00

[2] aspect\_shift • "I woke up" ↔ "I wake up" • conf 0.95 • Pidgin drops -ed past marker; aspect carried by discourse

[3] serial\_verb • "and saw that" ↔ "see say" • conf 0.94 • serial-verb construction, two-word cognate-less mapping

[4] direct + numeric\_expansion • "₦50,000" ↔ "POS + 50k" • conf 0.91 • one-to-many; amount + payment method fused in Pidgin idiom

[5] lexical • "left" ↔ "commot" • conf 0.99 • lexical translation

[null] null\_particle • "" ↔ "for" • conf 0.90 • Pidgin locative particle with no direct English source (fused into POS above)

[1] direct • "my account" ↔ "my account!" • conf 1.00 • exclamation mark carries prosodic emphasis, not a semantic addition

5.2 • Alignment • Session 2 • Turn 4 (pcm-NG)

ENGLISH SOURCE

Wow, you've become a market woman like me! Give me ₦1,500, that's my final price.

PIDGIN (VERIFIED)

Ehn! You don turn market woman like me? Ah, give me one thousand five hundred, that na final price o!

[null] discourse\_marker • "" ↔ "Ehn!" • conf 0.93 • Pidgin surprise particle, no English source

[2] aspect\_shift • "you've become" ↔ "You don turn" • conf 0.96 • "don" carries perfect aspect; article dropped

[3] direct • "a market woman" ↔ "market woman" • conf 0.98 • Pidgin drops indefinite article

[4] direct • "like me!" ↔ "like me?" • conf 0.94 • intonation-shift only, statement → questioning tone

[null] discourse\_marker • "" ↔ "Ah," • conf 0.92 • Pidgin filler with no English source

[5] numeric\_expansion • "Give me ₦1,500," ↔ "give me one thousand five hundred," • conf 0.97 • numeric → written-form expansion

[1] copula\_substitution + emphatic\_particle • "that's my final price." ↔ "that na final price o!" • conf 0.95 • "na" replaces contracted "is"; "o" is Pidgin emphatic particle

5.3 · Alignment · Session 4 · Turn 7 (sw-KE)

ENGLISH SOURCE

Yes.

In Tier 1,

you can send

up to 70,000 shillings

per day.

If you want more,

you'll need to upgrade tier.

SWAHILI (VERIFIED)

Ndio.

Kwa Tier 1,

unaweza kutuma

hadi shilingi 70,000

kwa siku.

Ukitaka zaidi,

utahitaji kupanda Tier.

[1] direct · "Yes." ↔ "Ndio." · conf 1.00

[2] direct · "In Tier 1," ↔ "Kwa Tier 1," · conf 0.99 · English loanword **Tier** retained verbatim

[3] lexical · "you can send" ↔ "unaweza kutuma" · conf 0.98 · Swahili morphology: **u-na-weza ku-tuma**

[4] lexical + numeric\_expansion · "up to 70,000 shillings" ↔ "hadi shilingi 70,000" · conf 0.97 · noun-classifier reordering; numeric verbatim

[5] lexical · "per day." ↔ "kwa siku." · conf 0.99

[6] lexical + aspect\_shift · "If you want more," ↔ "Ukitaka zaidi," · conf 0.95 · conditional aspect collapsed into **uki-** prefix

[2] lexical · "you'll need to upgrade tier." ↔ "utahitaji kupanda Tier." · conf 0.96 · English loanword **Tier** retained

5.4 · Alignment · Session 6 · Turn 6 (yo-NG)

ENGLISH SOURCE

Alright, let me see them...

Yes,

this is within one week of purchase.

We can give you a replacement,

or a refund.

YORUBA (VERIFIED)

Ó dára, jẹ́ kí mo rí wọn...

Ó dájú pé

èyí wà ní ọ̀ṣẹ̀ kọ́kán tí ẹ̀ ra.

A lè fún yín ní tuntun,

tàbí refund.

[1] lexical · "Alright, let me see them..." ↔ "Ó dára, jẹ́ kí mo rí wọn..." · conf 0.98

[null] discourse\_marker · "" ↔ "Ó dájú pé" · conf 0.94 · Yoruba certainty marker ("it is certain that"), replaces bare "Yes"

[3] direct · "this is within one week of purchase." ↔ "èyí wà ní ọ̀ṣẹ̀ kọ́kán tí ẹ̀ ra." · conf 0.97 · tonal diacritics preserved

[4] honorific\_addition · "We can give you a replacement," ↔ "A lè fún yín ní tuntun," · conf 0.96 · **yín** is honorific 2nd-person plural, respect register

[5] lexical · "or a refund." ↔ "tàbí refund." · conf 0.99 · English loanword **refund** retained

5.5 · Alignment · Session 8 · Turn 10 (zu-ZA)

ENGLISH SOURCE

Perfect, ma'am.

We'll assess it together with the claims team.

Your excess is 500 rand,

and the payout will take two weeks.

ISIZULU (VERIFIED)

Impela, ma.

Sizoku-assessa kanye ne-claims team.

I-excess yakho yi-500 rand,

nokukhokha kuzothatha amasonto amabili.

[1] direct · "Perfect, ma'am." ↔ "Impela, ma." · conf 0.99

[2] lexical · "We'll assess it together with the claims team." ↔ "Sizoku-assessa kanye ne-claims team." · conf 0.96 · English loanword **assess** inflected with isiZulu future-tense prefix **sizoku-** ; **ne-** prefix binds English NP

[3] lexical · "Your excess is 500 rand," ↔ "I-excess yakho yi-500 rand," · conf 0.97 · English loanword **excess** with isiZulu class-9 prefix **i-** ; copula **yi-** agrees

[4] lexical · "and the payout will take two weeks." ↔ "nokukhokha kuzothatha amasonto amabili." · conf 0.98 · **kokukhokha** nominalisation for "payout"



5.6 · Alignment · Session 10 · Turn 4 (sw-KE Sheng)

ENGLISH SOURCE

Yes.

I got my salary yesterday.

I'll send 5K today,

then 3K next month.

Please give me a breather.

SWAHILI SHENG (VERIFIED)

Ndio.

Nimeget salo yangu jana.

Nitatuma 5K leo,

halafu 3K mwezi ujao.

Naomba muniache breather.

[1] direct · "Yes." ↔ "Ndio." · conf 1.00

[2] lexical · "I got my salary yesterday." ↔ "Nimeget salo yangu jana." · conf 0.93 · Sheng: **ni-me-get** = 1SG-perfect-**get** (English verb inflected with Swahili morphology); **salo** = Sheng loan for "salary"

[3] lexical + numeric\_expansion · "I'll send 5K today," ↔ "Nitatuma 5K leo," · conf 0.98 · **ni-ta-tuma** = 1SG-future-send

[4] lexical · "then 3K next month." ↔ "halafu 3K mwezi ujao." · conf 0.99

[5] lexical + honorific\_addition · "Please give me a breather." ↔ "Naomba muniache breather." · conf 0.94 · 2PL honorific **mu-** (respectful "you" to a single interlocutor); Sheng-English loan **breather**

5.7 · Alignment-type frequency across the bundle

| ALIGNMENT TYPE      | SPANS | %     | NOTES                                                        |
|---------------------|-------|-------|--------------------------------------------------------------|
| direct              | 843   | 45.6% | Cognate-free mapping without transformation                  |
| lexical             | 601   | 32.5% | Substantive lexical translation                              |
| null_particle       | 128   | 6.9%  | Target-side particle, no English source                      |
| aspect_shift        | 89    | 4.8%  | Tense/aspect encoded morphologically in target               |
| serial_verb         | 54    | 2.9%  | Pidgin, Igbo, Yoruba serial-verb constructions               |
| numeric_expansion   | 47    | 2.5%  | Numeric → written-form                                       |
| honorific_addition  | 32    | 1.7%  | Yoruba, isiZulu, Hausa honorific pronouns/particles          |
| copula_substitution | 28    | 1.5%  | Pidgin <b>na</b> , isiZulu <b>yi-</b> , etc.                 |
| emphatic_particle   | 17    | 0.9%  | Pidgin <b>o</b> , isiZulu <b>impela</b>                      |
| discourse_marker    | 8     | 0.4%  | Ehn, Ah, Oh (Pidgin, Yoruba)                                 |
| null_source         | 0     | 0.0%  | None present in this bundle (English source always realised) |
| Total               | 1,847 | 100%  | Aligner confidence mean 0.976, std 0.021                     |

**Aligner methodology.** Alignments are produced during editor verification with a purpose-built browser-side UI that lets the editor click-and-drag matching spans across the source-target pair. Each alignment is auto-typed by a rule-based classifier (regex over morphology + gazetteer of Pidgin/Sheng particles + closed-class markers) and then confirmed or overridden by the editor. Every span is then re-reviewed by a Certified Aligner (independent of the editor) with confidence < 0.90 triggering a mandatory second-review. Inter-annotator agreement (Kappa on random 10% subset) is 0.91 across the bundle.

## 6 • Full JSONL Manifest Samples

Two complete session records shown below in full — no truncation. All 10 sessions ship in `manifest.jsonl` at identical fidelity. Line-delimited JSON, UTF-8, one row per session.

### 6.1 • Session 1 • `acc_sess_20260828_pcm_00892` (Banking Wahala) — full record

```
{
  "session_id": "acc_sess_20260828_pcm_00892",
  "corpus_id": "acc_corp_multiling_v1_20260902",
  "bundle_id": "multiling_conversational_v1.0",
  "locale": "pcm-NG",
  "scenario": "retail_banking_fraud",
  "scenario_title": "Unauthorized POS Transaction Dispute",
  "scenario_prompt_hash": "c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c",
  "duration_seconds": 368.312,
  "channels": 2,
  "sample_rate_hz": 24000,
  "bit_depth": 16,
  "audio_file": "audio/pcm-NG/acc_sess_20260828_pcm_00892.wav",
  "audio_sha256": "7f4e2a9c1b8d3f6e0a5c7b2d9e4f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d",
  "recorded_at": "2026-08-28T09:12:00Z",
  "latency_source": "live_measured",
  "recording_environment": "quiet_indoor",
  "device_class": "smartphone_high",
  "participants": [
    { "speaker_id": "spk_pcm_ng_88201_f", "channel": 0, "role": "customer",
      "persona_card": "Angry_Customer_POS_Failure",
      "demographics": { "age_band": "25-34", "gender": "F", "accent_region": "Lagos_NG" },
      "consent_ref": "con_pcm_ng_88201_f_20260828_09022" },
    { "speaker_id": "spk_pcm_ng_99104_m", "channel": 1, "role": "agent",
      "persona_card": "Empathetic_Bank_Representative",
      "demographics": { "age_band": "25-34", "gender": "M", "accent_region": "Enugu_NG" },
      "consent_ref": "con_pcm_ng_99104_m_20260828_09045" }
  ],
  "verified_by_qc": {
    "editor_id": "ed_pcm_3312",
    "verification_timestamp": "2026-08-28T09:47:22Z",
    "confidence_score": 0.981,
    "audit_status": "sampled_passed",
    "audit_reviewer_id": "aud_pcm_00114",
    "audit_notes": ""
  },
  "turns": [
    { "turn_id": 1, "speaker_id": "spk_pcm_ng_88201_f", "channel": 0,
      "start_ms": 1200, "end_ms": 4500,
      "raw_stt_text": "good mornning i wake up this morning see say pos commot 50k from my account",
      "raw_stt_engine": "whisper-large-v3-2024-11",
      "verified_text": "Good morning. I wake up this morning see say POS commot 50k for my account!",
      "english_source": "Good morning. I woke up this morning and saw that ₦50,000 left my account through a POS I never used.",
      "emotion_label": "frustrated",
      "inter_turn_latency_ms": 0,
      "code_switches": ["EN->PCM"],
      "peer_rating": { "tone": 4.9, "prompt_adherence": 4.8, "mood": 4.9, "clarity": 4.8, "aggregate": 4.85 },
      "snr_estimate_db": 31.4,
      "alignments": [
        { "src_span": "Good morning.", "tgt_span": "Good morning.", "type": "direct", "confidence": 1.00, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "I woke up", "tgt_span": "I wake up", "type": "aspect_shift", "confidence": 0.95, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "this mornning", "tgt_span": "this morning", "type": "direct", "confidence": 1.00, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "and saw that", "tgt_span": "see say", "type": "serial_verb", "confidence": 0.94, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "₦50,000", "tgt_span": "50k", "type": "direct", "confidence": 0.99, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "left", "tgt_span": "commot", "type": "lexical", "confidence": 0.99, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "", "tgt_span": "for", "type": "null_particle", "confidence": 0.90, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "my account", "tgt_span": "my account!", "type": "direct", "confidence": 1.00, "reviewer_id": "alr_pcm_00114" }
      ]
    },
    { "turn_id": 2, "speaker_id": "spk_pcm_ng_99104_m", "channel": 1,
      "start_ms": 4850, "end_ms": 9100,
      "raw_stt_text": "i am so sorry sir please calm down make i check your account details right now",
      "raw_stt_engine": "whisper-large-v3-2024-11",
      "verified_text": "I am so sorry to hear that, sir. Please stay calm, make I check your account details right now.",
      "english_source": "I am so sorry to hear that. Please stay calm, let me check your account details right now.",
      "emotion_label": "empathetic",
      "inter_turn_latency_ms": 350,
      "code_switches": ["EN->PCM"],
      "peer_rating": { "tone": 5.0, "prompt_adherence": 5.0, "mood": 5.0, "clarity": 5.0, "aggregate": 5.00 },
      "snr_estimate_db": 32.1,
      "alignments": [
        { "src_span": "I am so sorry to hear that.", "tgt_span": "I am so sorry to hear that,", "type": "direct", "confidence": 1.00,
          "reviewer_id": "alr_pcm_00114" },
        { "src_span": "", "tgt_span": "sir.", "type": "honorific_addition", "confidence": 0.98, "reviewer_id": "alr_pcm_00114" },
        { "src_span": "Please stay calm,", "tgt_span": "Please stay calm,", "type": "direct", "confidence": 1.00, "reviewer_id": "alr_pcm_00114" }
      ]
    }
  ],
}
```

```
    { "src_span": "let me check", "tgt_span": "make I check", "type": "lexical", "confidence": 0.96, "reviewer_id": "alr_pcm_00114" },
    { "src_span": "your account details right now.", "tgt_span": "your account details right now.", "type": "direct", "confidence": 1.00,
"reviewer_id": "alr_pcm_00114" }
  ] },
  /* turns 3 through 12 continue with the identical field structure. In this printed sample we show only turns 1 and 2 in full; the delivered
manifest carries every turn's complete record. */
],
"license": {
  "type": "commercial_non_exclusive",
  "territory": "worldwide",
  "term": "perpetual",
  "license_id": "lic_2026_09_02_00714",
  "buyer_ref": "[Enterprise Buyer Reference]"
},
"tags": ["balanced_gender", "high_code_switch", "pii_present_synth_redacted"]
}
```

## 6.2 · Session 4 · `acc_sess_20260831_sw_00417` (Fintech KYC) — full record

```
{
  "session_id": "acc_sess_20260831_sw_00417",
  "corpus_id": "acc_corp_multiling_v1_20260902",
  "bundle_id": "multiling_conversational_v1.0",
  "locale": "sw-KE",
  "scenario": "fintech_kyc_onboard",
  "scenario_title": "Mobile Fintech KYC Verification",
  "scenario_prompt_hash": "a2e8c1f4b9d67e3c5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e",
  "duration_seconds": 318.412,
  "channels": 2,
  "sample_rate_hz": 24000,
  "bit_depth": 16,
  "audio_file": "audio/sw-KE/acc_sess_20260831_sw_00417.wav",
  "audio_sha256": "3c1b8d3f6e0a5c7b2d9e4f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d7f4e2a",
  "recorded_at": "2026-08-31T14:22:00Z",
  "latency_source": "live_measured",
  "recording_environment": "office",
  "device_class": "headset_usb",
  "participants": [
    {
      "speaker_id": "spk_sw_ke_33012_f", "channel": 0, "role": "agent",
      "persona_card": "Professional_KYC_Agent_Kenya",
      "demographics": { "age_band": "25-34", "gender": "F", "accent_region": "Nairobi_KE" },
      "consent_ref": "con_sw_ke_33012_f_20260831_18441" },
    {
      "speaker_id": "spk_sw_ke_60781_m", "channel": 1, "role": "user",
      "persona_card": "Warm_New_User_Coastal",
      "demographics": { "age_band": "35-44", "gender": "M", "accent_region": "Mombasa_KE" },
      "consent_ref": "con_sw_ke_60781_m_20260831_18465" }
  ],
  "verified_by_qc": {
    "editor_id": "ed_sw_2088",
    "verification_timestamp": "2026-08-31T14:58:41Z",
    "confidence_score": 0.984,
    "audit_status": "sampled_passed",
    "audit_reviewer_id": "aud_sw_00061",
    "audit_notes": ""
  },
  "turns": [
    {
      "turn_id": 1, "speaker_id": "spk_sw_ke_33012_f", "channel": 0,
      "start_ms": 900, "end_ms": 4520,
      "raw_stt_text": "habari yako karibu kwa m fintech naomba id yako",
      "raw_stt_engine": "whisper-large-v3-2024-11",
      "verified_text": "Habari yako? Karibu kwa M-Fintech. Naomba ID yako, tafadhali.",
      "english_source": "Hello, welcome to M-Fintech. Please provide your ID.",
      "emotion_label": "focused_professional",
      "inter_turn_latency_ms": 0,
      "code_switches": ["SW->SW"],
      "peer_rating": { "tone": 4.9, "prompt_adherence": 5.0, "mood": 4.9, "clarity": 5.0, "aggregate": 4.95 },
      "snr_estimate_db": 33.8,
      "alignments": [/* full alignment records shipped in manifest, omitted here to fit page */ ],
    },
    {
      "turn_id": 2, "speaker_id": "spk_sw_ke_60781_m", "channel": 1,
      "start_ms": 4900, "end_ms": 8630,
      "raw_stt_text": "habari sawa hii hapa ni id yangu namba ni 12345678",
      "raw_stt_engine": "whisper-large-v3-2024-11",
      "verified_text": "Habari. Sawa, hii hapa ni ID yangu. Namba ni [SYNTHETIC-8-DIGIT].",
      "english_source": "Hello. Alright, here's my ID. The number is [ID].",
      "emotion_label": "neutral",
      "inter_turn_latency_ms": 380,
      "code_switches": ["SW->SW"],
      "peer_rating": { "tone": 4.8, "prompt_adherence": 4.9, "mood": 4.8, "clarity": 4.9, "aggregate": 4.85 },
      "snr_estimate_db": 32.4,
      "pii_redacted": [
        { "type": "id_number", "replacement": "[SYNTHETIC-8-DIGIT]", "span_start": 38, "span_end": 58 }
      ],
      "alignments": [/* full alignment records shipped */ ],
    },
    /* turns 3 through 10 continue with identical field structure */
  ],
  "license": {
    "type": "commercial_non_exclusive",
    "territory": "worldwide",
    "term": "perpetual",
    "license_id": "lic_2026_09_02_00714",
    "buyer_ref": "[Enterprise Buyer Reference]"
  },
  "tags": ["code_switch_sheng", "pii_present_synth_redacted", "clean_audio"]
}
```

7 · Parquet Index · Searchable Metadata

The `index.parquet` file denormalises the JSONL manifest at the turn level, so buyers can filter, split, or stream turns without parsing JSONL. Dictionary-encoded columns push predicates down to the file level. Twenty representative rows are shown below (bundle ships all 118).

| SESSION_ID                  | T  | LOCALE | SCENARIO                 | ROLE      | GEN | AGE   | EMO                  | CS    | DUR_MS | LAT_MS | PEER | PII   | SPLIT      |
|-----------------------------|----|--------|--------------------------|-----------|-----|-------|----------------------|-------|--------|--------|------|-------|------------|
| acc_sess_20260828_pcm_00892 | 1  | pcm-NG | retail_banking_fraud     | customer  | F   | 25-34 | frustrated           | true  | 3300   | 0      | 4.85 | false | train      |
| acc_sess_20260828_pcm_00892 | 2  | pcm-NG | retail_banking_fraud     | agent     | M   | 25-34 | empathetic           | true  | 4250   | 350    | 5.00 | false | train      |
| acc_sess_20260828_pcm_00892 | 4  | pcm-NG | retail_banking_fraud     | agent     | M   | 25-34 | focused_professional | true  | 6240   | 480    | 5.00 | false | train      |
| acc_sess_20260828_pcm_00892 | 8  | pcm-NG | retail_banking_fraud     | customer  | F   | 25-34 | neutral              | true  | 4610   | 420    | 4.80 | true  | train      |
| acc_sess_20260829_pcm_01108 | 1  | pcm-NG | retail_market_haggle     | buyer     | F   | 35-44 | playful              | true  | 4540   | 0      | 5.00 | false | train      |
| acc_sess_20260829_pcm_01108 | 4  | pcm-NG | retail_market_haggle     | seller    | F   | 45-54 | playful              | false | 5410   | 450    | 4.95 | false | train      |
| acc_sess_20260830_pcm_02231 | 3  | pcm-NG | telco_support_data       | customer  | M   | 35-44 | frustrated           | true  | 4340   | 360    | 4.85 | true  | train      |
| acc_sess_20260830_pcm_02231 | 10 | pcm-NG | telco_support_data       | agent     | F   | 25-34 | focused_professional | true  | 8410   | 400    | 4.95 | false | validation |
| acc_sess_20260831_sw_00417  | 2  | sw-KE  | fintech_kyc_onboard      | user      | M   | 35-44 | neutral              | false | 3730   | 380    | 4.85 | true  | train      |
| acc_sess_20260831_sw_00417  | 7  | sw-KE  | fintech_kyc_onboard      | agent     | F   | 25-34 | focused_professional | true  | 7480   | 380    | 4.95 | false | train      |
| acc_sess_20260828_sw_01204  | 4  | sw-KE  | ride_hailing_dispute     | driver    | M   | 35-44 | apologetic           | true  | 6250   | 380    | 4.95 | false | train      |
| acc_sess_20260828_sw_01204  | 7  | sw-KE  | ride_hailing_dispute     | rider     | M   | 25-34 | firm_friendly        | true  | 3560   | 400    | 4.85 | false | train      |
| acc_sess_20260829_yo_00318  | 1  | yo-NG  | retail_return            | customer  | F   | 35-44 | frustrated           | false | 4620   | 0      | 4.90 | false | train      |
| acc_sess_20260829_yo_00318  | 6  | yo-NG  | retail_return            | agent     | M   | 25-34 | focused_professional | true  | 6430   | 400    | 4.95 | false | test       |
| acc_sess_20260830_ha_00512  | 3  | ha-NG  | mobile_money_recovery    | customer  | M   | 25-34 | frustrated           | true  | 5690   | 400    | 4.85 | true  | train      |
| acc_sess_20260830_ha_00512  | 4  | ha-NG  | mobile_money_recovery    | agent     | F   | 35-44 | focused_professional | false | 7930   | 400    | 4.95 | false | test       |
| acc_sess_20260831_zu_00109  | 7  | zu-ZA  | insurance_claim          | claimant  | F   | 45-54 | frustrated           | true  | 19790  | 400    | 4.95 | false | train      |
| acc_sess_20260831_zu_00109  | 12 | zu-ZA  | insurance_claim          | adjuster  | M   | 35-44 | reassuring           | true  | 8430   | 400    | 4.95 | false | train      |
| acc_sess_20260901_ig_00276  | 3  | ig-NG  | logistics_delivery_mixup | recipient | M   | 25-34 | focused_professional | true  | 4830   | 400    | 4.80 | true  | validation |
| acc_sess_20260902_sw_00841  | 4  | sw-KE  | consumer_loan_followup   | borrower  | M   | 18-24 | firm_friendly        | true  | 6130   | 400    | 4.85 | false | train      |

7.1 · Filter examples (pyarrow)

```
import pyarrow.parquet as pq
import pyarrow.compute as pc

t = pq.read_table("index.parquet")

# All frustrated-emotion turns from female speakers in code-switching contexts
mask = pc.and_(pc.and_(pc.equal(t["emotion_label"], "frustrated"),
                        pc.equal(t["gender"], "F")),
               pc.equal(t["has_code_switch"], True))
subset = t.filter(mask)

# All test-split turns from pcm-NG for held-out WER evaluation
mask = pc.and_(pc.equal(t["locale"], "pcm-NG"),
               pc.equal(t["split"], "test"))
holdout = t.filter(mask)

# Long turns for long-form ASR training (> 8s)
holdout_long = t.filter(pc.greater(t["duration_ms"], 8000))
```

## 8 · File Manifest, Checksums & Integration Recipes

### 8.1 · File inventory

| FILE                                         | FORMAT                    | PURPOSE                                                                                                                      | SIZE     |
|----------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------|----------|
| audio/pcm-NG/acc_sess_20260828_pcm_00892.wav | WAV 24 kHz stereo         | Session 1 · Banking Wahala                                                                                                   | 14.8 MB  |
| audio/pcm-NG/acc_sess_20260829_pcm_01108.wav | WAV 24 kHz stereo         | Session 2 · Market Day                                                                                                       | 12.6 MB  |
| audio/pcm-NG/acc_sess_20260830_pcm_02231.wav | WAV 24 kHz stereo         | Session 3 · Telco Trouble                                                                                                    | 14.6 MB  |
| audio/sw-KE/acc_sess_20260831_sw_00417.wav   | WAV 24 kHz stereo         | Session 4 · Fintech KYC                                                                                                      | 12.8 MB  |
| audio/sw-KE/acc_sess_20260828_sw_01204.wav   | WAV 24 kHz stereo         | Session 5 · Ride-Hailing Dispute                                                                                             | 13.8 MB  |
| audio/yo-NG/acc_sess_20260829_yo_00318.wav   | WAV 24 kHz stereo         | Session 6 · Retail Return                                                                                                    | 12.0 MB  |
| audio/ha-NG/acc_sess_20260830_ha_00512.wav   | WAV 24 kHz stereo         | Session 7 · Mobile Money Recovery                                                                                            | 9.9 MB   |
| audio/zu-ZA/acc_sess_20260831_zu_00109.wav   | WAV 24 kHz stereo         | Session 8 · Insurance Claim                                                                                                  | 17.0 MB  |
| audio/ig-NG/acc_sess_20260901_ig_00276.wav   | WAV 24 kHz stereo         | Session 9 · Delivery Mixup                                                                                                   | 11.0 MB  |
| audio/sw-KE/acc_sess_20260902_sw_00841.wav   | WAV 24 kHz stereo         | Session 10 · Loan Follow-Up                                                                                                  | 13.0 MB  |
| manifest.jsonl                               | JSONL UTF-8               | Per-session metadata with per-turn transcripts, alignments, emotion, latency, code-switch, peer ratings, SNR, PII redactions | 418 KB   |
| alignments.jsonl                             | JSONL UTF-8               | Standalone word-level alignments file (also embedded in manifest under <code>turns[].alignments</code> )                     | 162 KB   |
| index.parquet                                | Apache Parquet snappy     | Denormalised turn-level index, dictionary-encoded columns for filter pushdown                                                | 31 KB    |
| speakers.jsonl                               | JSONL UTF-8               | Per-speaker demographic manifest (UUID only, no PII)                                                                         | 6.4 KB   |
| consent_log.jsonl                            | JSONL UTF-8               | Cryptographic acceptance record per speaker (SHA-256 hashed terms, timestamp, jurisdiction, withdrawal status)               | 14.8 KB  |
| schema/session.schema.json                   | JSON Schema draft-2020-12 | Machine-readable schema for manifest.jsonl                                                                                   | 28 KB    |
| schema/session.parquet.avsc                  | Avro schema               | Machine-readable schema for index.parquet                                                                                    | 7.4 KB   |
| schema/consent.schema.json                   | JSON Schema               | Machine-readable schema for consent_log.jsonl                                                                                | 4.1 KB   |
| docs/README.md                               | Markdown                  | Overview, schema reference, integration examples for Hugging Face Datasets, PyTorch DataLoader, Nvidia NeMo                  | 42 KB    |
| docs/CHANGELOG.md                            | Markdown                  | Version history and migration notes                                                                                          | 6.2 KB   |
| docs/DATA_CARD.md                            | Markdown                  | Data card in Hugging Face / Model Card conventions, intended-use and known-limitations sections                              | 18 KB    |
| docs/migrations/v0.9_to_v1.0.md              | Markdown                  | Migration reference for buyers upgrading from beta bundles                                                                   | 4.4 KB   |
| license.txt                                  | Plain text                | Full license text (permitted uses, prohibited uses, attribution, exclusivity, term, territory, governing law)                | 12.6 KB  |
| SHA256SUMS                                   | Text                      | SHA-256 checksums for every file in the bundle                                                                               | 3.8 KB   |
| SHA256SUMS.sig                               | PGP signature             | Detached PGP signature over SHA256SUMS from Accent Studio's data-ops signing key                                             | 0.4 KB   |
| Bundle total (uncompressed)                  |                           |                                                                                                                              | 447.4 MB |
| Bundle total (tar.zst -19)                   |                           |                                                                                                                              | 312 MB   |

### 8.2 · Sample SHA-256 sums (excerpt from `SHA256SUMS`)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7f4e2a9c1b8d3f6e0a5c7b2d9e4f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d<br>a3d5f1e8c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a<br>e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e<br>3c1b8d3f6e0a5c7b2d9e4f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d7f4e2a<br>8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a<br>2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d<br>1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f<br>9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c<br>5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e<br>4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c<br>6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a<br>7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c<br>9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e<br>b7c9e2a8f4d31c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c | audio/pcm-NG/acc_sess_20260828_pcm_00892.wav<br>audio/pcm-NG/acc_sess_20260829_pcm_01108.wav<br>audio/pcm-NG/acc_sess_20260830_pcm_02231.wav<br>audio/sw-KE/acc_sess_20260831_sw_00417.wav<br>audio/sw-KE/acc_sess_20260828_sw_01204.wav<br>audio/yo-NG/acc_sess_20260829_yo_00318.wav<br>audio/ha-NG/acc_sess_20260830_ha_00512.wav<br>audio/zu-ZA/acc_sess_20260831_zu_00109.wav<br>audio/ig-NG/acc_sess_20260901_ig_00276.wav<br>audio/sw-KE/acc_sess_20260902_sw_00841.wav<br>manifest.jsonl<br>index.parquet<br>consent_log.jsonl<br><bundle root SHA-256, computed across the tar.zst> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



### 8.3 • Integration Recipe • Hugging Face Datasets

```
# pip install datasets soundfile pyarrow
from datasets import load_dataset, Audio

ds = load_dataset("json", data_files="manifest.jsonl", split="train")
ds = ds.cast_column("audio_file", Audio(sampling_rate=24000))

# Explode session-level rows into turn-level rows
def explode_turns(row):
    return [{ "session_id": row["session_id"], "locale": row["locale"], **t} for t in row["turns"]]

turns = ds.flat_map(explode_turns)

# Filter to code-switch turns from female speakers
cs_female = turns.filter(lambda r: bool(r["code_switches"]) and
                             r["speaker_id"].endswith("_f"))

print(cs_female[0]["verified_text"])
```

### 8.4 • Integration Recipe • PyTorch DataLoader (streaming from Parquet)

```
# pip install torch torchaudio pyarrow
import torch, torchaudio, pyarrow.parquet as pq
from torch.utils.data import Dataset, DataLoader

class AccentStudioTurns(Dataset):
    def __init__(self, parquet_path, bundle_root, split="train"):
        t = pq.read_table(parquet_path).filter(pc.equal("split", split))
        self.rows = t.to_pandas()
        self.root = bundle_root

    def __len__(self): return len(self.rows)

    def __getitem__(self, i):
        row = self.rows.iloc[i]
        wav, sr = torchaudio.load(self.root + "/" + row["audio_file"],
                                   frame_offset=int(row["start_ms"]*sr/1000),
                                   num_frames=int((row["end_ms"] - row["start_ms"])*sr/1000))
        return { "audio": wav, "text": row["verified_text"],
                  "emotion": row["emotion_label"], "locale": row["locale"] }

ds = AccentStudioTurns("index.parquet", "./bundle", split="train")
loader = DataLoader(ds, batch_size=16, shuffle=True, num_workers=4)
```

### 8.5 • Integration Recipe • Nvidia NeMo (ASR fine-tune manifest)

```
# Convert Accent Studio manifest.jsonl → NeMo train manifest
import json

with open("manifest.jsonl") as src, open("nemo_train.jsonl", "w") as dst:
    for line in src:
        s = json.loads(line)
        for t in s["turns"]:
            dst.write(json.dumps({
                "audio_filepath": s["audio_file"],
                "offset": t["start_ms"] / 1000.0,
                "duration": (t["end_ms"] - t["start_ms"]) / 1000.0,
                "text": t["verified_text"],
                "lang": s["locale"].split("-")[0],
                "speaker": t["speaker_id"]
            }) + "\n")
```

### 8.6 • Integrity verification

```
# After download, verify every file matches its published SHA-256 sum
sha256sum -c SHA256SUMS

# Verify the SHA256SUMS file itself is signed by Accent Studio data-ops key
gpg --verify SHA256SUMS.sig SHA256SUMS

# If either check fails, contact data-ops@accentstudio.io within your 4-hour SLA window
```



9 · Evaluation Baselines

Baselines below were computed by Accent Studio on the recommended test split (\$10) with three open-weight models plus one commercial API. All numbers are held-out (no data from the test split was used in the raw STT pass that populated `raw_stt_text` ). Buyers should reproduce with their own eval harness; scripts ship in `docs/eval/` .

9.1 · Word Error Rate (WER, lower is better)

| MODEL                                                                          | PCM - NG | SW - KE | YO - NG | HA - NG | ZU - ZA | IG - NG | AVG  |
|--------------------------------------------------------------------------------|----------|---------|---------|---------|---------|---------|------|
| Whisper large-v3 (baseline, zero-shot)                                         | 62.4     | 38.1    | 71.9    | 68.3    | 54.2    | 72.6    | 61.3 |
| MMS-1B-ft102 (zero-shot)                                                       | 55.7     | 31.4    | 48.6    | 46.2    | 42.7    | 49.8    | 45.7 |
| Whisper large-v3 fine-tuned on Accent Studio train split (LoRA r=16, 3 epochs) | 18.2     | 12.7    | 21.4    | 19.1    | 16.8    | 22.3    | 18.4 |
| Commercial Provider X · closed-model API (2026-08)                             | 48.9     | 24.6    | 61.2    | 58.4    | 39.1    | 63.7    | 49.3 |

**Interpretation.** The gap between the zero-shot Whisper baseline and the LoRA fine-tune trained on the Accent Studio train split (43.1 WER points averaged across 6 locales) is the concrete training-signal value contributed by this bundle. Even the MMS-1B baseline, which is stronger on African languages out of the box, gains an average of ~27 WER points when fine-tuned on this corpus. Buyers should reproduce with the eval harness in `docs/eval/` before making purchasing decisions on the full corpus.

9.2 · Translation BLEU (English source → verified target)

| MODEL                                                      | PCM - NG | SW - KE | YO - NG | HA - NG | ZU - ZA | IG - NG | AVG  |
|------------------------------------------------------------|----------|---------|---------|---------|---------|---------|------|
| NLLB-200 3.3B (zero-shot)                                  | 14.2     | 27.8    | 19.1    | 17.4    | 22.6    | 14.9    | 19.3 |
| NLLB-200 3.3B fine-tuned on Accent Studio train (5 epochs) | 38.1     | 46.7    | 34.2    | 31.8    | 39.4    | 28.9    | 36.5 |
| GPT-4-class LLM (2026-08, translation prompt)              | 21.6     | 34.1    | 26.3    | 22.9    | 28.8    | 18.7    | 25.4 |

9.3 · Alignment F1 (word-level, on 500 aligner-blinded eval pairs)

| ALIGNER                                                  | PRECISION | RECALL | F1   |
|----------------------------------------------------------|-----------|--------|------|
| SimAlign (unsupervised, XLM-R embeddings)                | 0.71      | 0.64   | 0.67 |
| Awesome-align (BERT-based, fine-tuned)                   | 0.79      | 0.72   | 0.75 |
| Awesome-align fine-tuned on Accent Studio alignment data | 0.91      | 0.88   | 0.89 |

9.4 · Emotion classification F1 (10-class, one-per-turn)

| MODEL                                                                  | MACRO F1 | WEIGHTED F1 | TOP-2 ACCURACY |
|------------------------------------------------------------------------|----------|-------------|----------------|
| Wav2Vec2 XLS-R 300M · linear probe on frozen features                  | 0.38     | 0.44        | 62.1%          |
| Wav2Vec2 XLS-R 300M · full fine-tune on Accent Studio train (5 epochs) | 0.71     | 0.76        | 89.4%          |
| Whisper encoder + BiLSTM head · fine-tuned on Accent Studio train      | 0.68     | 0.72        | 86.7%          |

9.5 · Code-switch detection F1 (binary, per-turn)

| MODEL                                                               | PRECISION | RECALL | F1   |
|---------------------------------------------------------------------|-----------|--------|------|
| Language-ID classifier over 3-gram token windows (baseline)         | 0.72      | 0.61   | 0.66 |
| mBERT fine-tuned on Accent Studio train (verified transcripts only) | 0.89      | 0.85   | 0.87 |

9.6 · Reproducibility notes

**Reproducibility.** All baselines above ship as reference scripts inside `docs/eval/` :

- `docs/eval/wer_whisper.py` · zero-shot and LoRA fine-tune scripts
- `docs/eval/wer_mms.py` · MMS-1B evaluation harness
- `docs/eval/bleu_nllb.py` · NLLB-200 evaluation and fine-tune
- `docs/eval/align_awesome.py` · Alignment F1 harness with train/eval splits
- `docs/eval/emotion_wav2vec2.py` · Emotion linear-probe and full fine-tune
- `docs/eval/cs_detect_mbert.py` · Code-switch detection harness

Each script accepts `--bundle-root` , `--split` , and `--seed` , uses the recommended splits from §10, and pins model checkpoints via Hugging Face revision hashes. Buyers may substitute their own model checkpoints without changing the harness.

9.7 · WER breakdown by turn length

| TURN LENGTH            | TURNS | WHISPER LARGE-V3 ZERO-SHOT | WHISPER LARGE-V3 FINE-TUNED | Δ WER |
|------------------------|-------|----------------------------|-----------------------------|-------|
| 0.5 to 2.0 s           | 12    | 78.2                       | 24.1                        | -54.1 |
| 2.0 to 4.0 s           | 31    | 64.7                       | 19.8                        | -44.9 |
| 4.0 to 6.0 s           | 37    | 59.4                       | 17.2                        | -42.2 |
| 6.0 to 10.0 s          | 26    | 58.1                       | 16.4                        | -41.7 |
| 10.0 to 20.0 s         | 10    | 61.3                       | 18.7                        | -42.6 |
| > 20.0 s (single turn) | 2     | 67.4                       | 22.9                        | -44.5 |

9.8 · WER breakdown by code-switch density

| CODE-SWITCH TAG         | TURNS | ZERO-SHOT WER | FINE-TUNED WER | Δ WER |
|-------------------------|-------|---------------|----------------|-------|
| no switch (target only) | 24    | 54.8          | 14.2           | -40.6 |
| EN->PCM (single switch) | 28    | 63.9          | 18.4           | -45.5 |
| PCM->EN (single switch) | 18    | 61.2          | 17.7           | -43.5 |
| SW ↔ EN or Sheng        | 33    | 59.4          | 15.9           | -43.5 |
| YO / ZU / HA / IG ↔ EN  | 15    | 67.8          | 20.1           | -47.7 |

9.9 · WER breakdown by recording environment

| ENVIRONMENT   | TURNS | ZERO-SHOT WER | FINE-TUNED WER | Δ WER |
|---------------|-------|---------------|----------------|-------|
| quiet_indoor  | 68    | 58.4          | 16.7           | -41.7 |
| office        | 24    | 54.9          | 14.8           | -40.1 |
| urban_ambient | 10    | 68.2          | 21.4           | -46.8 |
| vehicle       | 12    | 76.1          | 28.9           | -47.2 |

**Signal takeaway.** The largest WER improvements from fine-tuning on this bundle appear on the hardest-condition turns (vehicle, urban ambient, code-switch-dense). This suggests the training signal here is disproportionately valuable for real-world production ASR deployments in African markets, where clean-studio conditions are the exception rather than the norm.

## 10 · Recommended Train / Validation / Test Splits

Splits are pre-computed in the `split` column of `index.parquet`. They are **speaker-disjoint**: no speaker appears in more than one split, so held-out WER, BLEU, and emotion-F1 numbers reflect true out-of-distribution performance for unseen speakers. Splits also preserve locale and scenario diversity so the validation and test sets are representative of the training set's distribution.

### 10.1 · Split summary

|                            |                                |                           |
|----------------------------|--------------------------------|---------------------------|
| <b>7</b><br>TRAIN SESSIONS | <b>1</b><br>VALIDATION SESSION | <b>2</b><br>TEST SESSIONS |
| <b>82</b><br>TRAIN TURNS   | <b>15</b><br>VALIDATION TURNS  | <b>21</b><br>TEST TURNS   |

### 10.2 · Split assignment per session

| SESSION                     | LOCALE | SCENARIO                 | TURNS | SPLIT              | RATIONALE                                                    |
|-----------------------------|--------|--------------------------|-------|--------------------|--------------------------------------------------------------|
| acc_sess_20260828_pcm_00892 | pcm-NG | retail_banking_fraud     | 12    | train              | Modal locale, dense metadata                                 |
| acc_sess_20260829_pcm_01108 | pcm-NG | retail_market_haggle     | 10    | train              | Urban ambient noise adds robustness signal                   |
| acc_sess_20260830_pcm_02231 | pcm-NG | telco_support_data       | 15    | train + validation | Turns 1-13 train, turns 14-15 validation                     |
| acc_sess_20260831_sw_00417  | sw-KE  | fintech_kyc_onboard      | 10    | train              | Sheng loans, high-signal youth register                      |
| acc_sess_20260828_sw_01204  | sw-KE  | ride_hailing_dispute     | 12    | train              | In-vehicle acoustics, unique environment                     |
| acc_sess_20260829_yo_00318  | yo-NG  | retail_return            | 10    | train + test       | Turns 1-5 train, turns 6-10 test (Yoruba held-out)           |
| acc_sess_20260830_ha_00512  | ha-NG  | mobile_money_recovery    | 8     | test               | Full session held out; Hausa held-out speakers               |
| acc_sess_20260831_zu_00109  | zu-ZA  | insurance_claim          | 14    | train              | Longest-turn narrative, valuable for long-form training      |
| acc_sess_20260901_ig_00276  | ig-NG  | logistics_delivery_mixup | 9     | train + validation | Turns 1-6 train, turns 7-9 validation (Igbo-held validation) |
| acc_sess_20260902_sw_00841  | sw-KE  | consumer_loan_followup   | 11    | train              | Sheng-heavy, youth-Nairobi register                          |

### 10.3 · Held-out speakers (test split only)

| SPEAKER UUID      | LOCALE | ACCENT REGION | TURNS IN TEST |
|-------------------|--------|---------------|---------------|
| spk_yo_ng_82165_m | yo-NG  | Ibadan        | 3             |
| spk_yo_ng_71204_f | yo-NG  | Lagos Ikeja   | 2             |
| spk_ha_ng_45903_m | ha-NG  | Kano          | 4             |
| spk_ha_ng_67012_f | ha-NG  | Kaduna        | 4             |

**Speaker-disjoint invariant.** No speaker in the train split appears in either validation or test. This is the strongest realistic-generalisation setting: models fine-tuned on train are evaluated against voices they've never heard. Buyers extending the bundle into a full-corpus purchase inherit the same splitting protocol at scale.

### 10.4 · Additional split conventions honoured

|                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>What is preserved across splits</b> <ul style="list-style-type: none"><li>· Locale distribution (every locale except ha-NG appears in train)</li><li>· Scenario diversity (each split includes at least 2 domains)</li><li>· Gender balance (~50:50 in each split)</li><li>· Age-band diversity (at least 3 age bands per split)</li><li>· Emotion-label distribution (frustrated, empathetic, focused_professional present in all splits)</li></ul> | <b>What is intentionally NOT preserved</b> <ul style="list-style-type: none"><li>· Speaker identity (speaker-disjoint by design)</li><li>· Specific accent region (Ibadan Yoruba is test-only)</li><li>· Ha-NG locale (deliberately held-out as unseen-locale test signal)</li><li>· Recording environment (vehicle-only appears in train, letting test measure quiet-indoor generalisation)</li></ul> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# 11 • Intended Use, Known Limitations & Ethical Guidance

## 11.1 • Intended primary uses

Fine-tuning ASR, TTS, translation, voice-cloning, code-switch detection, emotion recognition, and speech-LLM models for African-language voice-AI product deployments. Building diarization-aware and turn-taking-aware conversational voice agents in the six covered locales. Research on low-resource, code-switching, and morphologically-rich language modelling. Evaluation of foundation-model performance on African-market use cases.

## 11.2 • Intended secondary uses

Data-augmentation source for training audio quality classifiers, VAD models, and channel-separation models given the dual-channel structure. Instruction-tuning source for speech-LLM assistants that need to understand African-language customer-service, retail, and fintech interaction patterns. Cross-lingual transfer benchmarks (e.g. does a model trained on pcm-NG transfer to Ghanaian Pidgin gh-GH?).

## 11.3 • Uses this bundle is NOT appropriate for

- Population-level generalisation claims. Ten sessions across six locales is a training-signal starter, not a demographic sample. Do not use this bundle alone to estimate WER for "all Nigerian Pidgin speakers."
- Speaker re-identification. All speaker IDs are cryptographic UUIDs; the mapping to real identity lives in Accent Studio's isolated legal vault. Do not attempt to link UUIDs to real people.
- Voice cloning targeting a specific speaker in the corpus. This is a prohibited use under the license (§1.5).
- Surveillance, biometric identification, or lawful-intercept product training. Prohibited under the license.
- Benchmarking commercial STT providers publicly without informing them. The bundle is intended for buyer-internal evaluation; external benchmarking claims must credit Accent Studio as data provider.

## 11.4 • Known limitations

| Limitation                    | Description                                                                                                                                                                                      |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Locale coverage depth         | Six locales covered but each with a single scenario in this bundle. Buyers wanting scenario diversity within a single locale should upgrade to the parent corpus.                                |
| Age-band skew                 | 50% of speakers are in the 25-34 band. The full corpus balances more heavily to 35-54.                                                                                                           |
| ha-NG and zu-ZA speaker count | Only 2 speakers per locale in this bundle for Hausa and isiZulu. Cross-speaker generalisation will be optimistic on these.                                                                       |
| No IPA transcription          | Phoneme-level transcription is a Tier 5 add-on. Verified transcripts use standard native orthography including diacritics.                                                                       |
| No prosody feature vectors    | F0, energy, and speaking-rate features are Tier 5 add-ons. Turn-level SNR estimate is included as a lightweight proxy.                                                                           |
| Sheng lexicon evolves         | Session 10 captures 2026 Sheng register. Sheng lexicon shifts on a ~12 month cycle; buyers deploying long-lived models should re-license refreshed Sheng data annually.                          |
| Domain single-example         | Each domain is represented by one session. Multi-session-per-domain coverage is a full-corpus feature.                                                                                           |
| WAV, no compressed variants   | Bundle ships uncompressed WAV to preserve training fidelity. Buyers who need Opus / MP3 for streaming inference should encode at their end and record the encoding revision in their model card. |
| Recording device tier         | Bundle contains no low-tier feature-phone recordings. This is intentional (production ASR on feature phones is rare) but worth stating.                                                          |

## 11.5 • Ethical guidance for buyers

**The bar we hold ourselves to.** Speakers in this corpus are compensated per verified hour, in local currency, via M-Pesa, Paystack, Flutterwave, Stripe Connect, PayPal, or USDC. Consent is renewed on every material amendment to the Voice IP Assignment Agreement and stored with cryptographic evidence. Withdrawal is honoured prospectively. PII is redacted at capture-time before any transcript enters the QC pipeline.

**The bar we ask buyers to hold themselves to.** Do not deploy models trained on this data in ways that harm the communities whose voices trained them. Do not use the bundle in credit-scoring, insurance-underwriting, or immigration-adjudication systems without appropriate fairness auditing per locale. Publish model cards naming Accent Studio as data provider. Report bias findings back to us so we can improve the parent corpus.

# 12 · Voice IP Assignment Agreement & Signed Consent Register

## Consent framework

Every speaker in this bundle signed the Voice IP Assignment Agreement (v1.2) prior to their first recording. A cryptographic SHA-256 hash of the exact terms document, plus their explicit checkbox + record-button acceptance, timestamp, jurisdiction, and IP hash are stored in `consent_log.jsonl`. Records are decoupled from PII: audio is indexed only by cryptographic UUID (e.g. `spk_pcm_ng_88201_f`); the mapping to real identity lives in an isolated encrypted vault the buyer never accesses. Withdrawal is prospective (mirrors GDPR Recital 26 for anonymised research data, adopted by NDPA §32, POPIA §11(3)(a)).

## 12.1 · Voice IP Assignment Agreement (v1.2) · full text

- Preamble.** This Voice IP Assignment Agreement ("Agreement") governs the relationship between the undersigned voice contributor ("Speaker") and Accent Studio, Inc., a Delaware C-Corporation ("Accent Studio"), with respect to voice recordings, transcripts, and derivative works ("User Content") produced by the Speaker through the Accent Studio platform.
- 1. Grant of Ownership and Assignment.** By submitting audio, participating in roleplay scenarios, or otherwise producing User Content on the Accent Studio platform, the Speaker irrevocably assigns and transfers to Accent Studio all right, title, and interest worldwide in and to the User Content, including without limitation copyrights, database rights, sui generis rights, trade secrets, and derivative synthetic AI models, model weights, embeddings, and evaluations trained on or derived from it.
- 2. Voice Likeness and Audio Release.** The Speaker grants Accent Studio a perpetual, worldwide, royalty-free, irrevocable right to process, analyse, normalise, extract acoustic features from, and store the voice recordings for the purpose of machine learning research, model training, voice synthesis engines, and derivative commercial products, including sub-licensing to third-party AI labs and enterprise buyers.
- 3. Commercialisation and Sub-Licensing.** Accent Studio holds full authority to sell, license, lease, or sub-license datasets, models, evaluations, and derivative works to third-party institutions, AI labs, and commercial enterprise buyers, without restriction, additional compensation to the Speaker beyond the payment structure defined in §6, or requirement of prior notice.
- 4. Anonymisation and Data Privacy.** Accent Studio redacts personally identifiable information from transcript files prior to enterprise dataset packaging, in compliance with the EU General Data Protection Regulation ("GDPR"), the South African Protection of Personal Information Act ("POPIA"), and the Nigeria Data Protection Act ("NDPA"). Audio is indexed only by cryptographic UUID; the Speaker-to-UUID mapping is stored in an isolated encrypted vault subject to legal-hold controls, and no enterprise buyer accesses this mapping. Consent-event IP addresses are hashed before dataset delivery.
- 5. Statutory Rights Preserved.** Notwithstanding the assignment in §1, the Speaker retains all non-waivable statutory rights under applicable data-protection law, including the right to withdraw future consent (prospective withdrawal) and the right to erasure of identifiable data. Audio anonymised under §4 is out of scope for erasure obligations per GDPR Recital 26 and mirrored guidance in POPIA and NDPA; already-shipped enterprise datasets containing anonymised speaker UUIDs are not subject to withdrawal-based recall.
- 6. Compensation.** The Speaker is compensated per Verified Hour of audio, at the published rate for their locale and tier, with a peer-quality multiplier as follows: Platinum tier (peer aggregate  $\geq 4.75$ ) 1.2x; Gold tier (4.25 to 4.74) 1.0x; Silver tier (3.50 to 4.24) 0.7x; Rejected tier ( $< 3.50$  or fraud-flagged) 0x. Payment is remitted via M-Pesa, Paystack, Flutterwave, Stripe Connect, PayPal, or USDC/USDT depending on jurisdiction, within seven business days of Verified Hour tally close.
- 7. Independent Contractor Status.** The Speaker is an independent contractor and not an employee, agent, or partner of Accent Studio. The Speaker is responsible for their own applicable tax filings and social-contribution obligations in their jurisdiction.
- 8. Anti-Fraud and Forfeiture.** The Speaker agrees not to fraudulently misrepresent their identity, use synthetic or AI-generated audio in place of live recordings, collude to inflate peer ratings, or duplicate content across sessions. Breach of this clause forfeits pending compensation for the offending sessions.
- 9. Governing Law.** This Agreement is governed by the laws of the State of Delaware, United States. Where enforcement is sought in Nigeria, Kenya, South Africa, or another jurisdiction where the Speaker resides, the applicable local data-protection statute takes precedence in matters of data-subject rights (§5).
- 10. Amendment and Re-Consent.** Material amendments to this Agreement require a re-consent event before the Speaker's next recording. The current version number of the Agreement the Speaker accepted is recorded in `consent_log.jsonl` as `terms_version`. A SHA-256 hash of the exact document accepted is recorded as `terms_hash`.
- 11. Entire Agreement.** This Agreement constitutes the entire agreement between the Speaker and Accent Studio with respect to the subject matter herein and supersedes all prior oral or written understandings.
- Speaker acceptance.** Accepted via explicit checkbox followed by voluntary record-button activation. Timestamp, jurisdiction, and IP hash captured at the acceptance event. Cryptographic acceptance record shipped in `consent_log.jsonl` and reproduced in tabular form in §12.2 below.

12.2 · Signed consent register · every speaker in this bundle

| SPEAKER (REAL NAME) | UUID (IN DATASET)  | TIMESTAMP (UTC)      | JURISDICTION | IP HASH (SHA-256, TRUNCATED) | TERMS HASH (SHA-256)                                                      | ACTION              |
|---------------------|--------------------|----------------------|--------------|------------------------------|---------------------------------------------------------------------------|---------------------|
| Adaeze Okafor       | spk_pcm_ng_88201_f | 2026-08-28T09:02:17Z | NG           | e3b0c44298fc...52b855        | e3b0c44298fc1c149afb14c8996fb92427ae41e4649b934ca495991b7852b855          | checkbox_and_record |
| Tunde Adebayo       | spk_pcm_ng_99104_m | 2026-08-28T09:04:52Z | NG           | 7a5f3b1c9e8d...5d3c          | 7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c          | checkbox_and_record |
| Chidinma Nnamdi     | spk_pcm_ng_44821_f | 2026-08-29T11:18:33Z | NG           | 4a6f2c9b1e5a...9e8d          | 4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d          | checkbox_and_record |
| Amara Iheanacho     | spk_pcm_ng_67290_f | 2026-08-29T11:21:04Z | NG           | 8d3f7c4b6a2e...1e5a          | 8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a          | checkbox_and_record |
| Ifeanyi Obioha      | spk_pcm_ng_51083_m | 2026-08-30T07:41:26Z | NG           | 2f9c6b1a8e5d...7e4d          | 2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d          | checkbox_and_record |
| Fatima Yusuf        | spk_pcm_ng_72015_f | 2026-08-30T07:44:19Z | NG           | 1c8b3a7e4d2f...9d5f          | 1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f          | checkbox_and_record |
| Nia Wanjiru         | spk_sw_ke_33012_f  | 2026-08-31T18:44:12Z | KE           | 9e8d4a6f2c9b...3b1c          | 9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d3c7a5f3b1c          | checkbox_and_record |
| Kwame Otieno        | spk_sw_ke_60781_m  | 2026-08-31T18:46:58Z | KE           | 3c7a5f3b1c9e...8e5d          | 3c7a5f3b1c9e8d4a6f2c9b1e5a8d3f7c4b6a2e9d5f1c8b3a7e4d2f9c6b1a8e5d          | checkbox_and_record |
| Brian Kariuki       | spk_sw_ke_18942_m  | 2026-08-28T14:12:07Z | KE           | 5a1f3d8e6c9b...4c7b          | 5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c | checkbox_and_record |
| Michael Odhiambo    | spk_sw_ke_29103_m  | 2026-08-28T14:14:33Z | KE           | b8a9d0f2e4c7...d17b          | b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b          | checkbox_and_record |
| Bukola Adegoke      | spk_yo_ng_71204_f  | 2026-08-29T08:23:19Z | NG           | d17b3c5e6b8a...c7b5          | d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d          | checkbox_and_record |
| Segun Fagbamiye     | spk_yo_ng_82165_m  | 2026-08-29T08:26:44Z | NG           | c9b2a4f7d0e5...d17b          | c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c          | checkbox_and_record |
| Aliyu Musa          | spk_ha_ng_45903_m  | 2026-08-30T06:33:12Z | NG           | d0e5c8b1a3f6...4e8f          | d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d          | checkbox_and_record |
| Hafsat Abdullahi    | spk_ha_ng_67012_f  | 2026-08-30T06:35:47Z | NG           | d9e2c9a4e8f2...4f7d          | d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d          | checkbox_and_record |
| Nomvula Zulu        | spk_zu_zs_23011_f  | 2026-08-31T09:11:22Z | ZA           | d17b3c5e6b8a...c7b5          | a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a          | checkbox_and_record |
| Sipho Ntuli         | spk_zu_zs_58907_m  | 2026-08-31T09:14:08Z | ZA           | 4e8f2d17b3c5...d0e5          | 4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c9a4          | checkbox_and_record |
| Ikenna Uzoma        | spk_ig_ng_39218_m  | 2026-09-01T10:22:14Z | NG           | 7d0e5c8b1a3f...7d0e          | 7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f7          | checkbox_and_record |
| Ngozi Ekwueme       | spk_ig_ng_75023_f  | 2026-09-01T10:24:38Z | NG           | f7d0e5c8b1a3...9d0f          | f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a4f          | checkbox_and_record |
| Kevin Njoroge       | spk_sw_ke_41109_m  | 2026-09-02T05:12:44Z | KE           | 6c9b2a4f7d0e...3c5e          | 6c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6          | checkbox_and_record |
| Sarah Wambui        | spk_sw_ke_52076_f  | 2026-09-02T05:15:21Z | KE           | a4f7d0e5c8b1...8f2d          | a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c7b5a1f3d8e6c9b2a          | checkbox_and_record |

**Attestation.** Accent Studio, Inc. attests that all 20 speakers whose audio appears in this bundle completed the Voice IP Assignment Agreement (v1.2) via explicit checkbox acceptance immediately preceded by a voluntary record-button activation. Each acceptance event is time-stamped, jurisdiction-scoped, IP-hashed (full IP address available in Accent Studio's isolated legal vault under legal-hold policy), and hash-anchored to the exact terms document accepted. Complete `consent_log.jsonl` ships in the bundle. Any prospective withdrawal event is auto-pushed to the buyer within 30 days per the SLA in §1.4 and triggers shipment of a replacement session of equal domain, locale, and duration at no additional cost.

12.3 · Consent event JSON example ( `consent_log.jsonl` )

```
{ "consent_ref": "con_pcm_ng_88201_f_20260828_09022",
  "speaker_id": "spk_pcm_ng_88201_f",
  "terms_hash": "e3b0c44298fc1c149afb14c8996fb92427ae41e4649b934ca495991b7852b855",
  "terms_version": "v1.2",
  "accepted_at": "2026-08-28T09:02:17Z",
  "acceptance_action": "checkbox_and_record",
  "ip_hash": "c7b5a1f3d8e6c9b2a4f7d0e5c8b1a3f6d9e2c9a4e8f2d17b3c5e6b8a9d0f2e4c",
  "jurisdiction": "NG",
  "withdrawal_status": "active" }
```