

User Authentication API Documentation

Introduction

This API documentation provides details on how to interact with the User Authentication API endpoints.

Authentication

The User Authentication API uses JWT (JSON Web Tokens) for authentication. To access protected endpoints, clients must include a valid JWT token in the `x-api-key` header.

Base URL

All endpoints are relative to the following base URL:

Endpoints

1. Login

- URL: `/login`
- Method: `POST`
- Description: Authenticate a user and generate a JWT token.
- Request Body:
- `json`

```
"email"    "somnath356465@email.com"
"password" "123456786766"
```

-
- Headers:
 - x-api-key: Your API key
- Response:
 - Status Code: 200 OK
 - Body:

```
"token"    "<JWT token>"
"me"       "<User details>"
```

2. Register

- URL: /register
- Method: POST
- Description: Register a new user.
- Request Body:

```
"email"    "somnath35646895@email.com"
"password" "1234567867866"
"username" "user07096"
"name"     "noname"
```

- Headers:
 - `x-api-key`: Your API key
- Response:
 - Status Code: 200 OK
 - Body:

`"message" "User registered successfully"`

3. Register with Facebook

- URL: `/facebook`
- Method: `GET`
- Description: Register a new user using Facebook authentication.

4. Register with Google

- URL: `/google`
- Method: `GET`
- Description: Register a new user using Google authentication.

5. Me

- URL: `/me`
- Method: `GET`
- Description: Get user profile details.
- Headers:
 - `x-api-key`: Your API key
 - `jwt-token`
- Response:
 - Status Code: 200 OK
 - Body:

"user" "<User details>"

.