A/19 2, 64, 10

DRAFT. A
5 February 1952

MEMORANDUM FOR: THE RECORD.

SUBJECT: Initial Contact by EMB with [redacted]

C+D

C

1. This date the writer spent most of the day with [redacted] under
C+D cover of being a consultant to [redacted]
in connection with a special project on the covert use of chemicals against
C individuals and small groups. [redacted] is a cleared consultant to [redacted]
C

[redacted]

C [redacted]

[redacted]

C [redacted]





"Miracle-privi

C

C b. In the course of a detailed discussion of the physiological effects in which we are interested, the following points were made:

a. Diethyl mercury ($Hg(Et)_2$) produces a delayed mental confusion. Delay is often as long as two weeks. Further details in Clark's "Pharmacology" p. 33.

b. Alpha, alpha diphenyl succinimide.



C ______ found that this compound produces a delayed paralysis. A dose of 50-200 mg/Kilo, given as a single dose gives paralysis in exactly 10 days. It is more effective in more highly developed mammals. C ______ thinks more active compounds could be uncovered with further investigation.

C c. ______ thinks that more research should be done on LSD from the standpoint of looking for similar activity on much simpler compounds. No work seems to be going on in this field.

C d. ______ has an idea that fluorination of barbiturates might give us hypnotics and soporifics that are potent and long-acting enough to answer our needs for a hypnotic for covert use.

C e. In connection with the dog lover problem ______ mentioned the fact that Hg salts are active deodorants. They work by fatiguing the sense of smell.

f. In connection

f. In connection with itching powders, [redacted] mentioned work that had been done in his laboratories on skin irritation, where they found that MUCUNA, the Mexican itch weed, was the most effective material available. He gave the writer a sample of this material.

g. Furfuryl ester of nicotinic acid produces an edema and reddening of the skin with no discomfort to the subject. Painlessly produces a skin with red welts exactly like those resulting from a severe physical beating. 1% of this material in any ointment base will produce this effect. Nicotinyl alcohol will also do this in a concentration of 1%.

h. [redacted] is interested in setting up a program of stress therapy in psychotics through the production of violent sneezing. Since TSS has firm requirements for an effective sneeze powder, [redacted] was invited to submit a research proposal for a research that would be designed to uncover highly active sneeze substances for us and cover the research as a research in stress therapy for psychotics.

i. In the December issue of the Amer. Jour. Pharm. and Exptl. Ther. is an article by Wisconsin's O. S. Orth on the pharmacology of LSD.

j. [redacted] agreed to fill out TSS forms, which we will send to him soon.

[redacted]

Chemical Branch
Research & Development

Original & 2 copies only.