Department of HEALTH, EDUCATION, AND WELFARE • Public Health Service

NATIONAL INSTITUTES OF HEALTH

IN REPLYING ADDRESS THE
NATIONAL INSTITUTE OF MENTAL HEALTH
ADDICTION RESEARCH CENTER
U.S. PUBLIC HEALTH SERVICE HOSPITAL
P. O. BOX 2000
LEXINGTON

25 June 1957

105

(b)(3)

I am enclosing copies of the following reports which I think will interest you:

1. Comparison of ALD-52 and LSD-25,
2. Comparison of MLD-41 and LSD-25,
3. Attempted Blocking of LSD-Reaction by Pretreatment with BOL.

As you will note, MLD is a psychotomimetic agent which, however, is considerably less potent than LSD, whereas ALD is at least as potent as LSD. We were again unsuccessful in obtaining any significant degree of blocking of the LSD-reaction by pretreatment with BOL. I am, therefore, dropping this line of investigation unless you feel that I should study some other dosage schedule.

Attempted blocking of the LSD-reaction with dibenzyline, the adrenolytic drug, is now in the preliminary stage. All I can say at the moment is that we have had no untoward effects when 0.5 mcgm./kg. of LSD was given two hours after 1 mg./kg. of dibenzyline.

I too am sorry that I will not be going to Europe, but my work schedule is so heavy that I cannot spare the time.

Very sincerely,

Harris Isbell

Harris Isbell, M. D.
Director

HI:rn

Enclosures

A371