COPY OF [redacted]S MEMO. A A/B, I, 44/8

1) Drugs, chemicals (psycho-chemicals)
    a) New derivatives
    b) Combinations
    c) New techniques &/or uses

2) Plants, shrubs, vines, fungi

3) Natural toxins
    a) Insect
    b) Snake
    c) Fish &c.

4) Sound, suprasonics, vibrations, intense sound

5) Radio waves, U.H.F., S.W.

6) Electronic fields (medical)
    a) E E G
    b) Electric shock
    c) Electronarcosis

7) Diet, dietary deficiencies, vitamin deficiencies, salty diet, calcium removal &c.

8) Gases, aerosols, hypospray, mists, dusts, vapors

9) Oxygen deprivation

10) Pressure changes, pressurized areas

11) Hypnosis, suggestion
    a) Hypno-analysis
    b) Narco-analysis
    c) Narco-hypnosis

12) Extra-Sensory Perception

13) Psychological harassment
    a) Sounds
    b) Solitary confinement

14) Nerve gases, cholinesterase study

15) Micro-organisms, bacteria
    Artificial fevers

16) Histamins

17) Glandular disturbances (artificial)

18) Lobotomies &c.

19) Light, blinking light, glare

20) Colors (?)

21) Special weapons
    a) Automatic injections
    b) Gas dischargers
    c) Hypospray

22) Cover, special cover techniques

23) Technical aids
    a) Photography
    b) Monitoring systems, recorders
    c) Personal intercom. devices
    d) False devices
    e) Equipment, tools — general

24) Polygraph, uses in connection with

A/B, 1, 44/9

A

[illegible] (columns in descending order of importance for further study, as seen by researcher

//// [illegible]	/// [illegible]	// [illegible]	/ [illegible]
Disturbance of brain's temporal [illegible] current or radiant [illegible], to produce depersonalization [illegible] other LSD25-like effects	Possible inhibition of amygdaloid or other brain center, by radiant energy, to produce taming effect	Isolation (special recent technique)	[illegible] polygraph, of drugs for general effect; usually given by mouth or [illegible].
[illegible] (LSD25)	[illegible] deriv.'s; adrenochrome	Bufotenin	
	Marijuana or cannabinol	Cohoba snuff	
	Mescalin, alone or + stramonium	Psilocybin	
[illegible] in [illegible] LSD25 antidote)	Methedrin (or amphetamin) alone	Cocain (for general effect)	
[illegible] of "twilight sleep", scopolamin + morphine; similar combinations: [illegible]	Alternating scopolamin & amphet.	Electronarcosis — especially if possible without drug injection	N_2O; other anesthetic gases
Refinements of narcoanalysis, [illegible] + an amphetamin	[illegible], inducing flicker-convulsion	[illegible]: e.g., [illegible]	[illegible] chamber", providing reduced O_2 or humidity, increased [illegible] or [illegible], &c
[illegible] toxins	Snake venom	Shellfish (or eels) toxin	[illegible] bacterial) toxin
			Rhododendrons
[illegible] (general analgesic) ——>			Oregon myrtle
Combinations of ethylalcohol with barbiturates, antihistamines &c	Antihistaminic drugs causing emotionalism [illegible] alcohol-sensitivity		Fatigue from [illegible]
		[illegible] Lithium [illegible] or [illegible] diets, grains, &c, grown under radioactivity, if any such mutants have low B-complex content by feeding those antimetabolites that specifically counteract certain B_2 complex vitamins	[illegible]: [illegible] blood-potassium loss [illegible] desoxycorticosterone &c.; electric or other stimulation of internal ear; or possible middle ear disturbance in a Eustachian tube.
		Possible confusion in electromagnetic, high freq., or radar fields	[illegible] treatment.

			Chlorpromazine): Tetra-ethylammonium, Hexamethonium, Pamine, Ilidar, &c
Rauwolfia (Raudixin & Serpasil)	Myanesin to reduce anxiety, alone or with other more potent drugs	Drugs simulating lobotomy effect (Reorganin-?,	Surgical lobotomies
" + [illegible]			
Hypnosis: improvements in hypnotizability — by drugs, hyperventilation (loss of CO_2), posture, various rates of interrupted sound (metronome), &c; progress in post-hypnotic suggestions	Deconditioning: probably by some not yet sure or safe brain-shock; possibly by post-hypn. suggestion	Brain-washing techniques	Extra-Sensory Perception

I.

A

PROJECT'S INTEREST in AIDS-to-INTERROGATION (columns in descending order of importance for added study, as seen by researcher

++++ MOST INTEREST	+++ MORE THAN AVERAGE	++ AVERAGE INTEREST	+ LESS THAN AVERAGE
Disturbance of brain's temporal lobe by some current or radiant energy, to produce depersonalization & other LSD25-like effects	Possible inhibition of amygdaloid or other brain center, by radiant energy, to produce taming effect	Isolation (recent special technique)	Possible iontophoresis during polygraph, of drugs (for general effect) usually given by mouth or hypo.
Rauwolfia (Raudixin or Serpasil) Rauwolfia + an amphetamin	Myanesin to reduce anxiety, alone or with other more potent drugs	Drugs simulating lobotomy effect	Surgical lobotomies
	Chlorpromazine (Thorazine)	Curare: paralyzing or other effects	Autonomic-ganglion-blocking drugs (other than chlorpr.) Tetraethylammonium, etc
Lysergic acid diethylamid (LSD25)			

Ⓐ A/B, 1, 44/10

[illegible]CTS OF SPECIFIC DRUGS OR PHYSICAL

APPLIED ON SUBJECT

[redacted]

Reduced Anxiety may make Subject unguarded | Reduce Anxiety

Stimulation disarms, makes S. overconfident

Suggestibility makes compliant & revealing

Epileptiform Convulsion is accompanied by unconsciousness, & followed | at times by momentary candor

always by | Amnesia for the unconscious period, &

Confusion &/OR | Excited OR Drowsy State

Stimulate

& Promote Suggestibility
& Sensitize to Convulsion

Attempt to Convulse
may Produce
Epilept. Convulsion
followed usually by
Confusion

OR simply
Confusion

Confusion induces errors & inconsistencies

& Confuse

Sleep allows | objectionable Inject., Elec-narcosis
use of | indirect Arousal to Suggestibility

Chemical Routes

Oral | Intra-venous

Oral | Inhalation | Subcutaneous | Intra-venous

Physical Means

Sound | Light | Electric Field

HYPNOSIS omitted here, except *

Tetra-ethyl-ammonium

Oblivon

[redacted]



(B)

Sub-
ject
to be

Unwitt-
ing as
possible

Drug
can
be

less (as Oblivon)

OR

disguis-
ed, but
detect-
able or
suspect-
ed by

taste (as
Marijuana)

OR

sense
of

exhila-
ration
(as Dex-
edrin)

OR

drowsi-
ness(as
Barbit-
urates)

Flickering light's purpose can be somewhat disguised by simulated ventilator-fan

* Except Post-Hypnotic Suggestion, no instant Sleep-Producer is available

Partially aroused Subject would be aware of Electro-narcosis instrumentation, & would recall it after recovering consciousness

Electric Shock from drugged Sleep, would be experimental; effects uncertain

[redacted]

		Ultrasonics Topectomy (from drugged Sleep) might cause conscious distress & aches									
			ORAL	INTRA-VENOUS	ORAL	INHAL-ATION	SUBCU-TANEOUS	INTRA-VENOUS	SOUND	LIGHT	ELEC. FIELD
	Ⓒ						Scopolamin +Mor. OR Her.				
					Isoniazid?					Flicker	
					Metrazol					Flicker	
Sub-ject to be	Witting,	but probably does not identify the drug		Myanesin							
		& does identify the drug			Alcohol +Methedrin ?						

[redacted]

INTERVENTIONS, TOWARD IMPROVING THE PRODUCT OF INTERROGATION,

AWAKE		APPLIED ON SUBJECT ASLEEP			Sustain Drug's Effects	Antagonize Undesired Effect
Confuse	Ⓐ Produce Sleep	to Suggestibility, Arouse partially	Produce Epil.Convulsion foll.usually by Confusion	Reduce Anxiety (Long-term) & Confuse	(route)	(route)
(other rays?)	Oral Intravenous	Intravenous Electronarcosis	Intravenous Elec. Shock	Ultrasonics		

INTERR. W.OR W/O. POLYGR.

AMNESIA

E


Dormison
OR Oblivon
Methedrin
OR Dexedrin
OR Elec-
narcosis
an analgesic?
Sod. Seconal
OR Evipal
Methedrin
OR Dexedrin
OR Elec-
narcosis
an analgesic?
Dormison
Shock
Succinyl(frac-

F



THER
IDS)
ORAL
INTRA-VENOUS
INTRA-VENOUS
ELECTRO-NARCOSIS
INTRA-VENOUS
ELEC. SHOCK
ULTRA-SONICS
(route)
(route)
Sod. Amytal OR Dormison
Ultrason. Topectomy
an analgesic
26LA-SHF?(nausea)
Succinyl(fracture)
Sod.Amytal R-Pentothal
Methocrin
OR Electronarcosis
an analgesic?
Surital
Shock
Succinyl(fracture)
Pentothal OR Surital
Ultrason. Topectomy
an analgesic