—1—

Additional information

1.1 Of possible interest

Information about obtaining AMSFonts or other TEX-related software from the AMS web server at `www.ams.org` can be obtained by sending an email request to `tech-support@ams.org`. This software is also posted on CTAN and included in distributions based on TEX Live.

The TEX Users Group is a nonprofit organization that publishes a journal (*TUGboat*), holds meetings, and serves as a clearinghouse for general information about TEX and TEX-related software.

TEX Users Group
PO Box 2311
Portland, OR 97208-2311
USA

Phone: +1-503-223-9994
Email: `office@tug.org`

Membership in the TEX Users Group is a good way to support continued development of free TEX-related software. There are also many local TEX user groups in other countries; information about contacting a local user group can be gotten from the TEX Users Group.

References

References in print

[1] George Grätzer, *More Math into LaTeX*, fifth ed., Springer, New York, 2016.

[2] Donald E. Knuth, *The TeXbook*, Addison-Wesley, Reading, MA, 1984.

[3] Leslie Lamport, *LaTeX: A document preparation system*, 2nd revised ed., Addison-Wesley, Reading, MA, 1994.

[4] Frank Mittelbach, Michel Goossens, et al., *The LaTeX companion*, second ed., Addison-Wesley, Reading, MA, 2004. This is now also available as an ebook, in both English and German; see `https://www.latex-project.org/help/books/`. The front matter, including the full Table of Contents, can be viewed online, from a link on the same page.

[5] Frank Mittelbach and Rainer Schöpf, *The new font family selection—user interface to standard LaTeX*, *TUGboat* **11**, no. 2 (June 1990), pp. 297–305.

[6] Michael Spivak, *The joy of TeX*, 2nd revised ed., Amer. Math. Soc., Providence, RI, 1990.

Package documentation

[7] *AMS author handbook*, separate versions for journal articles, monographs and proceedings articles, Amer. Math. Soc., Providence, RI, 2017; `https://www.ams.org/publications/authors/tex/author-handbook`.

[8] *AMSFonts version* 2.2d*—user's guide*, Amer. Math. Soc., Providence, RI, 2002; distributed with the AMSFonts package `http://mirror.ctan.org/tex-archive/fonts/amsfonts/doc/amsfndoc.pdf`.

[9] *Using the* `amsthm` *Package*, version 2.20.3, Amer. Math. Soc., Providence, RI, 2017; `http://mirror.ctan.org/tex-archive/macros/latex/required/amscls/doc/amsthdoc.pdf`.

[10] Morten Høgholm, Lars Madsen, *The* `mathtools` *package*, 2018; `http://mirror.ctan.org/tex-archive/macros/latex/contrib/mathtools/mathtools.pdf`.

Online resources

[11] The LaTeX Project, `https://www.latex-project.org`.

[12] Online discussion group `comp.text.tex`, `https://groups.google.com/forum/#!forum/comp.text.tex`.

[13] Online question and answer forum `tex.stackexchange`, `https://tex.stackexchange.com`.

Index

&, 29
\!, 3, 13
\,, 3, 13
\:, 13
\;, 13
\[... \], 4
\\, 4, 6, 7, 10, 27, 29, 32
*, 10
\|, 19
|, 18, 19

\above , 17, 32
\abovewithdelims , 17
\accentedsymbol , 2
accents package, 15
\addtocounter , 12
\addtolength , 6
align environment, 3, 4, 6–8, 26, 31–33
\align , 11
alignat environment, 8, 26–28
aligned environment, 3, 4, 8, 10, 32, 33
alignedat environment, 4, 8, 10
alignedleftspaceno option, 3
alignedleftspaceyes option, 3
alignedleftspaceyesifneg option, 3
\allowdisplaybreaks , 10
amsart class, 1, 34
amsbook class, 1, 34
amsbsy package, 1, 2
amscd package, 1, 2, 23
AMSFonts collection, 27
amsfonts package, 24
amsmath package, 1–34, 35
amsopn package, 1, 2
amsproc class, 34
amssymb package, 25
amstext package, 1, 2
amsthm package, 1, 35, 36
amsxtra package, 1, 2, 15
\arccos , 20
\arcsin , 20
\arctan , 20
\arg , 20
array environment, 9, 12, 29
arrows
    extensible, 15
    in commutative diagrams, 23
\atop , 17, 32
\atopwithdelims , 17

b (bottom) option, 9, 17
BaKoMa fonts, 27
\big, \Big, \bigg, ... delimiters, 18
\biggl , 29
\biggr , 29
\bigl , 29
\bigr , 29
\binom , 16, 17
binomials, 16
bm package, 2, 25, 33
Bmatrix environment, 12
bmatrix environment, 12
\bmod , 20
\boldsymbol , 24, 25
\boxed , 15
breqn package, 33

\C , 24
c (center) option, 9
cases environment, 9, 33
\cases , 31
CD environment, 2, 23
\cdots , 14
centertags option, 2
\cfrac , 17
cmbsy5, 27

cmex, 27
cmex10 option, 27
cmex7, 27
cmmib5, 27
commutative diagrams, 23
comp.text.tex, 34
continued fractions, 17
\cos , 20
\cosh , 20
\cot , 20
\coth , 20
\csc , 20
CTAN (Comprehensive TEX Archive Network), 34, 35

\dbinom , 16
dcases environment, 9
\ddddot , 15
\dddot , 15
\ddot , 15
\DeclareMathOperator , 2, 19–21
\DeclarePairedDelimiter , 19
\deg , 20
delimiters, 12, 13, 16–19, 25, 29
  fixed size, 18, 29
  mismatched sizes, 30
  null, 30
\det , 20
\dfrac , 16
diffs-m.txt, 34
\dim , 20
\displaybreak , 10
displayed equations, 3
  centering, 3
\displaylimits , 22
displaymath environment, 4
\displaystyle , 9, 16
\documentclass , 3
\dot , 15
dots, *see* ellipsis dots
\dots , 14
\dotsb , 14
\dotsc , 14
\dotsi , 14
\dotsm , 14
\dotso , 14

-ed environments, 8–9, 32
ellipsis dots
  in matrices, 13
eqnarray environment, 1, 3, 4, 29, 33
\eqref , 11
equation environment, 1, 3, 4, 6, 8, 9, 26, 33
equation* environment, 4
equation numbers
  cross-references, 11
  hierarchy, 11
  left or right placement, 3, 11
  overriding, 4
  subordinate numbering, 11
  vertical placement, 2
equations, *see* displayed equations
euscript package, 24
\exp , 20

\fbox , 15
flalign environment, 8
fleqn option, 3, 4
fntguide.tex, 23
\frac , 16, 17
fractions, 16–17
\fracwithdelims , 2
function names, *see* operator names

gather environment, 6–8, 26, 31–33
gathered environment, 3, 8, 10, 32, 33
\gcd , 20
\genfrac , 16, 17

\hat , 14
\hdotsfor , 13
\hom , 20
horizontal spacing, 3, 13
  around operator names, 19, 21
hyperref package, 4

\idotsint , 22
\iiiint , 22

\iiint , 22
\iint , 22
\inf , 20
\injlim , 20
integrals
    multiple, 22, 33
    placement of limits, 2
\intertext , 10, 11, 33
intlimits option, 2, 22

\ker , 20

\label , 6, 12
\langle , 18
\ldots , 14
\left , 17, 18, 29, 30
\leftroot , 15
leqno option, 3, 6
\lg , 20
\lim , 1, 2, 19, 20
\liminf , 20
limits, *see* subscripts and
        superscripts
\limits , 22
\limsup , 20
line break, 9, 14, 29
lineno package, 33
\ln , 20
\log , 19, 20
\lVert , 18
\lvert , 18

math fonts, 24
math symbols, *see* math fonts
mathabx package, 33
\mathbb , 24
\mathbf , 24
\mathcal , 24
\mathfrak , 24
\mathit , 24
\mathrm , 21, 24
\mathscr , 24
\mathsf , 24
mathtools package, 2, 9, 11–13, 19,
        33, 35, 36
\mathtt , 24
matrices, 12
    ellipsis dots, 13
matrix environment, 12
    * variants, 13
\matrix , 31
\max , 20
\mbox , 20
\medspace , 13
Metafont source files, 27
\min , 20
\mod , 20
\mspace , 13
multline environment, 4, 6, 33
multlined environment, 33
\multlinegap , 4, 6

namelimits option, 2
\negmedspace , 13
\negthickspace , 13
\negthinspace , 13
\newcommand , 24
\nobreakdash , 14
nointlimits option, 2
\nolimits , 22
nonamelimits option, 2
\normalfont , 12
nosumlimits option, 2
\notag , 4, 6
\numberwithin , 11, 32

online Q & A forum, 34
operator names, 19
\operatorname , 20
\operatorname *, 20
options
    adjust positioning, 15, 17
    amsmath package options, 2–3
    behavior of particular options,
        4, 6, 10, 13, 15, 17, 22, 27
    extra vertical space after \\,
        10
    positioning of -ed
        environments, 9, 32
    space before [, 9, 10, 32
    unknown, 31
\over , 17, 32

\overleftarrow , 15
\overleftrightarrow , 15
\overrightarrow , 15
\overset , 16
\overunderset , 16
\overwithdelims , 17

page breaks, 10
\pagebreak , 10
pmatrix environment, 12
\pmatrix , 31
\pmb , 24, 25
\pmod , 20
\pod , 20
PostScript fonts, 27
\Pr , 20
\projlim , 20

\qed , 4
\qedhere , 4
\qquad , 13
\quad , 13

\R , 24
\raisetag , 9
\rangle , 18
rcases environment, 33
\ref , 4, 12
\ref *, 4
\relax , 29, 33
reqno option, 3, 6
\right , 17, 18, 29, 30
\rVert , 18
\rvert , 18

\scriptscriptstyle , 16
\scriptstyle , 16
\sec , 20
\setcounter , 11, 12
\setlength , 6
\shortintertext , 11, 33
\shoveleft , 6
\shoveright , 6
\sideset , 16, 21, 22
\sin , 1, 2, 19, 20
\sinh , 20
smallmatrix environment, 13
    * variants, 13
    variant delimiters, 13
\smash , 17, 30
\sphat , 15
split environment, 2–4, 6, 10, 26, 29, 31–33
\sptilde , 15
\stackrel , 16
subarray environment, 21
subeqn.tex, 4
subequations environment, 11
subscripts and superscripts, 16
    multiline, 21
    on sums, 21
    placement, 2
\substack , 21
\sum , 22, 25
sumlimits option, 2
\sup , 20
superscripts, *see* subscripts and superscripts

t (top) option, 9, 17
tabular environment, 29
\tag , 4
\tag *, 4
\tan , 20
\tanh , 20
\tbinom , 16
tbtags option, 2
technote.tex, 17, 31, 32, 34
testmath.tex, 4
TeX Live, 34, 35
TeX Users Group, 34, 35
\text , 2, 7, 9, 10, 20, 21
text fragments inside math, 10, 20
\textrm , 20
\textstyle , 9, 16
\tfrac , 16
\theequation , 11, 12
\thickspace , 13
\thinspace , 13
Ti*k*Z package, 23
tikz-cd package, 23
TUGboat, 34, 35

\underleftarrow , 15
\underleftrightarrow , 15
\underrightarrow , 15
\underset , 16
unicode-math package, 33
\uproot , 15
\usepackage , 3, 27

\value , 12
\varDelta , 25
\varGamma , 25
\varinjlim , 20
\varLambda , 25
\varliminf , 20
\varlimsup , 20
\varOmega , 25
\varPhi , 25
\varPi , 25
\varprojlim , 20
\varPsi , 25
\varSigma , 25
\varTheta , 25
\varUpsilon , 25
\varXi , 25
Vmatrix environment, 12
vmatrix environment, 12
\vphantom , 30

wasysym package, 33
www.ams.org, 34, 35

\xleftarrow , 15
\xrightarrow , 15
XY-pic package, 23