

Doc Assistant User Guide

Product Version 25.13

February 2026

© 2025 Cadence Design Systems.
Printed in the United States of America.

Cadence Design Systems, Inc. (Cadence), 2655 Seely Ave., San Jose, CA 95134, USA.

Trademarks: Trademarks and service marks of Cadence Design Systems, Inc. (Cadence) contained in this document are attributed to Cadence with the appropriate symbol. For queries regarding Cadence's trademarks, contact the corporate legal department at the address shown above or call 1-800-862-4522.

All other trademarks are the property of their respective holders.

Restricted Print Permission: This publication is protected by copyright and any unauthorized use of this publication may violate copyright, trademark, and other laws. Except as specified in this permission statement, this publication may not be copied, reproduced, modified, published, uploaded, posted, transmitted, or distributed in any way, without prior written permission from Cadence. This statement grants you permission to print one (1) hard copy of this publication subject to the following conditions:

1. The publication may be used solely for personal, informational, and noncommercial purposes;
2. The publication may not be modified in any way;
3. Any copy of the publication or portion thereof must include all original copyright, trademark, and other proprietary notices and this permission statement; and
4. Cadence reserves the right to revoke this authorization at any time, and any such use shall be discontinued immediately upon written notice from Cadence.

Disclaimer: Information in this publication is subject to change without notice and does not represent a commitment on the part of Cadence. The information contained herein is the proprietary and confidential information of Cadence or its licensors, and is supplied subject to, and may be used only by Cadence's customer in accordance with, a written agreement between Cadence and its customer. Except as may be explicitly set forth in such agreement, Cadence does not make, and expressly disclaims, any representations or warranties as to the completeness, accuracy or usefulness of the information contained in this document. Cadence does not warrant that use of such information will not infringe any third-party rights, nor does Cadence assume any liability for damages or costs of any kind that may result from use of such information.

Restricted Rights: Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor.

Contents

1	8
Introduction to Doc Assistant	8
Doc Assistant Features	8
Related Topics	8
2	9
What's New in Doc Assistant	9
25.1 ISR3	9
25.1 ISR2	10
25.1 ISR1	10
3	11
Accessing Doc Assistant	11
Related Topics	13
Launching Doc Assistant from Command Line	13
Signing In to Doc Assistant	16
4	17
Doc Assistant User Interface	17
Related Topics	21
5	22
Doc Assistant Network Modes	22
Doc Assistant - Online Mode	22
Doc Assistant - Offline Mode	23
6	26
Doc Assistant Themes	26
Related Topics	27
7	28
Searching Through Content	28
Spell Check Assistance	29
Related Topics	31
The Search Page	31
AI Search	32

Semantic Search in Offline Mode	32
NLP Search in Online Mode	33
View Contents of a Topic	35
Indexing	37
Filtering Search Results	37
Content Type	39
Examples and Code	40
Product	40
Product Feature	41
Document Types	41
Category	41
Displaying Search Results from Multiple Releases	41
8	44
Browse Modes in Doc Assistant	44
Browse All Manuals	44
Browse by Product	45
Browse by Technology	47
Related Topics	47
9	48
View Content Summary	48
Related Topics	49
10	50
Finding Content within a Page	50
Related Topics	52
11	53
Sending Feedback	53
Related Topics	54
12	55
Sharing Content	55
Offline Mode	55
Online Mode	56
Related Topics	57
13	58
Doc Assistant FAQs	58

Debugging Doc Assistant	65
Accessing Doc Assistant - FAQs	66
Viewing Updated Content in Doc Assistant	67
Disable High DPI for Higher Resolution Devices	67
Debugging Proxy Settings and Firewall Issues in Doc Assistant	67
Using Cascading Style Sheets	68
CSS Selectors Supported by Doc Assistant	69
Referencing CSS Within HTML	69
Working with Tag Files	70
14	76
My Dashboard	76
Bookmarks	76
Viewing All Bookmarks	78
History	79
Managing Bookmarks	79
Deleting Bookmarks	80
Editing Bookmarks	80
Moving Bookmarks into a Folder	81
Importing Cadence Help History and Bookmarks	81
Content Type	83
Focus Area	84
My Downloads	85
My Products	87
Document Releases	88
Adding Documents from Other Releases	90
Loading Document Libraries	90
Pre-Defined Document Libraries	90
Document libraries in environment variables	91
Doc Assistant Settings	91
Content Display Settings	93
Usage Tracking Settings	93
Shutdown/Startup Behavior	94
Web Links	94
Download Path	94
Proxy Server	94
15	96

Using Chatbot in Doc Assistant	96
Prerequisites	96
Accessing the Chatbot	96
What You Can Ask	98
Tips for Better Results	99
Related Topics	99
16	100
Doc Assistant Known Problems and Solutions	100
CCR 2549352: Low space in the home directory results in multiple issues with Doc Assistant	100
CCR 2757746: On switching from TA to Doc Assistant, Doc Assistant goes offline	100
CCR 2756750: Online mode not available in the Doc Assistant standalone launch	100
CCR 2780674: Opening Task Assistant makes the Doc Assistant go Offline	101
FUSION-1818: An ambiguous warning flags in the CIW on opening a help form.	101
FUSION-1892: The (pipe) special character is not working in search in Offline documentation mode	101
FUSION-1911: The Hamburger menu is hidden when Doc Assistant is zoomed in while the topic viewer is opened	102
CCR 2791272: * with less than 3 characters is not giving proper results	102
CCR 2629988: Manually configuring the proxy server for Doc Assistant not working	102
CCR 2781876: Cadence doc assistant; Render process crash 'Render process exited with code; 5 Do you want to reload the page?'	103
CCR 2805697: Open Weblinks in Browsers setting cannot be updated in Offline mode	103
CCR 2815598: Websocket (505) error continues to come up (on certain systems) even after cleaning up cache	103
CCR 2898883: Stale content should be skipped	104
CCR 2898955: When pages are clicked from dashboard like history, analytics they are being added as an additional entry	104
CCR 2967859: Few specific types of links are not working properly in the PDF viewer	104
CCR 2967875: The same release gets added automatically when the network is mapped to a drive path	105
CCR 2943739: Doc Assistant hangs and prompts error message on shell terminal when accessed in CIW or layout	105
CCR 3178986 - libcrypto and libc error while running JAVA API	105
17	107
Doc Assistant Environment Variables	107
18	110

Task Assistant Interface in Doc Assistant	110
19	112
Opening Custom Help Forms in Doc Assistant	112
Related Topics	113
Working with a Tag File	114
Documentation Lookup Order	117
Doc Assistant lookup order for Cadence help forms	118
Doc Assistant lookup order for custom/user-created help forms	118
How to use CSF search mechanism	118
20	121
Installing and Using Standalone Doc Assistant for Windows	121
Accessing Documentation in Doc Assistant	123
Related Topics	124
21	125
Adding Custom Content to Doc Assistant	125
Organizing Documents in a Standard Hierarchy	125
Adding the Custom Document Set to Doc Assistant	127
Related Topics	127

Introduction to Doc Assistant

Doc Assistant is a next-generation documentation viewing tool that lets you access the latest documents available for all the Cadence products installed on your system. Doc Assistant has a web application interface through which you can search and view locally installed and online documentation.

Doc Assistant provides multiple ways to access information. Using the *Search* option, you can type the keywords, phrases, or natural language questions to search for relevant documentation. The *Browse* option allows you to explore documentation in an organized structure. The *What's New* section, available in Online mode, highlights newly added and updated documentation for the current release.

Doc Assistant Features

- **Dual access modes:** Online mode provides 24x7 access to the latest documentation updates and releases, while Offline mode lets you access locally installed content even when not connected to the internet.
- **Intelligent search capabilities:** Provides smart search results through semantic AI and NLP-based search capabilities that understand context and intent.
- **Smart content recommendations:** Suggests related documentation, topics, and resources based on what you are currently viewing, helping you discover relevant information and explore connected concepts.
- **Flexible content views:** Offers multiple viewing options and customizable display settings to match your workflow preferences and reading habits.

Related Topics

[Accessing Doc Assistant](#)

What's New in Doc Assistant

This topic highlights the key enhancements and new features introduced in Doc Assistant.

25.1 ISR3

Title	Type	Description
Redesigned Home Page: Streamlined Interface	Major	The Doc Assistant home page has been redesigned for enhanced user experience. The streamlined interface now offers two intuitive ways to find content: • <i>Search</i> (default mode) – Quickly locate information using keyword or semantic-based searches • <i>Browse</i> – Navigate systematically through organized product and technology categories By focusing on the key features, the new home page delivers a cleaner, more efficient interface that lets you access the information you need faster.
NLP Search Results Includes an AI-Generated Response and Follow-Up Questions	Major	Performing an NLP-based search in Online mode now uses Generative AI to understand user intent and provides direct, contextual answers from the documentation. This intelligent search feature generates summarized responses, suggests follow-up questions, and provides relevant documentation links from both the current release and the ASK portal.

25.1 ISR2

Title	Type	Description
Using Chatbot in Doc Assistant	Major	The chatbot in Doc Assistant helps you quickly find information, clarify concepts, and get contextual answers from Cadence documentation. Instead of searching manually through multiple topics, type your questions in natural language. The chatbot locates and summarizes the most relevant content from the documentation.

25.1 ISR1

Title	Type	Description
Support for Semantic Search in Offline Mode	Major	Semantic search is an intelligent, intent-driven hybrid search capability that provides both keyword-based and semantic-based results depending on your search query.
Enhanced Feedback Submission Mechanism	Major	The built-in feedback submission feature has been redesigned for greater clarity, improved usability, and more intuitive user experience.
Capturing User Activity in Offline Mode	Major	With user consent, Doc Assistant now captures usage activity in Offline mode. The data helps improve the performance and user experience by providing insights based on real usage patterns.

Accessing Doc Assistant

Doc Assistant can be launched through multiple methods depending on your operating system and preferences. Choose the method that best suits your workflow - from within the Cadence tool that you are working on or from the command-line as a stand-alone interface.

Depending on your operating system, use one of the following methods to launch Doc Assistant.

- **Windows systems:**

- Select *Doc Assistant* from the *Start* menu.
- Use the *Help* menu within a product.
- Click *Help* buttons on product forms.


 Doc Assistant on Windows Machines - Launching from a Network Drive
On Windows systems, due to security reasons, Doc Assistant does not launch using network drives. To override this restriction, set the environment variable QTWEBENGINE_DISABLE_SANDBOX to 1.

- **Linux systems:**

- Type `cda` in the terminal and press Enter. See [Launching Doc Assistant from Command Line](#).


When you launch Doc Assistant, a message box is displayed that lists all the products for which documents are installed on your system.

To customize this list, see [My Products](#).



To turn off the notification, clear the *Show on Startup* check box in the above message box before you click *OK*. Alternatively, you can clear the *Show Product Selection Information on Startup* check box in the [Doc Assistant Settings](#) page.

Doc Assistant launches in Online mode by default when you are connected to the internet. In this mode, all online documents related to the products installed on your system are displayed. You can switch to Offline mode using the toggle button in the hamburger menu. Offline mode displays all product documentation available in your installation hierarchy.



When you have no internet connectivity, Doc Assistant launches in Offline mode.

 To make Doc Assistant the default documentation viewer for all Cadence products, set the value of the `CDA_ENABLE` environment variable to `true`. When both Cadence Help and Doc Assistant are installed, setting the environment variable to `true` sets Doc Assistant as the default documentation viewer.

Use the `CDA_WINDOW_SIZE` environment variable to resize the Doc Assistant window. Ensure that the specified width and height values are lower than the maximum display area and higher than the Doc Assistant minimum height and width values.

Syntax: `setenv CDA_WINDOW_SIZE widthxheight`

Example: `setenv CDA_WINDOW_SIZE 800x1200`

Related Topics

[Introduction to Doc Assistant](#)

[Signing In to Doc Assistant](#)

Launching Doc Assistant from Command Line

You can launch Doc Assistant using command line switches.

To launch Doc Assistant from the command line, navigate to the `<doc_assistant_install_directory>/bin` directory and run the `cda` command with the following switches:

Command-Line Switches	Description
-----------------------	-------------

search	Use this switch to launch Doc Assistant with the search results of the matching searched term specified in the command. <pre>cda -search <search_term></pre> Examples <pre>cda -search cadence</pre> Enclose the search string in double quotes if it includes a combination of text, numbers, or special characters. <pre>cda -search "My Products"</pre>
tool	Use this switch to launch Doc Assistant with the specified product selected in the My Products list. <pre>cda -tool "<product name>"</pre> Example • <code>cda -tool "PCB Editor"</code> • You can also specify multiple products separated by commas. For example: <pre>cda -tool "Allegro PCB Editor, Allegro System Capture"</pre> Product names are case-sensitive.

openpage	Use this switch to launch Doc Assistant with the specified HTML file open. <pre>cda -openpage "<tool_name>:<html_file_name>"</pre> <pre>cda -openpage "<tool_name>:<tag_name>"</pre> Where: • <code><html_file_name></code>: Name of the HTML file of the book. • <code><tag_name></code>: Name of the tag in the .tgf file. Example <pre>cda -openpage cdadoc:cdadocTOC</pre> <pre>cda -openpage cdadoc:default</pre>
hierarchy	Use this switch to launch Doc Assistant with the specified document releases added to the <i>Releases</i> page. You can also specify multiple paths separated by a colon (:). <pre>cda -hierarchy "<doc_path_1>/xmlreg/library.lbr: <doc_path_2>/xmlreg/library.lbr"</pre> The first specified document release is set as the current document release. Example <pre>cda -hierarchy</pre>

Related Topics

[Accessing Doc Assistant](#)


Signing In to Doc Assistant

In Online mode, you can sign in to Doc Assistant using your email ID. This helps you personalize Doc Assistant settings.

To sign in to Doc Assistant:

1. Click the *Sign In* () icon in the menu bar. The Sign In dialog box appears.
2. Type your email ID.
3. Click *Get OTP*.
An OTP is sent to your email ID.
4. Type the OTP within 60 seconds of receiving it. If there is any delay, click *Skip* to return to the home page and wait for 60 seconds before signing in again.
5. Select *I have read and agree to the Terms of Use and Privacy Policy*.
6. Click *Log In*.

You are now signed into Doc Assistant.




Related Topics

[Accessing Doc Assistant](#)


[Introduction to Doc Assistant](#)

Doc Assistant User Interface

Doc Assistant is an intelligent documentation viewer that helps you quickly find, explore, and stay updated with product documentation from a single interface. The Doc Assistant window combines search-based discovery, structured browsing, and release-specific updates.




Field/Icon	Description
Home Page Icon 	Brings you back to the home page.

Search	Lets you search for documentation in both Online and Offline modes.
Browse	Allows you to explore documentation by categories: - Browse All Manuals: Displays an alphabetical list of all product manuals available for the current release. - Browse by Product: Displays a list of products available in the current release. Select a product to open a list of related documentation. - Browse by Tech: (Online mode only) Displays a list of key technologies in the current release. Select a technology to display a list of related documentation.
What's New	(Online mode only) Lists the technologies or product areas that have new or enhanced features for the current release. Click a link to display the What's New document.
My Products List	Displays a list of products installed on your system. Documentation of only the selected products is displayed when you browse or search for information in Doc Assistant. 
Notifications (Bell icon)	Displays alerts and updates, including errors, warnings, information, and success messages.
Network Mode  / 	Indicates whether Doc Assistant is in Online or Offline mode.

Hamburger Menu


Provides additional navigation and settings options to personalize Doc Assistant and perform tasks such as switching between modes and themes, viewing history and user analytics, changing settings, and closing all tabs.



Hamburger Menu Options	The hamburger menu includes the following options: ◦ View Documentation Online/Offline: Switches between network modes ◦ Theme: Switches between light and dark themes ◦ Zoom: Controls zoom settings ◦ History: Displays your browsing history ◦ My Analytics: Depicts your user analytics in the form of a pie chart ◦ My Downloads: Lets you manage documentation downloads ◦ Releases: Lets you switch between releases ◦ Settings: Lets you modify Doc Assistant settings ◦ Close All Tabs: Closes all open tabs ◦ Application Feedback: Lets you share your feedback about Doc Assistant ◦ About Doc Assistant: Displays information about the current Doc Assistant version and release ◦ Help: Opens Doc Assistant help documentation ◦ FAQ: Opens the FAQ document ◦ Exit: Closes Doc Assistant
Search Box	Lets you search for documentation.
Sidebar / Shortcut Pane 	Provides quick access to the bookmark and change releases options.
Submit Feedback Button 	Lets you submit both positive and negative feedback about the documentation, product, or help application.

Recent Searches

Displays the last five search keywords from the current session.



Related Topics

[Accessing Doc Assistant](#)

[Searching Through Content](#)

[Browse Modes in Doc Assistant](#)

[My Products](#)

[Managing Bookmarks](#)

[Sending Feedback](#)

[Doc Assistant Network Modes](#)

Doc Assistant Network Modes

Doc Assistant can be used in two network modes, Online and Offline.


For more information about these modes, see:

- [Doc Assistant - Online Mode](#)
- [Doc Assistant - Offline Mode](#)


Doc Assistant - Online Mode

If you are connected to the Internet and have a valid license, Doc Assistant launches in Online mode. In this mode, search results are displayed from documents that are available on the Doc Assistant cloud-based server, where the latest production documents are uploaded, and from the Cadence Application Support & Knowledge (ASK) portal.

In addition to user documentation, in Online mode, you can access several other types of documents available in the ASK portal, such as App Notes, RAKs, videos, and troubleshooting information.



If Doc Assistant is in Offline mode, you can switch to Online mode by selecting the *View Documentation Online* option from the hamburger menu.



Related Topics


[Doc Assistant Network Modes](#)

[Doc Assistant - Offline Mode](#)

Doc Assistant - Offline Mode


You can use Doc Assistant even when you are working in a restricted environment where you have limited or no internet connectivity. In this case, Doc Assistant is launched in Offline mode.

In Offline mode, you can search content from documents of products that are installed on your system.



In this mode, Doc Assistant collects anonymous usage data, which helps our development team to improve the tool functionality and optimize your reading experience. This data provides insights on understanding user interaction patterns while maintaining strict privacy boundaries—excluding any personal or sensitive information from being collected. The data collection system operates under a consent-based model, where you can maintain control over your participation through privacy settings. All data collected is handled while adhering to the established organizational privacy and security guidelines and ensuring compliance with institutional policies.

When you first launch Doc Assistant in Offline mode, you will be prompted to allow anonymous tracking of your browsing data. You can modify this setting at any time through your privacy preferences.




To make Offline Documentation the default mode when Doc Assistant is launched:

- Set the `CDA_OFFLINE` environment variable to `true`.
- Specify the `CDA_OFFLINE` variable in the `help.ini` file on a new line.

If Doc Assistant is in Online mode, you can switch to Offline mode and set it as the default mode by

switching off the *View Documentation Online* option from the hamburger menu.



Related Topics

[Doc Assistant Settings](#)

[My Products](#)


[Doc Assistant Network Modes](#)

[Doc Assistant - Online Mode](#)


Doc Assistant Themes

The Doc Assistant supports the following themes:

- *Light*: In this theme, the background is light and text appears in a darker color. This is the default theme and provides a traditional reading experience with high contrast for clear text visibility.
- *Dark*: In this theme, the background is dark and text appears in a contrasting lighter color. This is an alternative theme that reduces eye strain during extended use and can help decrease power consumption on certain devices.



Use the *Theme* option in the Hamburger menu to toggle between the *Dark* and *Light* themes.



Related Topics


[Doc Assistant Network Modes](#)

[Doc Assistant User Interface](#)

Searching Through Content


Doc Assistant makes finding the information you need quick and simple. Follow these steps to search effectively:

1. Start typing in the search bar. As you type, Doc Assistant automatically displays a word list below the search bar. These suggestions are generated by matching your search terms with available content.
2. Review the *SUGGESTED SEARCH* list that appears and select the relevant match, if displayed, to run the search on.
If no suggestions match your search, continue typing to refine your search.
3. Review the *PAGES* list to see if a relevant topic is listed and, if available, select the topic. The topic will be displayed in Doc Assistant.



Spell Check Assistance

Doc Assistant automatically detects misspelled search terms and provides alternative suggestions to help you find the correct content.



✓ Advanced Search Features

To customize search result details:

- Click *Show All Attributes* to display the details for all search results.
- Click *Hide All Attributes* to hide all the details.
- Click the individual result icon  to view the attributes for a specific search result.

Related Topics

[The Search Page](#)

[View Contents of a Topic](#)

[Indexing](#)


[Search Multiple Releases](#)

The Search Page

You can click a matching suggestion or press Enter to search. Search results with all the topics matching the searched term are displayed.

On the search results page, you can:

- Refine the search criteria. The drop-down arrow in the search box displays the *Search Options* form that lets you customize the search options.
 - *Word Match* (default) retrieves topics that contain the specified keyword. Here, you can select whether the tool must match only whole words or honor wildcards.
 - *Find Exact Word* returns only those topics that include the exact search string as specified in the search criteria.



- Sort the results from the *Sort By* drop-down. Sorting can be done based on the following:
 - *Relevance*: Sorts results based on their relevance to the search keyword. Closest matches are listed at the top.
 - *Manual Title*: Sorts results by arranging their product manual titles alphabetically.
 - *Last Updated*: Displays the most recently updated documents at the top.
- Filter the search results.
- View all topics in the *Product Manuals* tab.

- View only reference topics related to your search in the *Reference Guides* tab.
- View content related to your search available on the Cadence Application Support & Knowledge (ASK) portal in the *Learning & Support Resources* tab. Doc Assistant, by default, opens all the links in this tab within Doc Assistant (as a separate tab). You need to provide support.cadence.com credentials depending on the licenses you own.
- Specify the number of search results to be displayed on each page from the options at the bottom of the search results page.

Although the Doc Assistant displays the contents of web pages, the interface does not support all web browser features. To open web links in an external web browser, go to Doc Assistant *Settings* and select *Open Web Links in Browsers*.

Related Topics

[Filter](#)

[Doc Assistant Settings](#)

[Searching Through Content](#)

[View Contents of a Topic](#)

AI Search

In addition to the traditional keyword-based search, your installation can support semantic search in offline mode and Natural Language Processing (NLP)-based search in Online mode.


Semantic Search in Offline Mode

Semantic *AI Search* is an intelligent, query intent-based hybrid search, which includes both keyword-based and semantic-based results depending on your search query.

Use the *AI Search* button to toggle between the two modes.

- Deselect *AI Search* to run keyword-based search (default).
- Select *AI Search* to run hybrid search. In this mode, use the  buttons to share your feedback about *AI Search*.

The following image shows the difference between the search results in the two modes:



NLP Search in Online Mode

AI Search is an intelligent, query-intent, Natural Language Processing (NLP)-based search that provides NLP-based results depending on your search query. NLP-based search uses Generative AI to understand natural language questions and display direct, contextual answers from the documentation. Instead of keyword matching, it interprets user intent and provides summarized responses along with links to related topics.

Running NLP-based search in Online mode provides:

- A generated answer
- Suggested follow-up questions and supporting explanations
- Relevant documentation links from both the current release and the ASK portal

The screenshot displays the Doc Assistant web application interface. At the top, the header includes the Cadence logo, navigation links (Doc Assistant, Search, Browse, Whats New), and a user profile (Hi, spriya). The main search bar contains the query "Is symbol mapping required for all devices?". Below the search bar, there are checkboxes for "Search Multiple Releases" and a toggle for "AI Search" which is currently turned on. A sidebar on the left is labeled "FILTERS". The search results are titled "Semantic search results for 'Is symbol mapping required for all devices?' powered by iCDA". The first result is a generated response, highlighted with a red box, which states: "Based on the provided context, symbol mapping is not required for all devices. The context clearly states that symbol mapping is optional: From the 'Creating Global Map File' section: 'Symbol and parameter mapping information is optional.' And from the 'Schematic Mapping' section: [Continue reading button]". To the right of this box is a red callout labeled "Generated Response". Below the generated response are three links to related documents, highlighted with a green box: "Examples of Mappings for Schematic Migration -- Using Wildcards in Cell Mapping", "Symbol Mapping -- Specifying Target Symbol", and "Other Parameters Column of a Device Mapping File". To the right of this box is a green callout labeled "Links to Related Documents". Below the related documents is a suggested follow-up question, highlighted with an orange box: "Do I need to specify symbol mapping required for all devices?". To the right of this box is an orange callout labeled "Suggested Follow-Up Questions". At the bottom of the interface, there is a feedback section with the text "Was this helpful?" and thumbs up/down icons.

Doc Assistant

Doc Assistant Home

cadence | Doc Assistant Search Browse Whats New

Hi, spriya

Is symbol mapping required for all devices?

☐ Search Multiple Releases | AI Search ☒

Was this helpful?

Semantic search results for "Is symbol mapping required for all devices?" powered by iCDA

Based on the provided context, **symbol mapping is not required for all devices.**

The context clearly states that symbol mapping is optional:

From the "Creating Global Map File" section:

"Symbol and parameter mapping information is optional."

And from the "Schematic Mapping" section:

[Continue reading](#)

Examples of Mappings for Schematic Migration -- Using Wildcards in Cell Mapping

Virtuoso Custom Design Migrate User Guide > Examples of Mappings for Schematic Migration > IC25.1

Using Wildcards in Cell Mapping You can use the * wildcard for mapping cells. This allows for a full or partial string match between the source and target cells to map them. For example, specifying *m...

Symbol Mapping -- Specifying Target Symbol

Virtuoso Custom Design Migrate User Guide > Symbol Mapping > IC25.1

Specifying Target Symbol Select a device from the list in the Navigator pane. Symbol corresponding to the selected device is displayed in the Symbol tab of the Source pane. From the Cell drop-down list...

Other Parameters Column of a Device Mapping File

Virtuoso Custom Design Migrate User Guide > Other Parameters Column of a Device Mapping File > IC25.1

Other Parameters Column of a Device Mapping File The Other Parameters enables special, map specific options. For example, symbol offsets may be specified from the source symbol to the target symbol. M...

Do I need to specify symbol mapping required for all devices?

No. Explicit symbol mapping is required when the target device has extra pins or when the pin names or symbol size is different.

Schematic Mapping Editor User Interface

Virtuoso Custom Design Migrate User Guide > Schematic Mapping File > IC25.1

Was this helpful?

Generated Response

Links to Related Documents

Suggested Follow-Up Questions

In this mode, use the button to share your feedback about *AI Search*.

Use the *AI Search* button to toggle between the keyword-based and NLP-based search modes.

Related Topics

[The Search Page](#)


[Searching Through Content](#)

[View Contents of a Topic](#)


View Contents of a Topic

Use the search page in Doc Assistant to search for the required product documentation. Click a search result to open the required topic.

The topic opens in a new tab that displays the following elements:



Field	Description
-------	-------------

Breadcrumbs	Allow you to navigate to the lower nodes of the document. If the user guide belongs to a group (for example, SKILL LANGUAGE), the group name is also listed in the breadcrumbs. 
<i>Switch Topic Version</i>	Lets you select a different release and view the version of the current topic published for that release. The topic opens in a new tab.
<i>Filter by Title</i>	Lets you specify a keyword to filter content in the current user manual.
Table of Contents (TOC)	Provides navigation through the document structure.
<i>View PDF</i>	Opens the topic contents in PDF format. The PDF opens in a new tab.
<i>Download PDF</i>	Lets you download a PDF of the topic contents.
<i>Show or Hide Header</i>	Lets you control the display of the header. Hiding the header improves the readability of content in the topic viewer.
<i>View Content Summary</i>	Displays a concise summary of the topic contents. Use the feedback buttons on the summary page to share your feedback on the generated content.
<i>Recommended Content</i>	Displays a list of topics related to the current topic.
<i>Share</i>	Lets you share the current topic with others.
Topic Content	Displayed on the right side of the interface.

To close a tab in the topic viewer, use the Ctrl + W bindkey. This bindkey does not work as required when there is only one tab open in the topic viewer.

Alternatively, click the Close button for the tab, or right-click anywhere in the topic viewer and choose *Close Tab* from the shortcut menu.

If only one tab is open, this command opens the Doc Assistant home page.

Related Topics

[Searching Through Content](#)

[The Search Page](#)

Indexing

Doc Assistant searches for content by matching the specified keywords against the index files that contain all searchable content from the documentation.

Doc Assistant automatically builds a search index when needed. If the index is missing or corrupted in the `<installation_dir>/doc` directory, Doc Assistant recreates it and sends a notification through the Notifications panel.

Platform-Specific Index Location

- Linux Systems: If you do not have write permissions to the Doc Assistant installation directory, set the CDA_HOME_AUTOINDEX environment variable to `true` to create the search index in your home directory instead.
- Windows Systems: By default, Doc Assistant creates the search index in your home directory. To force index creation in the installation directory, set the CDA_DISABLE_HOME_AUTOINDEX environment variable to `true`.

Related Topics


[Searching Through Content](#)

[The Search Page](#)

[View Contents of a Topic](#)

Filtering Search Results

Use the *FILTERS* options on the Doc Assistant search results page to quickly narrow down and find exactly what you need. These powerful filtering tools are available on both the *Product Manuals* and *Reference Guide* tabs.



The screenshot displays the Doc Assistant search interface. At the top, navigation tabs include 'Product Manuals', 'Reference Guides', 'Learning & Support Resources', and 'Portal'. A green arrow points to the 'Portal' tab. Below the tabs, a search bar contains the text 'Search filter'. To the right of the search bar, it says 'About 10000 results' and 'Sort By: Relevance'. A red box highlights the 'FILTERS' section on the left, which includes categories like 'CONTENT TYPE', 'EXAMPLES AND CODE', 'PRODUCT', 'PRODUCT FEATURE', and 'DOCUMENT TYPES'. A red arrow points to the 'Filter Search Results' text. The main content area on the right shows search results for 'Design', including 'Working with Designs in Allegro Design Management', 'Design Partitioning', 'Working with Flat Designs in Design Entry HDL', 'Sample Designs', 'Reusing Existing Designs', 'Creating Hierarchical Designs', and 'Modifying a Design'. At the bottom, it says 'Display Results: 10 20 30 40' and '1 | 2 | 3 | 4 | 5 > >>'.

In Online mode, filters are updated dynamically based on the currently selected filter. For example, when you select any filter—such as *Content Type*—all other filter options, *Product*, *Product Feature*, and *Document Types*, automatically update to show only relevant choices. This ensures you always see the most accurate filtering options.

The selected filters are displayed at the top of the search results with a cross icon for quick removal. The number in brackets next to each filter option shows how many search results will be available if the filter is applied. You can clear any filter to return to your full search results.


Refine your search using the following content filters:

- [Content Type](#)
- [Examples and Code](#)
- [Product](#)
- [Product Feature](#)
- [Document Types](#)
- [Category](#)

Content Type

You can filter search results based on the content type:

- *Concept*: Features, benefits, product flows, and prerequisites
- *Task*: Step-by-step how-to guides and procedures
- *Reference*: API documentation, environment variables, and interface descriptions (forms, dialogs, menus, toolbars)



✓ Click *Clear All* to remove all the selected filters at once.

Examples and Code

Toggle this filter to show or hide documents containing code snippets and examples. The search counts may reflect multiple instances from the same document.

Product

Use this filter to narrow results to specific products, for example, *Virtuoso Schematic Editor* and *Virtuoso Layout Suite*.

Product Feature

Filters search results according to product features. For example, select *Power Manager* to view only Power Manager-related topics.

Document Types

Filters search results according to the type of document—*User Guides*, *SKILL Reference*, and *Release Notes*.

Category

This filter is available only on the *Learning & Support Resources* tab. You can filter content according to the content categories, such as *Troubleshooting*, *Videos*, and *What's New*.

Related Topics

[Searching Through Content](#)

[The Search Page](#)

[View Contents of a Topic](#)

[Displaying Search Results from Multiple Releases](#)


Displaying Search Results from Multiple Releases

In Online mode, the search results page in Doc Assistant includes a *Search Multiple Releases* check box that controls the scope of your search.

- **Unselected** (default): Search runs only within the currently active release.
- **Checked**: Search runs across all releases selected in the *Releases* interface.

Search results are displayed only for the products you have selected in the My Products page. You can customize this product list individually for each release.

When searching multiple releases, results are organized by release, with the current release shown first. Select a different release to display search results from that release.



Select a search result to view the topic. Topics for the current release open in a new tab within the same Doc Assistant window. Topics from other releases open in separate Doc Assistant windows. This behavior helps you easily distinguish between content from different releases while maintaining your workflow.

When you select a release, the system automatically fetches and caches data locally for faster performance. Subsequent searches for the same term will load instantly from your saved session data.

Related Topics

[Releases](#)

[My Products](#)

[Searching Through Content](#)


[The Search Page](#)

[View Contents of a Topic](#)

Browse Modes in Doc Assistant

Doc Assistant provides various *Browse* modes to explore documentation when you prefer structured navigation instead of keyword search. These modes are useful when you want to discover content, learn a product area, or access manuals systematically.


The Doc Assistant home page includes a *Browse* menu on the top navigation bar that provides the following browsing modes:



Browse All Manuals

In *Browse All Manuals* mode, the complete set of user guides (manuals) available for the current release is listed alphabetically.

Use this mode when you know the name of the user manual but do not want to search for it.




There are additional doc filter options available under the following tabs:

- **By DocType:** Filter by product, feature, and sub-feature
- **By Group:** Filter by product, documentation group, and user manual

These filter categories can be sorted alphabetically using the A-Z button.


Browse by Product

In *Browse by Products* mode, all Cadence products that are available for the current release, for example, Virtuoso Layout Suite, Spectre RF, Xcelium, and AMS Designer, are listed as product tiles.



You can select a product tile to view a list of related user manuals. The topic viewer panel displays the TOC of the first user manual. Clicking any link in the topic viewer opens the documentation on a new tab.

Use the *Edit* button to add more products to the *Product Documentation* list.




Use this mode when you are working with a specific Cadence product and need all product-focused

documentation for the product in one place.

Browse by Technology

(Online mode only) *Browse by Technology* mode groups documentation by technical domains and workflows, for example, Analog Mixed-Signal, Digital Design Circuit Modeling, Verification, and SKILL Infrastructure. These technologies are listed as tiles, and you can click a tile to view a list of *Core Concepts* related to the technology. Documentation for the first core concept is displayed in the topic viewer panel.




Clicking any link in the topic viewer panel opens the topic on a new tab.
Use this mode to learn concepts, flows, and best practices related to a specific technology.

Related Topics

- Filtering Search Results
- Searching Through Content
- Doc Assistant User Interface

View Content Summary

Topic pages in Doc Assistant include a *Summary* button that generates instant, AI-powered summary of the topic content. Click this button to access clear, concise summaries for both concept-based and task-based topics.

Help us improve by using the feedback buttons  to rate the quality and usefulness of the summary.

The screenshot displays the Doc Assistant web application. The main window shows a document titled "Run Modes of Virtuoso Studio Design Environment". The sidebar on the right, titled "Summary", contains sections for "Key Concepts" and "Key Tasks". An arrow points from the "Summary" button in the document's navigation bar to the summary sidebar. The document page includes a "Table of Contents" sidebar, a main content area with text and code, and a "Related Topics" section at the bottom. The summary sidebar also includes a "Was this helpful?" feedback section and a disclaimer at the bottom.

Doc Assistant

Doc Assistant Home | Run Modes of Virtuoso Studio Design Environment

Search Virtuoso Studio 25.1

Hi, spriya

Back Forward Bookmark Recommended Content Share Summary

Hardware and Software Requirements

Virtuoso Studio Design Environment
Product Version IC25.1, December 2025

Run Modes of Virtuoso Studio Design Environment

When you start the Virtuoso Studio Design Environment in graphics mode, the Command Interpreter Window (CIW) appears. From the CIW, you can start individual Cadence applications.

In nongraphics mode, you can type Cadence SKILL commands or do any of the following:

- Create designs or the graphical user interface. You can start Cadence software using the command-line option.

For more information, see [Starting Cadence Software](#).

When Virtuoso has launched, the time taken to successfully checkout the CIW, for example:

```
\o Virtuoso Framework License (111) was checked out successfully.
```

You can now go on to access some applications by selecting a menu item. Other applications start automatically when you open a design cellview (u schematic, your schematic editor starts automatically).

Related Topics

[Command Interpreter Window](#)

Key Concepts

- The Virtuoso Studio Design Environment provides two modes - graphics and non-graphics mode, which determines how the environment interacts with the user.
- In graphics mode, the Command Interpreter Window (CIW) allows starting individual Cadence applications.
- Nongraphic mode enables typing Cadence SKILL commands without requiring a graphical user interface.

Key Tasks

1. Start Cadence software in either graphics or non-graphics mode based on requirements.
2. Access various applications through menu items in the Command Interpreter Window (CIW).
3. Automatically launch specific tools such as the schematic editor upon opening certain types of files like schematics.
4. Use command-line options to customize the startup process of Cadence software.

Was this helpful?

The responses generated by AI can be inaccurate or misleading. Make sure you check the responses and its sources.

Related Topics

Finding Content within a Page


Searching Through Content

Finding Content within a Page

The Find feature allows you to quickly locate specific words or sentences within any page in Doc Assistant.


To search within a page:

1. Press *Ctrl + F* or select *Find In Page* from the hamburger menu to display the Find box.




2. Type the search term in the *Find* box and press *Enter*. All instances of the searched keyword in the page are highlighted.
3. Type your word or phrase in the *Find* box.
4. Press *Enter* to start the search.
5. Review your results:

- All matching instances will be highlighted on the page.
- Use the  and  arrows to jump between matches.



If no matches are found, the *Find* box turns red.



Related Topics


[Searching Through Content](#)

[View Contents of a Topic](#)

Sending Feedback

You can share your input or report an issue using the built-in feedback form. Follow the steps below to submit your feedback:

1. Open the *Provide your feedback!* form using one of the following methods:
 - Use the  button in the topic viewer to share your feedback on the topic content.
 - Click the  button at the bottom of the TOC to share feedback about the product.
 - Select *Application Feedback* from the hamburger  menu to share feedback about Doc Assistant.



The image shows a feedback form titled "Provide your feedback!". It contains three radio buttons for "This document": "Helped in learning" (selected), "Resolved my query", and "Needs review". Below this is a text area for "Your Comment:" with the text "The article provided a clear explanation with helpful diagrams. It improved my understanding of the concept significantly. Thank you!". At the bottom is an "Email ID" field with a red asterisk and a "Submit Feedback" button.

2. Select the feedback type. Select one of the following options based on your experience:
 - *Helped in learning* – The content improved your understanding.
 - *Resolved my query* – The information answered your question.
 - *Needs review* – The content needs an update because it was inaccurate, outdated, or

unclear.

3. Type your comments in the *Your Comment* field. Type specific feedback, suggestions, or issues related to the content or search result.
4. Type your corporate email ID. This is a mandatory field to help us follow up if required.
5. Click *Submit Feedback* to send your input.

Your feedback is routed to the documentation or support team for further review and action.

 When feedback is submitted offline, it is securely stored locally and automatically syncs when you reconnect to the internet.

Related Topics

[Finding Content within a Page](#)

[View Content Summary](#)

[View Contents of a Topic](#)

Sharing Content

You can share interesting and important information with other Doc Assistant users. The recipient can view the content only if they have access to the same set of product documents for the same release as you.

Offline Mode

To share content in Offline mode:

- 1. Open the topic you want to share.
- 2. Right-click anywhere in the topic viewer.

diDialogEnableImageUpload

```
constraint diDialogEnableImageUpload boolean { t | nil }
```

Description

Specifies whether the image upload button must be visible in the Design Intent form. The image preview widget is visible only if images have been uploaded. The default is t.

GUI Equivalent

Command	Design Intent – Create Design Intent or Design Intent – Edit Design Intent
Form Field	Upload Image

Examples

```
envGetVal("constraint" "diDialogEnableImageUpload")  
envSetVal("constraint" "diDialogEnableImageUpload" 'boolean nil)
```

Add to Bookmarks

Close Tab

Copy link address


- 3. Choose *Copy link address* from the shortcut menu.
- 4. Send this link through any communication channel such as email or messenger.


To access the content, the recipient must copy the link and paste it in the search box of the Doc Assistant and press Enter.

Online Mode

To share content in Online mode, you must be logged on to the Doc Assistant. The *Share* button in the topic viewer page allows you to easily share the content of the current page with your contacts through email. The recipient receives a notification and can open the topic only in Doc Assistant.

To share a topic through email:

1. Open the topic in Doc Assistant.
2. Click the *Share* button  to open the Share this page form.
3. Type the email address of the recipient.
4. Type a personalized message in the corresponding box.
5. Click *Share*.



Recommended Content 

Share this page


anita@cadence.com

I found this topic very informative.
So I am sharing the link with you for
your reference.]

Share Cancel

An email, with a link to access the topic in Doc Assistant, is sent to the specified email ID. To access the content, the recipient must copy the link and paste it in the search box of the Doc Assistant and press Enter. The recipient does not need to log on to the Doc Assistant to access the content using this method.

When logged on the Doc Assistant, the recipient receives a notification in the Doc Assistant window.



Click the link in the message to view the shared information.

Topics for the current release are displayed in a new tab in the same Doc Assistant window. Topics from other releases are displayed in a new Doc Assistant window.

Related Topics

[Sending Feedback](#)

[View Contents of a Topic](#)

Doc Assistant FAQs

This document contains answers to common questions you might have related to Doc Assistant. For further assistance, write to docassistant.support@cadence.com.

#	Question or Problem Statement	Solution / Workaround
1	How to launch Doc Assistant?	You can launch Doc Assistant in one of the following ways: - Windows systems: Run <code>cda.exe</code> from: <pre>C:\Program Files (x86)\Cadence\Doc Assistant\tools\bin\cda.exe</pre> - Linux systems: Type the <code>cda</code> command in the terminal or from <code><INSTALL>/bin/cda</code> - Both Windows and Linux systems, after launching the Cadence tool: Product <i>Help</i> menu, Product <i>Help</i> buttons.

2	What to do when: • Doc Assistant is not launching • Doc Assistant freezes after launching	Doc Assistant might not launch in one of the following situations: • The firewall settings of your system might need an update to enable socket communication. • The communication port that is required to launch Doc Assistant is turned off. To enable it: a. Work with your IT team to enable a specific range of ports. For more information, see The Ephemeral Port Range. b. Use the <code>CDA_WEBSERVER_PORT</code> environment variable to define the port range to be used by Doc Assistant. For example, if your IT team has enabled port range 1024 through 65535 in your system for running Doc Assistant, use the <code>CDA_WEBSERVER_PORT</code> environment variable to define the port range by specifying the maximum and minimum values:<pre>setenv CDA_WEBSERVER_PORT <PORT_NUMBER_MIN>-<PORT_NUMBER_MAX></pre>Alternatively, define a webserver port in the <code>help.ini</code> file:<pre>CDA_WEBSERVER_PORT= <PORT_NUMBER_MIN>-<PORT_NUMBER_MAX></pre>In the above example, <code>PORT_NUMBER_MIN</code> must be higher than or equal to 1024 and <code>PORT_NUMBER_MAX</code> must be less than or equal to 65535. Doc Assistant runs in the specified port range. • Check and end any help process running in the background. Relaunch Doc Assistant.
---	---	--

3	Doc Assistant opens in standalone mode with its default view displayed, but it does not open from the tool help. How can I fix this?	To fix the problem: 1. Check the process table associated with your system and end any running Doc Assistant process. 2. Launch Doc Assistant in standalone mode before launching the Cadence product you want to launch. 3. Check if Doc Assistant works with the tool Help options. If the problem persists, contact your IT team to check if the communication ports are blocked on the system from which you are accessing Doc Assistant. Try launching Doc Assistant after the ports are enabled.
4	When Doc Assistant is accessed from certain Cadence tools, the tool temporarily stops responding. How can I fix this?	This might be due to access restrictions to the user temp directory. To fix this issue: 1. Create a user directory at your home location, where you have write access, for example, <code>/home/<USER_NAME>/CdaTempfiles</code> in Linux and <code>C:\Users\<USER_NAME>\CdaTempfiles</code> in Windows. 2. Set the <code>PAR_GLOBAL_TEMP</code> system environment variable to the location of the new user directory, for example, <code>PAR_GLOBAL_TEMP /home/<USER_NAME>/CdaTempfiles</code>. 3. Launch Doc Assistant.
5	What to do when context-specific help topic is not displayed?	1. Ensure you have read access to the documentation directory (<code>INST_DIR/doc</code>) and all the subdirectories. After getting the required permissions, launch Doc Assistant from the dialog box or tool interface from where you saw the error. 2. If the problem persists, create a debug file that replicates the issue and send it to Cadence Customer support. For more information, see How to debug Doc Assistant?
6	What to do when Doc Assistant license check fails?	Set the following environment variable to specify a valid licensing server: <pre>setenv CDS_LIC_FILE serverName</pre>

7	Doc Assistant does not fetch results for an online search. How can I fix this?	1. Check your internet connection. It should be running uninterrupted. 2. Debug the Doc Assistant proxy and firewall settings. For more information, see How to debug proxy settings in Doc Assistant? 3. Check the firewall settings. Your IT team should add Doc Assistant to the firewall exception list. 4. As a temporary workaround, switch to Offline mode and search only in the local doc hierarchy. Also see How to debug Doc Assistant?
8	How to debug Doc Assistant?	To debug Doc Assistant, set the <code>CDA_API_DEBUG</code> and <code>CDA_DEBUG</code> environment variables. 1. Set the value of the <code>CDA_API_DEBUG</code> environment variable to <code>debug</code> to log the Doc Assistant API debug information to the <code>CDA_API_log.txt</code> file in the <code>\$HOME/.config/cadence</code> directory. In Windows systems, the file is located at: <code>C:\Users\<username>\.config\cadence</code> 2. Set the value of the <code>CDA_DEBUG</code> environment variable to <code>debug</code> to log the Doc Assistant debug information to the <code>cdaLogger.txt</code> file in the <code>\$HOME/.config/cadence</code> directory. In Windows systems, the file is located at: <code>C:\Users\<username>\.config\cadence</code>

9	How to debug proxy settings in Doc Assistant?	If Doc Assistant does not respond, debugging proxy settings could help. To do this: 1. Check if your system is connected to the network. 2. If your system is protected by a proxy or a firewall, ensure that you can access the Internet. Additionally, check if the proxy settings have been correctly specified in the <i>Proxy Server</i> section of the <i>Settings</i> page. 3. If your network does not use a proxy, clear all the fields in the <i>Proxy Server</i> section of the <i>Settings</i> page. 4. If you are still unable to access Doc Assistant, Cadence servers may be down. Try accessing Doc Assistant after some time. 5. After trying again, if Doc Assistant still does not respond, the firewall settings in your environment may be blocking your access. Contact your IT team for assistance.
10	Search results in Doc Assistant do not display relevant content even when the related documents exist in the documentation hierarchy. How can I fix this?	The Doc Assistant index might be outdated. Doc Assistant automatically updates the search index and displays a notification in the <i>Notifications</i> list. In Offline mode, use the <i>Create Index</i> option in the <i>Releases</i> section to create a search index for the offline documents that are available in your installation directory.

11	How to increase the font size in Doc Assistant?	1. Click the hamburger icon on the menu bar. 2. Choose <i>Settings</i>. 3. In the <i>Content Display Settings</i> section, select a font style from the <i>Font Style</i> drop-down list. 4. Select a size from the <i>Font Size</i> drop-down list. A preview is displayed in the <i>Preview</i> section. 5. (Optional) Unselect <i>Preserve Spaces and Line Break</i> to reduce line spaces and line breaks in content pages. This provides a compact view of the content in the topic viewer. 6. Click <i>Save</i>.
12	When I close the parent application, Doc Assistant also closes. Is there any setting to keep the Doc Assistant open?	1. Click the hamburger icon on the menu bar. 2. Choose <i>Settings</i>. 3. Unselect <i>Allow APIs to Close the Application</i> in the <i>Shutdown/Startup Behavior</i> section.

13	How to view documents from another release?	Doc Assistant, by default, displays documents for the currently active release in your system. To access documents from another release: 1. Click the hamburger icon on the menu bar. 2. Choose <i>Releases</i>. 3. Click <i>Make Current</i> for the release for which you want to view documentation. If your release is not listed, you can add the required release to the list of <i>Releases</i>. To add a release: 1. Click <i>Add Release</i> on the <i>Releases</i> page. 2. Browse and select a document directory. 3. Click <i>Choose</i>. The selected document directory is added to the <i>Releases</i> list.
14	What to do when My Downloads does not show any options?	Ensure that: • You are connected to the Internet and Online mode is enabled. • You are signed in to Doc Assistant. • You have write permissions to the default document directory located at: <code><installation_dir>/doc</code>. • The current online and default offline releases are the same. To synchronize the releases, open the <i>Releases</i> page and locate the <i>Default Doc</i> release. Click <i>Make Current</i> to set it as the current release.
15	Videos play in Doc Assistant, but there is no audio. How can I fix this?	Check if the system has a sound card.

16	What to do when search results are not displayed for the specified keywords?	Check if you have an outdated version of Doc Assistant running on your system. Upgrade to the latest version and rerun the search command.
17	Cross-functional documentation (hyperlinks) is inaccessible from Doc Assistant. How can I fix this?	Check if you have an outdated version of Doc Assistant running on your system. Upgrade to the latest version.
18	The PDF Not Found error is displayed when I try to access PDFs in Offline mode. How can I access PDFs?	The PDFs might be unavailable in the installation directory. Switch to Online mode and access the PDFs. You can download the required release documentation when in Online mode. Alternatively, access the PDF on the Cadence Application Support & Knowledge (ASK) portal.
19	Hyperlinks do not open in a separate web browser, outside of the Doc Assistant window. Can I configure Doc Assistant to open HTTP links in an external web browser?	You can configure Doc Assistant to open HTTP links in an external web browser. To do this: 1. Click the hamburger icon on the menu bar. 2. Choose <i>Settings</i>. 3. Select the <i>Open Web Links in Browsers</i> check box. This option is available only in Online mode. In Offline mode, all HTTP links automatically open in an external browser.

Debugging Doc Assistant

To debug Doc Assistant , set the `CDA_API_DEBUG` and `CDA_DEBUG` environment variables.

Set the value of the `CDA_API_DEBUG` environment variable to `debug` to log Doc Assistant API debug information to the `CDA_API_log.txt` file in the `$HOME/.config/cadence` directory.

Set the value of the `CDA_DEBUG` environment variable to `debug` to log the Doc Assistant debug information to the `cdaLogger.txt` file in the `$HOME/.config/cadence` directory.

You can change the location of the logs by setting the value of the CDA_HOME environment variable to the path where you want the debug log files to be created.

Accessing Doc Assistant - FAQs

This topic lists certain corner cases where the required content might not be displayed in the Doc Assistant.

Doc Assistant Does Not Launch

If you are not able to open Doc Assistant from your tool, ensure that the installed *doc* folder has write permissions. Follow these instructions:

1. Delete the *.config* file.
2. Launch Doc Assistant from the tool.
3. If the problem persists, check if there is any help process running in the background. If yes, kill the process and launch Doc Assistant. Ensure to wait till indexing finishes.

Doc Assistant Opens Up in Standalone Mode

If Doc Assistant does not display help from the Cadence tools and opens up in standalone mode (where you see the default view of Doc Assistant), follow these troubleshooting methods:

1. Check your process table and kill any running Doc Assistant process, and re-launch Doc Assistant.
2. If the problem persists, contact your IT team to check if the communication ports are blocked on the system from which you are accessing Doc Assistant. Try launching Doc Assistant after the ports are enabled.

Context-Specific Help Topic Is Not Loaded

If Doc Assistant does not display context-specific help topics, follow these troubleshooting methods:

1. Ensure you have read access to the documentation directory (INST_DIR/doc) and all the sub-directories. Once you enable it, try to launch help from the dialog box or tool interface where you got the error.
2. If the problem persists, create the debug files (see [Debugging Doc Assistant](#)) after running the steps where you faced the issue and send them to Cadence Customer support.

Doc Assistant License Check Fails

If the Doc Assistant licensing check fails, use the following environment variables to specify a valid licensing server:

```
setenv CDS_LIC_FILE serverName
```

```
setenv LM_LICENSE_FILE serverName
```

Viewing Updated Content in Doc Assistant

If you are not able to view the relevant content in the search results although it exists in the documentation hierarchy, the index could be outdated. Doc Assistant automatically updates the search index and notifies it in the *Notifications* list.

Disable High DPI for Higher Resolution Devices

When you use a 4K or higher resolution monitor, to avoid any issues with the text and images displayed in Doc Assistant, set the `CDA_NOHIGHDPI` environment variable to `true`.

Debugging Proxy Settings and Firewall Issues in Doc Assistant

When Doc Assistant fails to connect to the network, try the following procedure to troubleshoot:

- Check your computer's network connection.
- If it is protected by a proxy or firewall, ensure that you are able to access the Internet. Additionally, check if the proxy settings have been correctly specified in the *Proxy Server* section of the *Settings* page.
- If your network does not use a proxy, clear all the fields in the *Proxy Server* section of the *Settings* page
- If you are still not able to access Doc Assistant, it could be possible that Cadence servers are not running. Try accessing after some time.
- It could be due to the firewall settings in your environment. Contact your IT team for

assistance.

Using Cascading Style Sheets

Doc Assistant supports CSS. You can use CSS within the HTML files or link to external .css files.

The following table lists the CSS properties supported by Doc Assistant:

background-color	<color>	Background color for elements
background-image	<uri>	Background image for elements
color	<color>	Text foreground color
font-family	<family name>	Font family name
font-size	[small medium large x-large xx-large] <size>pt <size>px	Font size relative to the document font, or specified in points or pixels
font-style	[normal italic oblique]	
font-weight	[normal bold 100 200 300 400 500 600 700 800 900]	Specifies the font weight used for text.
text-decoration	none [underline overline line-through]	Additional text effects
font	[[<'font-style'> <'font-weight'>]? <'font-size'> <'font-family'>]	Font shorthand property
text-indent	<length>px	First line text indentation in pixels

white-space	normal pre nowrap pre-wrap	Declares how whitespace in HTML is handled.
margin-top	<length>px	Top paragraph margin in pixels
margin-bottom	<length>px	Bottom paragraph margin in pixels
margin-left	<length>px	Left paragraph margin in pixels
margin-right	<length>px	Right paragraph margin in pixels
vertical-alignment	baseline sub super	Vertical text alignment
background	[<'background-color'> <'background-image'>]	Background shorthand property
page-break-before	[auto always]	Make it possible to enforce a page break before the paragraph/table
page-break-after	[auto always]	Make it possible to enforce a page break after the paragraph/table

CSS Selectors Supported by Doc Assistant

All CSS 2.1 selector classes are supported except pseudo-class selectors such as `:first-child`, `:visited`, and `:hover`.

Referencing CSS Within HTML

Although Doc Assistant recognizes CSS markups in uppercase, when calling CSS markups within HTML, the class name needs to be in lowercase. The HTML element tag can be in uppercase, lowercase, or mixed case. For example, the following CSS definition

Working with Tag Files

Applications that display help in Doc Assistant use a .tgf file to identify which file to open depending on the Help button that is clicked. The .tgf file points to documents. You need to modify the .tgf file and your documents so you can point a Help button to your custom documents. Each line of a .tgf file lists the following:

tagname docpath linkname filetype [version]

- tagname is a string output by the Cadence application when the user clicks a particular *Help* button.
- docpath is the path to and the name of the file to open when the *Help* button is clicked.
- If the path begins with a forward slash (/), it is an absolute path.
- If the path begins with the dollar symbol (\$), Doc Assistant looks for the document at the following locations sequentially:

install_dir/doc/name

install_dir/local/doc/name

\$HOME/doc/name

Doc Assistant looks for a matching name/nameTOC.html file with a specific HTML META value to make certain that the directory name includes a Doc Assistant manual.

- If the path does not have a slash or dollar symbol, it is relative to the doc/ manualdir path containing this .tgf file.
- linkname is the text of the HTML <A NAME> anchor to which Doc Assistant jumps. In HTML, the syntax of an <A NAME> anchor is as follows:

```
<a name="uniqueID">text to be marked with anchor</a>
```

where uniqueID is any text string that identifies this part of the HTML.

- filetype gives the file format of the document. Valid file types:
HTML (for HTML files used by Doc Assistant)
- version is an optional version string. This is only included if the same tag file is used when two forms for this application pass identical tag names but different version strings. For non-DFII products, the tag file usually begins with a DEFAULT line. If the requested filename is not found, the DEFAULT entry will be used.

A sample tag file:

```
DEFAULT myBookTOC.html NULL HTML
```

CreatePinForm chap1.html "createpin" HTML
CloseCell \$dfref/chap3.html "closecell" HTML 4.6
User Guide \$cda/cdaTOC.html NULL MENU

- The first line lists a default document file (`myBookTOC.html`, a table of contents file) that is opened if the Cadence tool passes a string that is not listed in this tagfile. Its path is the same as the tag file's directory.
- If the application passes the tag name `CreatePinForm`, Doc Assistant opens the file `chap1.html` in the tag file's directory, then jumps to the `<A NAME>` anchor with the string `createpin`.
- If the application passes the tag name `CloseCell` with version number `4.6`, Doc Assistant opens the file `chap3.html` in the directory `~/doc/dfref`, or `local/doc/dfref`, or `doc/dfref` in that order. Doc Assistant jumps to the `<A NAME>` anchor with the string `CloseCell`.
- If the application passes the tag name `User Guide`, Doc Assistant opens the TOC file for itself, which lists all the documents so the user can pick one.

Ensure that the tag name and associated page does not contain '.pdf' extension because it is not supported in Doc Assistant.

Determining whether your application has a tag file

Different families of Cadence applications have different methods for identifying their help tag file. For most applications, the help tag file is in the same directory as the document. To find the help tag file, look in the document's directory for a file named `manualname.tgf`.

For example, the tag file for the Library Manager document is

`doc/libManager/libManager.tgf`

For most (but not all) Design Framework II® applications, the help tag file will be named

`doc/helpAppID/helpAppID.tgf`

The `helpAppID` is usually different from the document directory name, and in most cases the `doc/helpAppID` directory contains only the help tag file. The document itself is in another directory.

How Cadence applications find tag files

A few Design Framework II applications and all other Cadence applications that use a tag file find it by doing the following:

The application searches for the document directory (or a subdirectory containing that directory) in your doc hierarchy, in the following order:

- `install_dir/doc`
- `install_dir/local/doc`
- `$HOME/doc` **or** `%userprofile%\doc` (Windows)

Most Design Framework II applications find their help tag file by doing the following:

1. The application determines which help application ID, and therefore which tag file, to search first.
2. The application searches for the `helpAppID/helpAppID.tgf` file in the following order:
 - `install_dir/doc`
 - `install_dir/local/doc`
 - `$HOME/doc` **or** `%userprofile%\doc` (Windows)

Doc Assistant does not allow tag names having ".pdf" to support open pdf files functionality. Avoid using any extensions in the tag file names.

3. If there is a match, the appropriate document page is displayed. If there is no match, the application continues to the next help application ID in the list.
DFII applications can be either a sub-application of a schematic or layout editor tool; or they can be an editor tool; or they can be part of the software framework itself. DFII help searches for help tags beginning with the most specific possible tag file and moving towards the default tag file, `dfii.tgf`. The list of application IDs to search is generally:
 - `sub_application.tgf` : Information specific to the application.
 - `root_application.tgf` : Information that is general for all applications under the current schematic or layout editor.
 - `dfii.tgf` : Information that is general to all DFII tools.

Modifying a document and tag file

If you change a pointer in a `.tgf` to jump to a different anchor in the modified Cadence document or to a file you added to the Cadence hierarchy, you must:

- Add or change HTML anchors in the help files
- Find the help symbol used by the form or window to locate help files
- Edit the .tgf pointer file that maps help symbols to HTML anchors

The next sections describe these steps.

Adding or changing HTML anchors

Cadence applications find a page in a help document by looking for an <A NAME> element, called "anchor", in the HTML file.

If you create a new help file, add a new section, or change a section and remove the existing <A NAME> element, you must place an <A NAME> anchor on each section that you want to open from a Help button.

You may use any HTML editing program, including a text editor such as vi, to edit the HTML file and add, change, or move anchor elements. The syntax of an anchor is:

```
<A NAME="uniqueID">Text at beginning of section you want to jump to</a>
```

where `uniqueID` is any text string unique to this NAME element.

Finding the form or window help symbol

The .tgf files map application help symbols to specific help filenames. Clicking on a Help button in that application passes the help symbol to a program that uses the tgf to look up the appropriate help file.

For all non-DFII and a few DFII applications, there is no specific mechanism for determining what help symbol is used for a specific window or form. You may want to look through the tag file (.tgf) for the document used by that application to see which files are called. You may be able to tell, by looking at the section where an anchor is placed, which form or window jumps to that page. Then you can look for that document file and anchor name in the .tgf file.

If you have a DF II application, you may also use the following steps to determine what help symbols and .tgf files are used by a specific form or window.

1. Open the form or window whose help you want to customize.
2. Type the following in the Command Interpreter Window (CIW):

```
helpDebug=t
```

3. Click the form or window *Help* button.
4. You see a report similar to this:

```
hiHelp: help symbol = "WidgetEditor" Application ID = "cadenceTool"  
...hihelpLookupTag: appIDlist = (string) "cadenceTool" tagName = (string)
```

```
"WidgetEditor" objType = (symbol) form objName = (symbol) helpSymbol quickHelpTag =  
(list) nil concatTagName = (list) nilSearching for help symbol...Calling  
hiiObShowTag, toolList = ("cadenceTool" "DFII"), tagName = "WidgetEditor"calling  
obShowTag with tool "icctranslator", tag "WidgetEditor" (version "")tag  
"WidgetEditor" found, document was displayed."hiiObShowTag call succeeded"
```

Note: If the output you see is different, your product does not use `hiHelp()` to access online help.

In this example, `WidgetEditor` is the form help symbol. The tag file you must edit in this example is `/install_dir/doc/cadenceTool/cadenceTool.tgf`. (The debug output in the CIW does not show the filename so you must deduce the name from the application ID.)

If `helpDebug()` never finds the symbol, you can edit any one of the tag files it searched and add the missing help symbol.

Editing the .tgf file

After you have created any new help files or sections and added `<A NAME>` anchors to those pages, you must edit the `.tgf` with your changed anchor and/or filenames.

1. Make a copy of the original `.tgf` file in your local hierarchy.

For example: you edited a copy of `doc/productA/chap1.html` in your `local/doc/productA` directory. This product uses a `.tgf` file. You would copy:

```
cp doc/productA/productA.tgf local/doc/productA/productA.tgf
```

For some DFII products, the `.tgf` file will not be in the document directory but rather in a separate directory matching the help application ID.

2. Use a text editor such as `vi` to edit your copy of the `.tgf` file to point to your changed files.
 - If you moved the document to `/local` and you changed the document's directory name, change any pointers to the document's files to begin with `$cdsLocalDoc/newDocDir`.
 - If you moved the document to your `$HOME` and you changed the document's directory name, change any pointers to the files to begin with `$cdsHomeDoc/newDocDir`.
 - If you modified the name of a file or the `<A NAME>` anchors in a file, change the entries in the `.tgf` to refer to the changed filename or anchor string. Look for the help symbol name you found as described in Finding the form or window help symbol, and change the filename and/or anchor text for that help symbol as appropriate.

Missing or invalid entries in the .tgf file

If the entry in the `.tgf` cannot be found or does not exist, Doc Assistant will launch the `manualname.xml` file that it finds in the document directory. This will load the Documentation Browser of Doc Assistant for that document.

This will only occur if a DEFAULT tag is found in the `.tgf` file and it points to the `manualname.xml` file.

My Dashboard

The dashboard provides tools to manage the Doc Assistant settings. You can access the dashboard by selecting any option from the the hamburger icon on the menu bar.

Use the dashboard to:


- View and manage your activity:
 - [History](#)
 - [Bookmarks](#)
 - [Managing Bookmarks](#)
- View your user analytics
 - [Focus Area](#)
 - [Content Type](#)
- Set doc preferences
 - [Document Releases](#)
 - [My Products](#)
 - [Doc Assistant Settings](#)
 - [My Downloads](#)

Bookmarks


Doc Assistant lets you bookmark topics and save them for quick access later.

To bookmark a topic:

1. Click the *Bookmark* icon on the top of the Topic Viewer. Alternatively, right-click anywhere in the topic viewer and choose *Add to Bookmarks* from the shortcut menu.
The *Add Bookmark* dialog box is displayed.



2. The *Title* and *Manual Name* fields are auto-populated with the current topic information.
3. Select a folder from the *Folder* drop-down list in which you want to store the bookmark.
4. Click *Save* to confirm.
The bookmark is saved.



Viewing All Bookmarks

Click *Bookmarks* in the dashboard to display complete bookmark collection across all releases.

When you bookmark a page, the Bookmark icon on the page automatically changes to colored, indicating that the page is already bookmarked. You cannot bookmark this page again unless you delete the bookmark.



To import Cadence Help bookmarks into Doc Assistant, refer to [Importing Cadence Help History and Bookmarks](#).

Related Topics


[My Dashboard](#)

History

This page displays all your recently visited topics in an organized table format, showing key details such as the date, manual name, and the product name, are displayed in a table along with the topic link.

When you are in Online mode, clicking an Offline documentation topic displays it in a new window outside the Doc Assistant window.

Click *Clear History* to delete your browsing history.



To import Cadence Help history into Doc Assistant, see [Importing Cadence Help History and Bookmarks](#).

✔ You can also view this page by clicking the *History* button in the Hamburger menu.


Related Topics

- [Bookmarks](#)
- [My Dashboard](#)

Managing Bookmarks

In Doc Assistant, you can easily delete or move a bookmark to a new folder.

Click the bookmark icon  from the sidebar to open the Manage Bookmarks page. Alternatively, select Bookmarks in the dashboard.



Deleting Bookmarks

To delete a bookmark:

1. Click  corresponding to the bookmark you want to delete.
2. Select *Delete*.
A confirmation message is displayed.
3. Click *Delete* on the confirmation message.

The bookmark is deleted.

Editing Bookmarks

You can edit bookmark details from the bookmarks list.

To edit a bookmark:

1. Click  corresponding to the bookmark you want to edit.
2. Select *Edit*.

The *Add Bookmark* dialog box is displayed.

3. Edit the title or name of the manual in the *Title* or *Manual Name* fields.
4. Click *Save*.

The bookmark is saved.

Moving Bookmarks into a Folder

You can create a new subfolder in the release folder of the bookmarks list and move your bookmarks to the subfolder.

To move a bookmark into a subfolder:

1. Click the  button corresponding to the release folder where you want to create a subfolder. A subfolder with the name *New Folder* is created. To rename the folder, double-click *New Folder*.
2. Type the new name.
3. Click  corresponding to the bookmark you want to move.
4. Select *Edit*.
The *Add Bookmark* dialog box is displayed.
5. Select a folder from the *Folder* drop-down list.
6. Click *Save*.

The bookmark is moved to the subfolder.

Related Topics

[Bookmarks](#)

[My Dashboard](#)


[History](#)

Importing Cadence Help History and Bookmarks


When Doc Assistant is launched for the first time, you can import Cadence Help browsing history and bookmarks to Doc Assistant.

To import Cadence Help history and bookmarks to Doc Assistant:

1. Click the *View Notifications* icon on the toolbar.




2. Click the *Migrate History* button to import Cadence Help browsing history to Doc Assistant. A success message is displayed in the *Notifications* list.



3. Click the *Migrate Bookmarks* button to import Cadence Help bookmarks to Doc Assistant.

A success message is displayed in the *Notifications* list that indicates that the bookmarks have been migrated.



Related Topics


[Bookmarks](#)

[History](#)

[Managing Bookmarks](#)

Content Type

The Content Type page features a pie chart visualizing the most frequently accessed concept, task, and reference topics. Below the chart, a comprehensive table provides direct links to these popular topics, along with their corresponding product names and topic classifications.



Related Topics

- [Bookmarks](#)
- [History](#)
- [My Dashboard](#)


Focus Area

The Focus Area page displays details about the most visited product feature topics based on your browsing history. Links to these topics along with the product name and topic type are displayed in a table below the chart.

- The page includes:
- A visual chart displaying your top feature interests

- A detailed table below the chart containing:
 - Direct links to each topic
 - Associated product names
 - Topic categories

This personalized view helps you quickly navigate to the features and information most relevant to your work.



Related Topics

[Content Type](#)

[My Dashboard](#)

My Downloads

You can install the latest product documents for a release from this page. To use this feature, ensure that:

- You are connected to the internet and Online mode is enabled.


- You are signed in to Doc Assistant.
- You have write permissions to the default document directory located at "`<installation_dir>/doc`".

By default, the *Product Name* column lists all products for which documents are installed on your system. The *Update Status* column shows the download status.

To download and install updated documents:

1. Select a release from the *Product Name* column
2. Click *Download* and *Install Update*.

The updated documents are downloaded and automatically installed.



To download the updated documents and install them later:

1. Select a release from the *Product Name* column.
2. Click *Download Update*.

After the download is complete, a notification is displayed in the *Notifications* list.

3. Click the notification to install the downloaded documents.

Related Topics


[Signing In to Doc Assistant](#)

My Dashboard

My Products

My Products


The My Products section lists all products installed at your site or computer. Use it to select or deselect a product from this list, which will change the order in which content appears in the welcome page, search results, and results from the Cadence Application Support & Knowledge (ASK) portal.



You can also change products from  icon that is displayed when you are on the Doc Assistant welcome page.

When there are multiple documentation releases added in the Releases pane, you can set unique product preferences for each release:

1. Select the required release from the drop-down list.
2. Select the required products for the release.
3. Click *Save* to apply your preferences.



Your product preferences are saved. These settings are applied when running search on documents from the current release or across multiple releases.

Related Topics

[Releases](#)

[My Dashboard](#)


[Displaying Search Results from Multiple Releases](#)

Document Releases

Doc Assistant automatically displays documentation for your current active release. When you are running a tool, Doc Assistant shows the documentation that matches your tool version by default.

To access documentation from a different release:

1. Click the hamburger menu.
2. Select *Releases*.
3. Choose the required release version.



The *Releases* interface for the Online and Offline modes is displayed above. The GUI includes a table that lists the releases for which documentation is available. The table includes the following columns:

- *Release* provides a list of releases. Hover over the release names to view the *Copy* button, which lets you copy the release location.
- *Selected Release* lets you switch between releases. *Current Release* is the release for which documents are currently displayed in the Doc Assistant. To change the release, click *Make Current* for the required release. If the index of the selected release is not available, a relevant message is displayed, and indexing is triggered for that release before loading the documents.
- *Create Index* is available only in Offline mode. This option lets you create a search index for the offline documents that are available in your installation directory.
- *Remove* lets you delete release lists.

You can add or remove documentation releases from this list.

Related Topics

[Adding Documents from Other Releases](#)

[Loading Document Libraries](#)

Adding Documents from Other Releases

The Doc assistant, by default, displays documents for your currently active release. However, you can also access documents from other releases. To do this, you need to first add the required release to the *Releases* list.

To add a release:

1. Click *Add Release* on the *Releases* page.
2. Browse and select a document directory.
3. Click *Choose*.

The selected document directory is added to the Releases list.

To set another release as the current release, click *Make Current* corresponding to that release. When you restart Doc Assistant, the default document release will be set as the current release.

Related Topics

[Document Releases](#)

[Loading Document Libraries](#)

Loading Document Libraries

Document libraries from other locations can be configured to make them visible to those who are accessing Doc Assistant from a particular location. For this, create a *help.ini* file at the following location:

```
<inst_dir>/tools.<port>/cda/config/
```

Pre-Defined Document Libraries

To load a pre-defined set of libraries, add the following to the *help.ini* file:

```
[library]

<installation_directory1>/doc/xmlreg/lnx86/library.lbr

<installation_directory2>/doc/xmlreg/lnx86/library.lbr
```

If Doc Assistant is installed on a network location, you might have more than one user accessing Doc Assistant. If multiple users need to access different document libraries, you can set a

CDS_SITE environment variable that points to a common *help.ini* file and specify multiple libraries in this file. The CDS_SITE environment variable ensures that all the libraries in the *help.ini* file can be accessed by more than one user accessing Doc Assistant installed on a network location.

Document libraries in environment variables

- Adding libraries in the PATH variable

If your Doc Assistant installation location is mentioned in the PATH environment variable, you can specify the USE_PATH entry in the *help.ini* file in a new line. This enables Doc Assistant to load all the document libraries from the hierarchies in the PATH environment.

✔ You can also specify any *doc* folder paths in the *help.ini* file under this variable to allow Doc Assistant to load the library while launching.

- Loading multiple document libraries

To load multiple document hierarchies, set the CDA_DOC environment variable as follows:

- On a Windows system, set the value of the variable as:

```
"<install_dir1>\doc;<install_dir2>\doc"
```

- On a Linux system, set the value of the variable as:

```
"<install_dir1>/doc:<install_dir2>/doc"
```


Related Topics

[Document Releases](#)

[Adding Documents from Other Releases](#)

Doc Assistant Settings

You can modify Doc Assistant settings using the *Settings* page. Open this page from the *Settings* button in the hamburger menu. You can change the font settings, configure a proxy server, specify a web browser to open HTTP URLs, and set the indexing behavior.



Font Style **Default Font** ▼

Font Size **11 (Default)** ▼

Preview **Sample Text**

☐ Preserve Spaces and Line Breaks

Restore Session

☐ Restore Session when you reopen CDA

Shutdown/Startup Behaviour

☐ Allow API to Close Doc Assistant

☒ Show Product Selection Information on Startup

Weblinks

☐ Open Weblinks in Browsers

Browser Preference: **firefox** ▼

Download Path

/tmp/spriya/.config/cadence/CDA

Choose

Proxy Server


Host

Port

☐ Authentication Required

User Name

Password



✓ You can view this page by clicking the *Settings* button on the Hamburger menu.

Content Display Settings

To change the font style and font size of the content displayed in the topic viewer:

1. Select a font style from the *Font Style* drop-down list.
2. Select a size from the *Font Size* drop-down list. A preview is displayed in the *Preview* section.
3. Unselect *Preserve Spaces and Line Break* to reduce line spaces and line breaks in content pages. This provides a compact view of the content in the topic viewer.

Selecting this check box preserves all line spaces and line breaks in the source content.

Usage Tracking Settings

The *Allow Usage Tracking* section lets you manage your Doc Assistant usage data tracking settings. Tracking and sending usage data helps us improve the doc viewer's performance and user experience based on actual usage patterns.

- Select *Enable tracking to help improve app performance* to allow the tool to capture usage data, such as the content you access frequency and the errors encountered.

This data is used solely for performance optimization, troubleshooting, and feature enhancement purposes.

- Click *Send Usage Statistics* to manually submit the collected usage statistics to the development team.

Data is stored and transferred in accordance with organizational privacy and security policies. No personal or sensitive data is tracked or transmitted.

Shutdown/Startup Behavior

Use the following options to control the shutdown and startup behavior of Doc Assistant:

- *Allow API to Close the Application*: Closes Doc Assistant whenever the parent application is closed. For example, if Help was launched from a Virtuoso application, closing the application will close the Doc Assistant window. Do not select this check box if you want to keep the Doc Assistant window open even after closing the parent application.
- *Show Product Selection Information on Startup*: Displays the product selection information whenever you launch Doc Assistant.

Web Links

You can configure Doc Assistant to open HTTP links in an external web browser. To set a web browser:

1. Select the *Open Web Links in Browsers* check box.
2. Select a web browser from the *Browser Preference* drop-down list.

Download Path

This section specifies the default download path. You can specify a different location as per your requirements.

Proxy Server

Proxy settings let you manually configure the proxy server for Doc Assistant and are specific to your corporate network. These settings are applicable to LINUX. You can configure these settings if you are unable to access online documents in Doc Assistant.

Related Topics

[Doc Assistant User Interface](#)

[Accessing Doc Assistant](#)

Using Chatbot in Doc Assistant

Doc Assistant integrates a chatbot assistant that helps you quickly find the relevant information, clarify concepts, and get contextual answers from Cadence documentation. Instead of searching manually or navigating multiple topics, you can type your questions in natural language. The chatbot locates and summarizes the most relevant content from the documentation.


The chatbot operates exclusively in Doc Assistant Offline mode, ensuring full functionality without internet connectivity by accessing documents directly from your local installation directory.

Prerequisites

Ensure that the Cadence Joint Enterprise Data and AI (JedAI) server is running with the required embeddings at your premises.


Accessing the Chatbot

1. Open Doc Assistant.
2. Click the chatbot icon  at the bottom-right corner of the window.
3. The chatbot opens in a separate window, ready to assist you.
4. Log in with your corporate ID and password.



The image shows a login form with the heading "Unlock smarter responses by logging in today!". It contains four input fields: "Username" with the text "spriya", "Password" with masked characters "*****", "JedAI server url" with a blurred URL, and "Login provider" with a dropdown menu showing "LDAP". A "Log in" button is at the bottom.

5. Specify the JedAI server URL in the format: `http://localhost:portNumber/`, for example, `http://ind-myHost1:1234/`.
6. Select a *Login provider*. The default is *LDAP*.
7. The chatbot opens in a new window while keeping Doc Assistant open in the original window. This allows you to generate content using the chatbot and simultaneously search and browse documentation in Doc Assistant.
8. Select the scope from the drop-down list to set the context for your queries. The default scope matches your current installation. Available scopes correspond to specific Cadence releases (and release versions) with the embeddings stored on the JedAI server. For example, `cdn_Innovus_25.10` provides access to the Cadence Innovus product documentation for release 25.1. The chatbot references documentation from both the ASK portal and user guides available on the JedAI server.
9. Type your question in the input field and press Enter.



This tool searches the server for the relevant information and generates contextual responses to your queries, displaying them directly in the chatbot window.

Citation links used to form each response are listed below, with user guide links opening in the main Doc Assistant window and articles opening in your default browser.

What You Can Ask

Here are some sample questions you can ask the chatbot – whether it is about a concept, a procedure, reference, troubleshooting, or navigation:

- “What is a constraint group?”

- “How do I set up a simulation run?”
- "List arguments for the IxChain SKILL function."
- “How can I fix the DRC mismatch error?”
- “Show me documentation on layout editing.”

You can type questions in natural language or use keywords.

Tips for Better Results

- Be specific about your content request. For example, instead of "I have a question about Modgens", type "How do I create a Modgen?"
- Ask one question at a time for clearer guidance.
- Instead of short forms, use complete words in search prompts.
- Ensure that the scope is correctly set.

Related Topics

[AI Search](#)

Doc Assistant Known Problems and Solutions

CCR 2549352: Low space in the home directory results in multiple issues with Doc Assistant

Description: Some of the following issues might be observed if there is not enough free space in the home directory:

- Doc Assistant exits unexpectedly
- Doc Assistant hangs after launch
- Displayed content is distorted
- A blank page is displayed

Solution: To resolve these issues, set the CDA_DISABLE_CACHE environment variable to True.

CCR 2757746: On switching from TA to Doc Assistant, Doc Assistant goes offline

Description: Doc Assistant is launched in the Offline mode even if the CDA_OFFLINE environment variable is not set.

Solution: Try to relaunch Doc Assistant after deleting all the files and directories from the \$HOME/.config/cadence directory.

CCR 2756750: Online mode not available in the Doc Assistant standalone launch

Description: In Doc Assistant, when you switch from Offline mode to Online mode, an error

message is displayed that states that the release is not available on the Doc Assistant servers. Doc Assistant fails to launch in Online mode.

Solution: The release you are using is not available on the Cadence documentation production server. Contact your system administrator or your Cadence customer support representative for more information.

CCR 2780674: Opening Task Assistant makes the Doc Assistant go Offline

Description: When a user guide is opened by clicking a link in a Task Assistant, the Doc Assistant interface automatically switches to Offline mode.

Solution: Task Assistant works only in Offline mode. Therefore, Doc Assistant is launched in Offline mode when accessed from the Task Assistant. On closing Task Assistant, the Doc Assistant automatically returns to its previous documentation mode.

At any point, you can switch on the *View Documentation Online* option in the Hamburger menu to switch to Online mode.

FUSION-1818: An ambiguous warning flags in the CIW on opening a help form.

Description: When Doc Assistant is launched from Virtuoso, at certain times, the Doc Assistant opens and the relevant topic is displayed. However, the following error is displayed in the CIW.

```
WARNING obShowTag for tool "Command_Interpreter", tag "ciw" (version "") failed, status  
1 = obcViewerNotRespondingERROR (HELPAPI-002): Help viewer is not responding.
```

```
Warning No help found for help symbol ciw
```

Solution: This issue is noticed predominantly in slow systems with low specifications. The recommended configuration is a 4 Core CPU and 16GB RAM. Also ensure that there are no additional users sharing the ephemeral port.

FUSION-1892: The | (pipe) special character is not working in search in Offline documentation mode

Description: Adding a pipe symbol in the search string does not give the intended results.

Solution: Currently, there is no solution or workaround for this issue.

FUSION-1911: The Hamburger menu is hidden when Doc Assistant is zoomed in while the topic viewer is opened

Description: The Hamburger menu does not appear when the Doc Assistant window is zoomed in to higher values, for example, 160%.

Workaround: Currently, there is no solution or workaround for this issue.

CCR 2791272: * with less than 3 characters is not giving proper results

Description: Search keywords that include the * wildcard character and are less than three characters in length, for example, co*, do not retrieve the required search results.

Workaround: Ensure that search keywords with the * wildcard include at least three characters, for example, conf* instead of co*.

CCR 2629988: Manually configuring the proxy server for Doc Assistant not working

Description: Manually configuring the proxy server using the Doc Assistant Settings options does not work for the Windows operating system.

Workaround: Proxy settings in the Doc Assistant Settings are specific to your corporate network and are applicable only to LINUX systems. To set up a proxy server connection manually for a Windows system:

1. Select the *Start* button
2. Choose *Settings*.
3. Select *Network & Internet*.
4. Select *Proxy*.

5. Specify the required proxy settings.

CCR 2781876: Cadence doc assistant; Render process crash 'Render process exited with code; 5 Do you want to reload the page?'

Description: In Virtuoso, accessing the Doc Assistant from the tool *Help* buttons displays the following error message:

```
Render process exited with code:5Do you want to reload the page?
```

Workaround: Set the following SHELL environment variable before launching Doc Assistant:

```
setenv QTWEBENGINE_CHROMIUM_FLAGS "--single-process"
```

Open a Virtuoso session and run Doc Assistant from the *Help* menu, for example, in the CIW, select *Help—User Guide*. Doc Assistant appears.

CCR 2805697: Open Weblinks in Browsers setting cannot be updated in Offline mode

Description: The *Open Weblinks in Browsers* setting is not saved when changed in Offline mode.

Workaround: This issue is noticed only in Offline mode. Currently, there is no solution or workaround for this issue.

CCR 2815598: Websocket (505) error continues to come up (on certain systems) even after cleaning up cache

Description: Doc Assistant will give Error (505): No data received. Could not establish Websocket connection.

Workaround: This issue is noticed only in Offline mode. As a workaround user can use Doc Assistant in Online mode or try the following steps.

User can click the Refresh button in the Websocket error (505) page to reload the page. When the

error does not go away even after clicking the Refresh button, then perform the steps to remove the following folders

1. Remove the C:\Users\<login>\.config\cadence folder
2. Remove the C:\Users\<login>\AppData\Local\cadence folder

CCR 2898883: Stale content should be skipped

Description: This issue is noticed when the uploaded release documents include deleted topics. The search results include these deleted topics and clicking these links displays the page not found error.

Solution: This issue will be resolved automatically within a few hours after the search indexing is complete.

CCR 2898955: When pages are clicked from dashboard like history, analytics they are being added as an additional entry

Description: A new entry of the same link is added to the Doc Assistant History page when user accesses the same page multiple times. The same behavior is reported for the Focus Area (Analytics) page.

Workaround: Currently, there is no solution or workaround for this issue.

CCR 2967859: Few specific types of links are not working properly in the PDF viewer

Description: Links across user guides and links pointing to multimedia files are not working as expected in the Doc Assistant native PDF viewer. Doc Assistant might terminate unexpectedly when you click any downloadable link.

Workaround: Access the links from the HTML version of the user guide.

CCR 2967875: The same release gets added

automatically when the network is mapped to a drive path

Description: When you add a library that is available on a mapped network drive, it might be listed twice in the *Releases* interface. There is no impact on the documentation search results.

Workaround: Currently, there is no solution or workaround for this issue.

CCR 2943739: Doc Assistant hangs and prompts error message on shell terminal when accessed in CIW or layout

Description: When accessing Doc Assistant through a Cadence tool, the tool might temporarily stop responding. This might be due to access restrictions to the user temp folder.

Workaround: As a workaround:

1. Create a user directory at your home location, where you have write access, for example, `/home/<USER_NAME>/CdaTempfiles` in Linux and `C:\Users\<USER_NAME>\CdaTempfiles` in Windows.
2. Set the `PAR_GLOBAL_TEMP` system environment variable to the location of the new user directory, for example `PAR_GLOBAL_TEMP /home/<USER_NAME>/CdaTempfiles`.
3. Launch Doc Assistant.

CCR 3178986 - libcrypto and libc error while running JAVA API

Description: When invoking a Java API, errors related to missing libcrypto and libstdc++ libraries are encountered.

Workaround: To resolve this issue, set the `LD_LIBRARY_PATH` environment variable to include the following library paths before running the Java API:

```
<Install_DIR>/tools.<PORT>/TPtools/openssl/lib64/  
<Install_DIR>/tools.<PORT>/TPtools/gcclib/lib64/
```

Doc Assistant User Guide

Doc Assistant Known Problems and Solutions--CCR 2967875: The same release gets added automatically when the network is mapped to a drive path

Doc Assistant Environment Variables

Environment Variable	Description
CDA_ENABLE	To make Doc Assistant the default documentation viewer for all Cadence products, set the value of the CDA_ENABLE environment variable to <code>true</code> . When both Cadence Help and Doc Assistant are installed, setting the environment variable to <code>true</code> sets Doc Assistant as the default documentation viewer.
CDA_OFFLINE	To make Offline Documentation the default mode when Doc Assistant is launched: • Set the CDA_OFFLINE environment variable to <code>true</code>. • Specify the CDA_OFFLINE variable in the <i>help.ini</i> file on a new line.
CDA_HOME_AUTOINDEX	Platform-Specific Index Location • Linux Systems: If you do not have write permissions to the Doc Assistant installation directory, set the CDA_HOME_AUTOINDEX environment variable to <code>true</code> to create the search index in your home directory instead. • Windows Systems: By default, Doc Assistant creates the search index in your home directory. To force index creation in the installation directory, set the CDA_DISABLE_HOME_AUTOINDEX environment variable to <code>true</code>.


CDA_DISABLE_HOME_AUTOINDEX	Platform-Specific Index Location - Linux Systems: If you do not have write permissions to the Doc Assistant installation directory, set the CDA_HOME_AUTOINDEX environment variable to <code>true</code> to create the search index in your home directory instead. - Windows Systems: By default, Doc Assistant creates the search index in your home directory. To force index creation in the installation directory, set the CDA_DISABLE_HOME_AUTOINDEX environment variable to <code>true</code>.
CDA_API_DEBUG	Set the value of the CDA_API_DEBUG environment variable to <code>debug</code> to log Doc Assistant API debug information to the CDA_API_log.txt file in the \$HOME/.config/cadence directory.
CDA_DEBUG	Set the value of the CDA_DEBUG environment variable to <code>debug</code> to log the Doc Assistant debug information to the cdaLogger.txt file in the \$HOME/.config/cadence directory.
CDA_NOHIGHDPI	When you use a 4K or higher resolution monitor, to avoid any issues with the text and images displayed in Doc Assistant, set the CDA_NOHIGHDPI environment variable to <code>true</code> .
CDS_SITE	If Doc Assistant is installed on a network location, you might have more than one user accessing Doc Assistant. If multiple users need to access different document libraries, you can set a CDS_SITE environment variable that points to a common <i>help.ini</i> file and specify multiple libraries in this file. The CDS_SITE environment variable ensures that all the libraries in the <i>help.ini</i> file can be accessed by more than one user accessing Doc Assistant installed on a network location.

USE_PATH	If your Doc Assistant installation location is mentioned in the PATH environment variable, you can specify the USE_PATH entry in the <i>help.ini</i> file in a new line. This enables Doc Assistant to load all the document libraries from the hierarchies in the PATH environment.
CDA_DOC	To load multiple document hierarchies, set the CDA_DOC environment variable as follows: - On a Windows system, set the value of the variable as: <code>"<install_dir1>\doc;<install_dir2>\doc"</code> - On a Linux system, set the value of the variable as: <code>"<install_dir1>/doc:<install_dir2>/doc"</code>
CDA_WINDOW_SIZE	Use the CDA_WINDOW_SIZE environment variable to resize the Doc Assistant window. Ensure that the specified width and height values are lower than the maximum display area and higher than the Doc Assistant minimum height and width values. Syntax: <code>setenv CDA_WINDOW_SIZE widthxheight</code> Example: <code>setenv CDA_WINDOW_SIZE 800x1200</code>
CDA_CURRENT_DOC	Use the CDA_CURRENT_DOC environment variable to specify the current release for Doc Assistant. When the -hierarchy option specifies a different release, it takes precedence over the CDA_CURRENT_DOC setting.


Task Assistant Interface in Doc Assistant

For certain tools, the standard help access points, such as a *Help* button or **[?]** icon or the *Help* menu in a UI might open the Task Assistant interface instead of Doc Assistant. Task Assistant is a lightweight help tool to provide a quick overview of the tasks in the context of an action you are currently performing.

In the following example, the **[?]** button on the Auto P&R assistant launches the Auto P&R Help Assistant window, which is a Task Assistant window.



The Task Assistant interface includes links to the product user guide. Click a link to open the user guide in the Doc Assistant interface.



To return to the Task Assistant interface from In the Doc Assistant interface, scroll to the top of the page and click  .

Opening Custom Help Forms in Doc Assistant

You can create personalized SKILL GUI objects (forms and windows) to work with Cadence tools. To include the related help documents for such GUI objects in Doc Assistant:

1. **Set an application name and a tag name for the GUI object:** The Cadence tool passes these names to the Doc Assistant. These names are used to look up for the document to be opened.

Examples:

The SKILL code for a graphics window is:

```
hiCreateWindow('default "graphics" "myApp" "myWindowTag")
```

Here, `myApp` is the application name and `myWindowTag` is the tag name for this window.

The SKILL code for a form is:

```
hiCreateAppForm( ?help ' ("myApp" "myFormTag")  
...)
```

Here, `myApp` is the application name and `myFormTag` is the tag name for this form.

2. **Create a local document directory `install_dir/local/doc`:** This directory holds the document files. Here, `install_dir` is the directory where you installed the Cadence software. Doc Assistant searches for the required documents in `install_dir/local/doc` followed by `install_dir/doc`, where the Cadence user manuals are installed.

3. **Create the required HTML documentation files and save them to the `install_dir/local/doc` directory:** For example, you can create `local/doc/myDocument/myDocument.html`. To open an HTML document from a specific location, place a `<a name="anchorname"> </a>` anchor in the HTML code at that location. If a document resides in `local/doc`, you can add tags to the HTML document so that it appears in the documentation browser.

4. **Create a directory in `local/doc` that matches the tool application name.** For example, you can create the directory `local/doc/myApp`.

5. **Create a tag file:** In the `local/doc/application_name` directory, create an

`application_name.tgf` file. This is a simple ASCII file.

For example, you can create an ASCII file `local/doc/myApp/myApp.tgf`.

6. **Add a list of pointers to the tag file:** In the tag file, include a list of pointers to each function tag name and the path to the HTML file to be opened when the user clicks *Help*.

Entries in each line of the tag must be in the following format:

```
tagname path_to_document optional_anchorname filetype
```

Examples:

Include the following in `myApp.tgf`:

```
myWindowTag $myDocument/myDocument.html "" HTML
```

Here, Doc Assistant first looks in the standard document directories for a directory named `myDocument`. `""` indicates that there is no `<a name="anchorName"></a>` to jump within `myDocument.html`.

To anchor a point `<a name="myFormAnchor"></a>` in your document, include the following in `myApp.tgf`:

```
myFormTag $myDocument/myDocument.html "myFormAnchor" HTML
```

If you have placed your documentation in a directory outside the Cadence hierarchy, you must type the complete path name to the directory or a path name relative to the `install_dir/doc` directory. If the document is located in `/usr1/customDocs/myDocument`, the tag entry includes:

```
myFormTag /usr1/customDocs/myDocument/myDocument.html "myFormAnchor" HTML
```

The previous steps outline the procedure to create a document in `install_dir/local/doc` that is readable to all users who use your Cadence installation.

To ensure that a document is visible only to you, create it either in your `$HOME` directory (on LINUX) or in the `%userprofile%\doc` directory (on Windows), rather than in `local/doc`. The argument used to point to this directory in the tag `$dirname` is the same in either case.

Related Topics

[Working with a Tag File](#)

[Documentation Lookup Order](#)

[How to use CSF search mechanism](#)

Working with a Tag File

Applications that display help in Doc Assistant use a tag file with the .tgf extension to identify which file to open when a *Help* button is clicked. A tag file points to specific documents. To point a *Help* button to custom documents, you need to create the tag file and your documents. Each line of a tag file lists the following:

tagname docpath linkname filetype

- `tagname` is a string output by a Cadence application when you click a *Help* button.
- `docpath` is the path to and the name of the file to open when the *Help* button is clicked.

If the path begins with a forward slash (/), it is an absolute path.

If the path begins with the dollar symbol (\$), Doc Assistant looks for the document at the following [locations](#) sequentially.

Doc Assistant looks for a matching `name/nameTOC.html` file with a specific HTML META value to ensure that the directory name includes a Doc Assistant manual.

If the path does not have a slash or dollar symbol, it is relative to the `doc/manualdir` path containing the tag file.

- `linkname` is the text of the HTML `<A NAME>` anchor to which Doc Assistant jumps. In HTML, the syntax of an `<A NAME>` anchor is as given below:

```
<a name="uniqueID">text to be marked with anchor</a>
```

where `uniqueID` is any text string that identifies this part of the HTML.

- `filetype` is the file format of the document. Valid file type is HTML (for HTML files used by Doc Assistant).

For non-DFII products, the tag file usually begins with a DEFAULT line. If the requested filename is not found, the DEFAULT entry is used.

The following code fragment depicts a sample tag file:

```
DEFAULT myBookTOC.html NULL HTML
CreatePinForm chap1.html "createpin" HTML
CloseCell $dfref/chap3.html "closecell" HTML
User_Guide $cdadoc/cdadocTOC.html NULL MENU
```

In the above code fragment:

- The first line lists a default document file (`myBookTOC.html`, a table of contents file) to be displayed if the string returned by the Cadence tool is not listed in the tag file. Its path is the same as the tag file directory.

- If the application passes the `tagname CreatePinForm`, Doc Assistant opens the file `chap1.html` in the tag file directory, and then jumps to the `<A NAME>` anchor with the string `createpin`.
- If the application passes the `tagname CloseCell`, Doc Assistant opens the file `chap3.html` in the directory `~/doc/dfref`, or `local/doc/dfref`, or `doc/dfref` in that order. Doc Assistant jumps to the `<A NAME>` anchor with the string `CloseCell`.
- If the application passes the `tagname user guide`, Doc Assistant opens the Topic Of Contents of the user guide, from where you can select the required topic file for itself, which lists all the documents so the user can select one.

Ensure that the tag name and its associated page does not contain the `.pdf` extension because it is not supported in Doc Assistant.

Determining whether an application has a tag file

Different families of Cadence applications have different methods for identifying their help tag file. For most applications, the help tag file is in the same directory as the document. To find the help tag file, look in the document directory for a file named `manualname.tgf`.

For example, the tag file for the Library Manager document is `doc/libManager/libManager.tgf`.

For most (not all) Design Framework II® applications, the help tag file is named `doc/helpAppID/helpAppID.tgf`. The `helpAppID` is usually different from the document directory name, and in most cases the `doc/helpAppID` directory contains only the help tag file. The document itself is in another directory.

How Cadence applications find tag files

A few Design Framework II applications and all other Cadence applications find tag file by following the following method:

The application searches for the document directory (or a subdirectory containing that directory) in your doc hierarchy, in the following sequence mentioned [here](#).

Most Design Framework II applications find their help tag file by:

1. Determining which help application ID, and therefore which tag file, to search first.
2. The application searches for the `helpAppID/helpAppID.tgf` file.

Doc Assistant does not allow tag names having a pdf file to support open pdf files functionality. Avoid using any extensions in the tag file names other than .html.

Modifying a document and tag file

To change a pointer in a tag file to jump to a different anchor in a custom document or to a file you added to the custom hierarchy:

1. Add or change HTML anchors in the help files
2. Find the help symbol used by the form or window to locate the help files
3. Edit the .tgf pointer file that maps help symbols to HTML anchors

Adding or changing HTML Anchors

Doc Assistant find a page in a help document by looking for an `<A NAME>` element, called "anchor", in the HTML file.

If you create a new help file, add a new section, or change a section and remove the existing `<A NAME>` element, place an `<A NAME>` anchor on each section that you want to open from a *Help* button. You may use any HTML editing program, including a text editor such as vi, to edit the HTML file and add, change, or move anchor elements. The syntax of an anchor is:

`<A NAME="uniqueID"> text at the beginning of a section you want to jump to </a> .`

Here, `uniqueID` is any text string unique to this NAME element.

Finding the Form or Window Help Symbol

The tag files map application help symbols to specific help filenames. Clicking on a *Help* button in that application form passes the help symbol to a program that uses the .tgf to look up the appropriate help file.

For all non-DFII and a few DFII applications, there is no specific mechanism for determining what help symbol is used for a specific window or form. You can look through the tag file for the document used by that application to see which files are called. By viewing the section where an anchor is placed, you can determine the form or window jumps to that page. Then you can look for that document file and anchor name in the tag file.

For a DFII application, use the following steps to determine what help symbols and tag files are used by a specific form or window.

1. Open the custom form or custom window for which Help is customized.
2. Type the following in the Command Interpreter Window (CIW):

```
helpDebug=t
```

3. Click the custom form or custom window *Help* button.

A report is displayed in the CIW in the following format:

```
hiHelp: help symbol = "WidgetEditor" Application ID = "cadenceTool"
...hihelpLookupTag: appIDlist = (string) "cadenceTool" tagName = (string)
"WidgetEditor" objType = (symbol) form objName = (symbol) helpSymbol quickHelpTag =
(list) nil concatTagName = (list) nilSearching for help symbol...Calling hiiObShowTag,
toolList = ("cadenceTool" "DFII"), tagName = "WidgetEditor"calling obShowTag with tool
"icctranslator", tag "WidgetEditor" (version "")tag "WidgetEditor" found, document was
displayed."hiiObShowTag call succeeded"
```

If the output is different, your product does not use `hiHelp()` to access online help.

In the above example, `WidgetEditor` is the form help symbol. The tag file name is `/install_dir/doc/cadenceTool/cadenceTool.tgf`. The debug output in the CIW does not show the file name, so you must deduce the name from the application ID.

If `helpDebug()` does not find a symbol, add the help symbol to any tag files it the searched list.

Resolving Missing or Invalid Entries in a Tag File

If an entry cannot be found or does not exist in a tag file, Doc Assistant launches the `manualname.xml` file found in the document directory. The document is displayed in the Documentation Browser of Doc Assistant.

This occurs if a DEFAULT tag is found in the tag file that points to the `manualname.xml` file.

Related Topics

[Opening Custom Help Forms in Doc Assistant](#)

[Documentation Lookup Order](#)

[How to use CSF search mechanism](#)

Documentation Lookup Order

Doc Assistant looks through some pre-defined locations to find the documentation for Cadence help forms and user created custom help forms. These location and order in which they are processed to show the documentation are mentioned below.

Doc Assistant lookup order for Cadence help forms

1. Doc Assistant looks in the first specified document library in -hierarchy argument.
2. Doc Assistant looks in the <doc_assistant_install_directory>/doc directory.

Doc Assistant lookup order for custom/user-created help forms

1. Doc Assistant uses the [CSF mechanism](#) to load the help documentation.

This feature is not available on Windows platform.

2. Doc Assistant looks in the <doc_assistant_install_directory>/local/doc directory.
3. Doc Assistant looks in the \$HOME/doc directory.

In windows Doc Assistant looks in %userprofile%\doc directory.

Related Topics

[Opening Custom Help Forms in Doc Assistant](#)

[Working with a Tag File](#)

[How to use CSF search mechanism](#)

How to use CSF search mechanism

Doc Assistant uses the CSF search mechanism to open documentation from custom or user-created help forms. You need to define their [tag files](#) and directory in which these files exist in the way as explained below:

1. Create the custom help documentation html/s.
2. Create a <My_Helpdoc>.tgf file, which contains entries for custom help documentation html/s mentioned in point 1, according to the format specified in [Working with a Tag File](#).
3. Ensure that the help documentation html/s and the related <My_Helpdoc>.tgf file is placed in

the <My_Helpdoc> directory.

4. Ensure that the <My_Helpdoc> directory is placed inside the doc directory, so that the directory structure looks like <ANY_PATH>/doc/<My_Helpdoc>/...
5. You can have multiple <My_Helpdoc> like directories in the doc folder corresponding to different help forms.
6. Create a csfLookupConfig named ASCII file that contain entries of all <MY_Helpdoc>.tgf files as shown below:
INCLUDE <MY_Helpdoc1>.tgf
INCLUDE <MY_Helpdoc2>.tgf
..
..
..
7. In the setup.loc file located in <INST_DIR>/share/cdssetup/setup.loc, add the path where the csfLookupConfig file (created in the above point) is located. Also add the path to all the <My_Helpdoc> directories in the setup.loc file as:
<ANY_PATH>/doc/<My_Helpdoc1>
<ANY_PATH>/doc/<My_Helpdoc2>
..
..
8. When you call a non-Cadence supplied <tool>:<tag> from custom help form, it should now use the CSF mechanism to find the <tool>.tgf file and then open the corresponding html entry against that <tag> entry in the <tool>.tgf file.

Alternatively, you can place such created <MY_Helpdoc> directories under the following locations for custom/user-created documentation if you do not want to use the CSF mechanism:

- <doc_assistant_install_directory>/local/doc directory.
- \$HOME/doc directory OR %userprofile%\doc directory for Windows.

Related Topics

[Opening Custom Help Forms in Doc Assistant](#)

[Working with a Tag File](#)


Documentation Lookup Order

Installing and Using Standalone Doc Assistant for Windows


As a Windows user, you can download and install the standalone version of Doc Assistant on your computer. You can access documentation only for the products that are installed in your computer.

To download standalone doc assistant to your computer:


1. Log on to <https://downloads.cadence.com/>.
2. Search for docassistant.



3. Select the latest version to download it. An .exe file is downloaded to your computer.



4. Double-click the .exe to install the application.
5. Follow the on-screen instructions to complete the installation.



Doc Assistant is installed on your computer. You can now access the documentation for installed products.


Accessing Documentation in Doc Assistant

To view documents from a specific release, follow the following steps to add the release to your list of *Releases*:

1. Click the hamburger icon on the menu bar and select *Releases*. By default, *Default Doc* is initially set to your current release.
2. Click *Add Release* on the *Releases* page.
3. Browse and select a document directory. If your installation is in another Windows or Linux-based computer, map a network drive to the documentation hierarchy of that computer.
4. Click *Choose*.
The selected document directory is added to the *Releases* list.
5. To set this release as the current release, click *Make Current* corresponding to the release.

The selected release is now set as your current release, and the documents are accessible in Doc Assistant.

Alternatively, you can download the documents of the required release to your computer and use *Add Release* to select the folder and set it as your current release.



Related Topics

[Accessing Doc Assistant](#)

[Document Releases](#)

Adding Custom Content to Doc Assistant

This topic describes how to add your custom documentation to Doc Assistant so that users can browse and search through your custom content.

Before you begin, ensure that:

- Doc Assistant is installed on your system
- You have the HTML documentation files ready
- You have access to the Doc Assistant installation directory

To make your content available in Doc Assistant, you need to first organize your documents in a standard hierarchy, and then add the documentation path to Doc Assistant.

Organizing Documents in a Standard Hierarchy

To organize your documents in a standard hierarchy:

1. Create the main document directory named `doc` that will serve as the root for your documentation.
2. Under the `doc` directory, create separate subdirectories for different document sets. Each subdirectory must include the related HTML files.

Example structure:

```
doc/  
├─ manualA/  
│   ├─ chapter1.html  
│   ├─ chapter2.html  
│   └─ manualATOC.html  
├─ manualB/  
│   ├─ overview.html  
│   ├─ procedures.html  
│   └─ manualBTOC.html  
└─ doc.cfg
```

3. For each subdirectory under `doc`:
 - a. Create a TOC file.
 - b. Rename the TOC file to match your directory name, for example, `manualATOC.html` for the `manualA` directory.
 - c. Add entries for all HTML files in that directory to the TOC file in the following format:



4. Create a configuration file named `doc.cfg` in the main doc directory and add the following line:

```
Release=Custom Document
```
5. To generate the configuration files, open a command terminal and navigate to the Doc Assistant tools directory:

```
cd <install_directory>/tools
```
6. Run the topic generation command:

```
cda/bin/topicgen -docset <path_to_custom_docset>/doc
```

Adding the Custom Document Set to Doc Assistant

After creating the standard documentation hierarchy, to add the document path to Doc Assistant:

1. Launch Doc Assistant.
2. Select *Release—Add Release* from the hamburger menu.
3. Select your custom document set to add it to Doc Assistant.

Your custom content is now be available for browsing and searching within Doc Assistant.

- You can create as many subdirectories under the `doc` directory as needed.
- Ensure all HTML files are properly formatted and contain valid content.
- The TOC files are essential for proper navigation within Doc Assistant.

Related Topics

[Loading Document Libraries](#)

[Adding Documents from Other Releases](#)