

Litmus What's New

Product Version 26.10

May 2026

© 2026 Cadence Design Systems, Inc.
Printed in the United States of America.

Cadence Design Systems, Inc. (Cadence), 2655 Seely Ave., San Jose, CA 95134, USA.

Open SystemC, Open SystemC Initiative, OSCI, SystemC, and SystemC Initiative are trademarks or registered trademarks of Open SystemC Initiative, Inc. in the United States and other countries and are used with permission.

Trademarks: Trademarks and service marks of Cadence Design Systems, Inc. (Cadence) contained in this document are attributed to Cadence with the appropriate symbol. For queries regarding Cadence's trademarks, contact the corporate legal department at the address shown above or call 800.862.4522.

All other trademarks are the property of their respective holders.

Restricted Permission: This publication is protected by copyright law and international treaties and contains trade secrets and proprietary information owned by Cadence. Unauthorized reproduction or distribution of this publication, or any portion of it, may result in civil and criminal penalties. Except as expressly permitted below, this publication may not be copied, reproduced, modified, published, uploaded, posted, transmitted, or distributed in any way, including automated processes, training or services involving a large language model, foundation model, deep machine learning, generative artificial intelligence, or any other similar process or technology, without prior written permission from Cadence. Unless otherwise agreed to by Cadence in writing, customers are granted permission to print one (1) hard copy of this publication subject to the following conditions:

1. The publication may be used only in accordance with a written agreement between Cadence and its customer.
2. The publication may not be modified in any way.
3. Any authorized copy of the publication or portion thereof must include all original copyright, trademark, and other proprietary notices and this permission statement.
4. The information contained in this document cannot be used in the development of like products or software, whether for internal or external use, and shall not be used for the benefit of any other party, whether or not for consideration.

Disclaimer: Information in this publication is subject to change without notice and does not represent a commitment on the part of Cadence. Except as may be explicitly set forth in such agreement, Cadence does not make, and expressly disclaims, any representations or warranties as to the completeness, accuracy or usefulness of the information contained in this document. Cadence does not warrant that use of such information will not infringe any third party rights, nor does Cadence assume any liability for damages or costs of any kind that may result from use of such information. Cadence is committed to using respectful language in our code and communications. We are also active in the removal and replacement of inappropriate language from existing content. This product documentation may however contain material that is no longer considered appropriate but still reflects long-standing industry terminology. Such content will be addressed at a time when the related software can be updated without end-user impact.

Restricted Rights: Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor.

Contents

Commands, Attributes and Rules Updates	4
Command Updates	4
New Commands	4
26.10	4
Changed Commands	5
26.10	5
Obsolete Commands	7
26.10	7
Attribute Updates	7
New Attributes	7
26.10	8
Changed Attributes	10
26.10	10
Obsolete Attributes	10
26.10	10
Rule Updates	11
New Rules	11
26.10	11
Changed Rules	12
26.10	12
Obsolete Rules	17
26.10	17
New Functionality	18
Release 26.10	18
Enhanced GUI	18
Constraint Promotion	18
Constraints Comparison (1D2S)	18

Commands, Attributes and Rules Updates

This section discusses the following topics:

- [Command Updates](#)
- [Attribute Updates](#)
- [Rule Updates](#)

Command Updates

New Commands

26.10

- `add_rule_filter`
- `audit_timing`
- `check_target_constraints`
- `compare_constraints`
- `delete_rule_filter`
- `get_license_status`
- `get_selectively_expanded_modules`
- `gui_show`
- `input_design`
- `promote_hierarchical_constraints`
- `pushdown_hierarchical_constraints`
- `read_hierarchical_constraints`
- `read_lint_configuration`
- `report_black_box`
- `report_clock_mapping`

- `report_hierarchical_clock_mapping`
- `report_lint_configuration`
- `report_rule_filter`
- `report_rule_instance`
- `report_rule_source`
- `set_constraint_promotion_priority`
- `set_constraint_promotion_strategy`
- `set_expanded_hinsts`
- `set_rule_handling`
- `set_selectively_expanded_modules`
- `set_target_check_constraints`
- `write_lint_configuration`

Changed Commands

26.10

Command	Added Command Option(s)/Value(s)	Removed Command Option(s)/Value(s)
<code>create_generated_clock</code>	<code>-preinvert</code>	<code>-source_invert</code>
<code>generate_sva</code>	<code>-include_clock_to_clock</code>	
<code>input_sdc</code>	<code>-sdc_1</code> <code>-sdc_2</code>	
<code>report_sdc</code>	<code>-sdc_compare</code>	
<code>reset_path_exception</code>	<code>-ignore_clock_latency</code>	
<code>set_sva_to_generate</code>	<code>-reset</code>	

Litmus What's New
Commands, Attributes and Rules Updates--Command Updates

set_sva_to_skip	-end_line -file -help -reset -start_line	
create_rc_corner	-thru_substrate_subckt_file	- thru_substrate_cell_subckt_file
read_boundary_model	- selective_instances_for_model	
read_power_rail_results	-force	-suppress_message
redirect	-bg	
rename_obj	Added Values for Commands: • port_bus • hport_bus	
report_case_analysis	-include_function -include_ref_name	
report_constraint	-drv_abs_margin -drv_ratio_margin	
report_obj	-tabular	
report_ports	Added Value for option -type: • port_wire_cap	
reset_timing_derate	-transition	
set_analysis_view	-ir <string>	
set_clock_exclusivity	-ignore_clock_mux_auto_detect	
set_message	-reset_count	

set_path_adjust_group	-fall -fall_from -fall_through -fall_to -rise -rise_from -rise_through -rise_to	
set_sense	-clock_leaf	
set_table_style		-frame
update_rc_corner	-thru_substrate_subckt_file <fileName>	- thru_substrate_cell_subckt_file <fileName>

Obsolete Commands

26.10

- generate_sva_set_case_analysis
- generate_sva_set_disable_timing
- get_ptr_opt_mode
- ptr_opt_design
- reset_sdc
- set_mim_instances
- set_ptr_opt_mode

Attribute Updates

New Attributes

26.10

- ltms_adjust_precision
- ltms_const_case_analysis_check_skip_transition
- ltms_const_clk_check_skip_false_path
- ltms_const_clock_conv_include_logical_exclusivity
- ltms_const_clock_mapping_for_unloaded_clock
- ltms_const_hier_logic_transition_condition
- ltms_const_hier_wire_transition_condition
- ltms_const_io_check_skip_unconstrained_path
- ltms_const_multicycle_path_enable_literal_based_cycle_count_check
- ltms_const_skip_clock_on_mux_select
- ltms_const_strict_clock_mapping_for_internal_clock
- ltms_const_verbose_val_display_limit
- ltms_enable_audit_timing_flow
- ltms_enable_conflicting_design_ref
- ltms_enable_design_clocks_opt_sync_grp
- ltms_enable_elaborated_netlist_flow
- ltms_enable_excl7_classification_from_excl
- ltms_enable_exc_clk1_flp7_optimization
- ltms_enable_full_file_name
- ltms_enable_graph_based_ignored_exceptions_flow
- ltms_enable_reg2out_bfs_phase_transformation
- ltms_exclude_fp_async_logical_physical_clockpairs
- ltms_hier_compare_propagated_clock_latency
- ltms_max_path_to_explore
- ltms_max_sequential_depth_to_explore

- ltms_nominal_gate_delay
- ltms_nominal_wire_delay
- ltms_report_ports_with_unconstrained_points
- ltms_sdc_version_min_limit
- ltms_skip_top_path_description
- ltms_sva_cgc_use_edge_sampling
- ltms_sva_disable_sdc_comment_processing
- ltms_sva_inc_buf
- ltms_sva_include_per_property_comment
- ltms_sva_mcp_skip_single_cycle
- ltms_sva_num_paths_per_exception
- ltms_sva_path_based_sampling_exhaustive
- ltms_sva_sca_clock_define
- ltms_sva_sca_clock_name
- ltms_sva_sca_config_pin_exclude
- ltms_sva_sca_config_pin_include
- ltms_sva_sca_enable_sca_text
- ltms_sva_sca_fail_string
- ltms_sva_sca_file_extension
- ltms_sva_sca_id
- ltms_sva_sca_reset_define
- ltms_sva_sca_reset_polarity_define
- ltms_sva_sca_reset_polarity_value
- ltms_sva_sca_reset_signal_name
- ltms_sva_sca_top_inst_define
- ltms_sva_sca_top_inst_name

- ltms_sva_sca_use_user_defined_clock
- ltms_sva_sca_valid_string
- ltms_sva_sdt_clock_define
- ltms_sva_sdt_clock_name
- ltms_sva_sdt_id
- ltms_sva_sdt_label
- ltms_sva_sdt_property_macro_name
- ltms_sva_sdt_reset_define
- ltms_sva_sdt_tag
- ltms_sva_sdt_top_define
- ltms_sva_sdt_top_inst_name
- ltms_sva_sdt_use_user_defined_clock
- ltms_sva_traverse_through_mux_select_pin

Changed Attributes

26.10

None

Obsolete Attributes

26.10

- ltms_enable_check_timing
- ltms_enable_rac_checks
- ltms_sva_debug_level

Rule Updates

New Rules

26.10

- CONST_CLK_GRP10
- CONST_CLK_GRP6
- CONST_CLK_GRP8
- CONST_CLK_GRP9
- CONST_CLK_UNC5
- CONST_COMP_IO1
- CONST_COMP_IO3
- CONST_COMP_ITR1
- CONST_COMP_TIM1
- CONST_COMP_TIM2
- CONST_EXC_FLP5
- CONST_EXC_OLP3
- CONST_EXC_SMD6
- CONST_HIER_IO1
- CONST_HIER_IO10
- CONST_HIER_IO13i
- CONST_HIER_IO13o
- CONST_HIER_IO3
- CONST_HIER_IO9
- CONST_HIER_ITR1
- CONST_HIER_TIM1
- CONST_HIER_TIM2

- `CONST_LINT_CMD3`
- `CONST_LINT_CMD4`
- `CONST_LINT_INFO2`
- `CONST_LINT_INFO3`
- `CONST_LINT_SCA2`
- `CONST_LINT_SCA3`
- `CONST_LINT_SCOPE2`
- `CONST_LINT_SKIPPED`

Changed Rules

26.10

Rule(s)	Added Attribute(s)	Removed Attribute(s)
CONST_CG_CHK5	<code>blocking_commands</code> <code>file_lines</code> <code>file_names</code> <code>type</code>	<code>file_line</code> <code>file_name</code>
CONST_CG_CHK6 CONST_EXC_CLK2	<code>command</code> <code>file_lines</code> <code>file_names</code> <code>type</code>	<code>file_line</code> <code>file_name</code>
CONST_CG_CHK7	<code>file_lines</code> <code>file_names</code>	<code>file_line</code> <code>file_name</code>
CONST_CLK_DEF23	<code>path_type</code> <code>redefinition_clock_source</code>	

Litmus What's New
Commands, Attributes and Rules Updates--Rule Updates

CONST_CLK_DEF40 CONST_COMP_CTR1 CONST_HIER_CTR1 CONST_SCA_CHK1	type	
CONST_CLK_DEF48	file_lines file_names	
CONST_CLK_GRP7	clocks	
CONST_COMP_CLK4	reference_lib_gen_clk_file_line reference_lib_gen_clk_file_name	
CONST_COMP_EXC1 CONST_COMP_EXC10 CONST_COMP_EXC11 CONST_COMP_EXC12 CONST_COMP_EXC13 CONST_COMP_EXC14 CONST_COMP_EXC15 CONST_COMP_EXC16 CONST_COMP_EXC17 CONST_COMP_EXC2 CONST_COMP_EXC3 CONST_COMP_EXC4 CONST_COMP_EXC5 CONST_COMP_EXC6 CONST_COMP_EXC7	reference_corner reference_exc_from reference_exc_from_clock reference_exc_through reference_exc_to reference_exc_to_clock reference_exc_type reference_path_endpoint_clock reference_path_startpoint_clock target_corner target_exc_from target_exc_from_clock target_exc_through target_exc_to target_exc_to_clock target_exc_type target_path_endpoint_clock target_path_startpoint_clock	block_exc_from block_exc_from_clock block_exc_through block_exc_to block_exc_to_clock block_exc_type block_path_endpoint_clock block_path_startpoint_clock top_exc_from top_exc_from_clock top_exc_through top_exc_to top_exc_to_clock top_exc_type top_path_endpoint_clock top_path_startpoint_clock

Litmus What's New
Commands, Attributes and Rules Updates--Rule Updates

CONST_COMP_GRP1	reference_file_line reference_file_name target_file_line target_file_name	
CONST_COMP_IO5i CONST_COMP_IO5o	target_value	
CONST_COMP_IO6i CONST_COMP_IO6o	reference_value	
CONST_COMP_IO7i CONST_COMP_IO7o CONST_COMP_IO8i CONST_COMP_IO8o	reference_value target_value	
CONST_COMP_SDT1	from_pin to_pin	target_port
CONST_COV_CG CONST_COV_CP CONST_COV_CS CONST_COV_DATA CONST_COV_PW CONST_COV_RR CONST_COV_SH CONST_COV_SKEW	bbox_cells blocking_points constant_source_pin constant_source_pin_value constant_type constant_value constraint_cmd file_lines file_names launch_capture_clocks ltms_diagnosis_path start_pins start_ports when_condition	file_line file_name

Litmus What's New
Commands, Attributes and Rules Updates--Rule Updates

CONST_DAT_CHK5	file_lines file_names max_delay_command	file_line file_name
CONST_DGN_CMB5		exc_from exc_through exc_to
CONST_DGN_TIM2	clock file_lines file_names	file_line file_name
CONST_EXC_OLP1a CONST_EXC_OLP1b CONST_EXC_OLP1c CONST_EXC_OLP1d CONST_EXC_OLP1e CONST_EXC_OLP1f CONST_EXC_OLP2	capture_clocks launch_clocks	
CONST_HIER_CLK4	top_lib_gen_clk_file_line top_lib_gen_clk_file_name	
CONST_HIER_EXC1 CONST_HIER_EXC17 CONST_HIER_EXC2	block_corner top_corner	
CONST_HIER_EXC10 CONST_HIER_EXC11 CONST_HIER_EXC12 CONST_HIER_EXC13	block_corner top_corner top_value	

Litmus What's New
Commands, Attributes and Rules Updates--Rule Updates

CONST_HIER_EXC14	block_corner	
CONST_HIER_EXC15	block_exc_cycle	
CONST_HIER_EXC16	block_exc_cycle_on_start top_corner top_value	
CONST_HIER_EXC3	block_corner	
CONST_HIER_EXC5	top_corner top_exc_cycle top_exc_cycle_on_start	
CONST_HIER_EXC4	block_corner	
CONST_HIER_EXC6	block_exc_cycle block_exc_cycle_on_start top_corner	
CONST_HIER_EXC7	block_corner block_exc_cycle block_exc_cycle_on_start top_corner top_exc_cycle top_exc_cycle_on_start	
CONST_HIER_GRP1	block_file_line block_file_name top_file_line top_file_name	
CONST_HIER_IO5i CONST_HIER_IO5o	block_value	
CONST_HIER_IO6i CONST_HIER_IO6o	top_value	

CONST_HIER_IO7i CONST_HIER_IO7o CONST_HIER_IO8i CONST_HIER_IO8o	block_value top_value	
CONST_HIER_SDT1	from_pin to_pin	block_port
CONST_IO_ITR10	file_lines file_names port_pin	file_line file_name pin
CONST_LINTCFG_REF4	object option valid_object_types	msg
CONST_LINT_CTR2	clock_port source	
CONST_LINT_INFO1	scope	mode_name
CONST_LINT_LAT2	command object_command	

Obsolete Rules

26.10

- CONST_LINT_GRP1
- CONST_LINT_GRP2
- CONST_LINT_GRP3
- CONST_LINT_UNC3

New Functionality

Release 26.10

Enhanced GUI

This release introduces a significantly enhanced **high-capacity** Graphical User Interface (GUI) that improves interactive analysis and debug of rule results through a more scalable and streamlined user experience. The updated GUI enables efficient browsing of rules, inspection of occurrence-level details, and integrated **cross-probing** and **rule filtering** workflows.

A key enhancement in this release is improved scalability, allowing the GUI to handle very large designs (1B+ instances). You can now interactively analyze rule violations and perform debug operations even for large, complex SoCs.

Additional enhancements include improved rule navigation, richer cross-probing to HDL/RTL, schematic, and SDC views, and more flexible rule filtering, simplifying violation analysis across both block-level and full-chip use cases.

Constraint Promotion

This release introduces Constraint Promotion, a new capability that automates the migration of **block-level** design constraints into the **SoC-level** constraint environment. This feature enables systematic analysis, conflict detection, and controlled promotion of block constraints, ensuring consistent timing intent across hierarchical designs.

Constraint Promotion supports configurable promotion strategies and diagnostics, for both RTL and netlist flows, simplifying SoC integration and improving the reliability of hierarchical constraints signoff.

Constraints Comparison (1D2S)

This release introduces Constraints Comparison (**1D2S – One Design, Two SDCs**), which enables direct consistency checking between two SDC views of the same design. The feature supports **reference-versus-target** constraint validation, helping ensure that timing intent is preserved across design development, implementation, and constraint evolution workflows.

Constraints Comparison complements *Hierarchical Constraints Signoff* by extending consistency checks beyond block-to-top analysis to **SDC-to-SDC comparison** within the same design. It supports both timing-aware comparison, reported through signoff rule checks, and fast

timing-unaware (2SDC) comparison, enabling early detection of missing, mismatched, or modified constraints.